District I 1825 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 178758

# APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

AT LIGHTION ON ENTIRE TO BRILL, NE ENTER, DEEL EN, TEOGRAPHIC ON ADDITION							
Operator Name and Address     YATES PETROLEUM	2. OGRID Number 25575						
105 S 4TH ST ARTESIA , NM 88210		3. API Number 30-025-41568					
4. Property Code 37947	5. Property Name Caravan State Unit	6. Well No. 003H					
7 Surface Leastion							

#### 7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
(	32	248	33E		110	N	1980	W	Lea

#### 8. Proposed Bottom Hole Location

UL -	Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	N	32	24S	33E	N	330	S	1980	W	Lea

#### 9. Pool Information

TRISTE DRAW;BONE SPRING, EAST	96682

#### Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3503
18. Multiple N	17. Proposed Depth 15694	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 1/18/2014
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

## ☐ We will be using a closed-loop system in lieu of lined pits

#### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	1165	880	0
Int1	12.25	9.625	40	5100	1665	0
Prod	8.75	5.5	17	15694	1975	4600

# Casing/Cement Program: Additional Comments

#### 22 Proposed Blowout Prevention Program

82	22:1 Toposca Biomodit Terendon Trogram									
Туре	Working Pressure	Test Pressure	Manufacturer							
Double Ram	3000	3000								
Double Ram	5000	5000								

knowledge and b		rue and complete to the best of my IMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSERVATION	ON DIVISION
Signature:					
Printed Name:	Electronically filed by LORI FLORI	ES	Approved By:	Paul Kautz	
Title:	Title: Land Regulatory Technician			Geologist	Marie Company of the
Email Address: lorif@yatespetroleum.com			Approved Date:	12/19/2013	Expiration Date: 12/19/2015
Date: 12/18/2013 Phone: 575-748-4448			Conditions of Appr	oval Attached	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 178758

## WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 2. Pool Code 30-025-41568 96682		3. Pool Name TRISTE DRAW:BONE SPRING, EAST
4. Property Code 37947	5. Property Name Caravan State Unit	6. Well No. 003H
7. OGRID No. 25575	Operator Name     YATES PETROLEUM CORPORATION	9. Elevation 3503


#### 10. Surface Location

	Tot outlido Loudon									
	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
١	C	32	24S	33E		110	N	1980	W	Lea

#### 11 Bottom Hole Location If Different From Surface

	TH Bottom Hole Evolution in Billiototic From Carlado								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	32	24S	33E	100000000000000000000000000000000000000	330	S	1980	W	Lea
12. Dedicated Ac			13. Joint or Infill		14. Consolidation Con	de		15. Order No.	
160.0	0								

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

LORI FLORES E-Signed By:

Title: Land Regulatory Technician

12/18/2013 Date:

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Gary Jones Surveyed By: 11/2/2013 Date of Survey: Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-8178 Fax:(505) 334-8170
District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178758

## **PERMIT COMMENTS**

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41568
105 S 4TH ST	Well:
ARTESIA , NM 88210	Caravan State Unit #003H

Created By	Comment	Comment Date
CMAY	30' Samples to 5100'. 10' samples 5100' to TD Logging: SCH: PLATFORM EXPRESS-CURVE; CNL/LDT/NGT-CURVE TO INTERM CSG; CNL/GR-CURVE- SURFACE CSG; DLL-MSFL-CURVE-SURF CSG; HORIZONTAL-MWD-GR-HORIZONTAL. Mudlogging: 2000' to TD	12/18/2013
CMAY	Mud Level Monitoring: After surface casing is set an electronic PVT system will be installed as our primary mud level monitoring system. A seconday system will also be implemented as to ensure the PVT system is functioning properly. The secondary system will be comprised of the derrick hand checking the fluid level in the pits periodically using a nut on the end of a rope hanging just above the fluid level in the pit.	12/18/2013
CMAY	PRESSURE CONTROL EQUIPMENT: A 3000 psi system will be nippled up and tested on 13 3/8" casing and a 5M on 9 5/8" casing.	12/18/2013
CMAY	MAXIMUM ANTICIPATED BHP: 0'-1165' 557 PSI; 1165'-5100' 2705 PSI; 5100'-11060' 5291 PSI.	12/18/2013
CMAY	H2S is not anticipated.	12/18/2013
CMAY	Well will be drilled to 10582'. Well will then be kicked off at approx. 10582' and directionally drilled at 12 degrees per 100' with an 8 3/4" hole to 11336' MD (11060' TVD) where hole size will then be reduced to 8 1/2" and drilled to 15694' MD (11030' TVD) where 5 1/2" casing will be set and cemented 500' into previous casing string. Production casing will be cemented in two stages with a DV/Packer stage tool at approx. 7500' (cement volumes will be adjusted per tool placement). Penetration point of the producing zone will be encountered at 591' FNL and 1980' FWL, 32-24S-33E. Deepest TVD is	12/18/2013
CMAY	The C-102 and horizontal information will be sent to the OCD by mail.	12/18/2013

Form APD Conditions

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 478-3470 Fax:(505) 478-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178758

#### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
YATES PETROLEUM CORPORATION [25575]	30-025-41568		
105 S 4TH ST	Well:		
ARTESIA, NM 88210	Caravan State Unit #003H		

OCD Reviewer	Condition
DMULL	Will require a directional survey with the C-104
DMULL	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water