District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 182405

6-3470 Fax:(505) 476										
me and Address	NTER, DEEP	PEN, PLUGBAC	K, OR ADI	2. OGRII	D Number 873					
303 Veterans Airpark Lane Midland, TX 79705							3. API N			
4. Property Code 5. Property Name								6. Well No.		
	3 <b>1</b>			-1						
Section	Township	Panne			N/S Line	Feet From		E/W Line	County	
20	198			1310	N		330	W	Lea	
			8. Proposed Bott	tom Hole Locat	tion					
Section 20	Township 19S	Range 37E	Lot Idn C	eet From 1310	N/S Line N	Feet From	1330	E/W Line W	County Lea	
Ž.	2.5		9 Pool In	formation	2.0			- 55	2.0	
NUMENT;GRAYBU	RG-SAN ANDRES		3.1 00111	iomidion				23	3000	
			Additional W	ell Information						
v Well	12. Well Type Oll		13. Cable/Rotary		4. Lease Type 15. G State		Ground Level Elevation 3656			
	17. Proposed Depth		18. Formation Grayburg		19. Contractor 20. S		Spud Date			
N 4200 h to Ground water						Distar	Distance to nearest surface water			
using a closed-loo	p system in lieu of	ined pits	21. Proposed Casing	and Cement F	Program					
Hole Size	Casing Size							E	Estimated TOC	
7.875	5.5			7		65	0			
			ading/odinant rogra	in Additional C	, on the same of t					
		ar title kilosov at antico	22. Proposed Blowou						1.70.000	
pe dell	W	orking Pressure	22. Proposed Blowou		Test Pressure			Manufactu	urer	
pe dril	W	orking Pressure 3000	22. Proposed Blowor					Manufacti	urer	
dril ertify that the inform	nation given above i	3000 s true and comp	ete to the best of my		Test Pressure 2000	DIL CONSERV	ATION D		urer	
dril ertify that the inforr nd belief. ify I have complied	nation given above i	3000 s true and comp ) NMAC ⊠ and/o	ete to the best of my		Test Pressure 2000 O	DIL CONSERV	ATION D		urer	
dril ertify that the inforr nd belief. ify I have complied	nation given above i	3000 s true and comp ) NMAC ⊠ and/o	ete to the best of my	Approved By:	Test Pressure 2000 O Paul Kautz	OIL CONSERV	ATION DI		urer	
ertify that the inforr nd belief. ify I have complied ble.	nation given above i	3000 s true and compi ) NMAC ⊠ and/o	ete to the best of my		Test Pressure 2000  O  Paul Kautz Geologist	OIL CONSERV				
	Section 20  Section 20  Section 20  Summer Section 20  Summer Section 20  Section 20  Summer Section 20  Summer Section 20  Se	### APPLICATION  ### and Address CHE CORP  Veterans Airpark Lane and, TX 79705  ### 5. Pro    Section	## APPLICATION FOR PERMINE TO PERMINE AND	Section	Section   Township   Range   Lot Idn   Feet From   1310	APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACE me and Address CHE CORP Veterans Airpark Lane and, TX 79705 le 708  5. Property Name NORTH MONUMENT G/SA UNIT  7. Surface Location Section 20 Township 19S Range 37E Lot Idn Feet From 1310 N  8. Proposed Bottom Hole Location Section 20 Township 19S Range 37E C 1310 N/S Line 9. Pool Information  NUMENT; GRAYBURG-SAN ANDRES  Additional Well Information  12. Well 17. Proposed Depth OIL 17. Proposed Depth 4200 Grayburg d water  Distance from nearest fresh water well  15. Proposed Casing and Cement Program Hole Size Casing Size Casing Weight/ft Setting Depth 11 8.625 24 1350	### APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADI ### and Address CHE CORP Veterans Airpark Lane and, TX 79705  ### NORTH MONUMENT G/SA UNIT    Section	APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZON me and Address   2. OGRI	Section   20   Township   Range   37E   Lot Idn   Feet From   N'S Line   N'	

District I 1625 N. French Dr., Hobbs, NN1 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

#### State of New Mexico

# Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-102 Revised August 1,2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

	Pool Code Proposition Proposit						me yburg - S	San Andres	
Code			NORT	FProperty F TH MONUME	NT G/SA UNIT		0 0	Well Number #433	
No.	Operator Name APACHE CORPORATION							<sup>9</sup> Elevation 3655.659	
" Surface Location									
Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County LEA	
5 20 175 572									
Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	e. County	
Dedicated Acres Joint or Infill Consolidation Code Order No.									
	Code No. Section 20	Section Township 20 19 S	Code No.  Section Township Range 20 19 S 37 E  Bot Section Township Range	Code	NORTH MONUME  **Operator APACHE CORI  **Surface In Surface In Surf	NORTH MONUMENT G/SA UNIT  **Operator Name APACHE CORPORATION  **Surface Location  Section Township Range Lot Idn Feet from the North/South line 1310 NORTH  **Bottom Hole Location If Different From Section Township Range Lot Idn Feet from the North/South line	NORTH MONUMENT G/SA UNIT  *Operator Name APACHE CORPORATION  **Operator Name APACHE CORPORATION  **Ope	23000 Eunice Monument Grayburg - 2  Socie NORTH MONUMENT G/SA UNIT  Operator Name APACHE CORPORATION  Surface Location  Section Township Range Lot Idn Feet from the North/South line Peet from the NORTH 1330 WEST  Bottom Hole Location If Different From Surface  Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line  North/South line Feet from the East/West line	

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 182405

Form APD Comments

**PERMIT COMMENTS** 

Operator Name and Address:	API Number:
APACHE CORP [873]	30-025-41704
303 Veterans Airpark Lane	Well:
Midland, TX 79705	NORTH MONUMENT G/SA UNIT #433

Created By	Comment	Comment Date

Form APD Conditions

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 478-3470 Fax:(505) 478-3462

## State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 182405

#### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
APACHE CORP [873]	30-025-41704		
303 Veterans Airpark Lane	Well:		
Midland, TX 79705	NORTH MONUMENT G/SA UNIT #433		

OCD Reviewer	Condition
DMULL	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
DMULL	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water