

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 182591

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address MURCHISON OIL & GAS INC 1100 Mira Vista Blvd. Plano, TX 75093		2. OGRID Number 15363
4. Property Code 8127		3. API Number 30-025-41710
5. Property Name JACKSON UNIT		6. Well No. 028H

7. Surface Location

UL - Lot N	Section 21	Township 24S	Range 33E	Lot Idn N	Feet From 200	N/S Line S	Feet From 2290	E/W Line W	County Lea
---------------	---------------	-----------------	--------------	--------------	------------------	---------------	-------------------	---------------	---------------

8. Proposed Bottom Hole Location

UL - Lot C	Section 21	Township 24S	Range 33E	Lot Idn C	Feet From 330	N/S Line N	Feet From 2290	E/W Line W	County Lea
---------------	---------------	-----------------	--------------	--------------	------------------	---------------	-------------------	---------------	---------------

9. Pool Information

TRIPLE X;BONE SPRING, WEST	96674
----------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3527
16. Multiple N	17. Proposed Depth 15700	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 4/1/2014
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	16	13.375	54.5	1290	800	0
Int1	12.25	9.625	40	5200	1400	0
Prod	8.5	7	26	10800	700	3000
Prod	8.5	5.5	17	15700	400	10800

Casing/Cement Program: Additional Comments

An 8.5" monobore will be drilled from the 9-5/8" casing shoe to TD. A tapered string of production casing will be run from TD to surface and cemented in place.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	5000	5000	Schaffer
Double Ram	5000	5000	Schaffer

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ , if applicable. Signature:	OIL CONSERVATION DIVISION
Printed Name: Electronically filed by Michael Daugherty	Approved By: Paul Kautz
Title: COO	Title: Geologist
Email Address: ccottrell@jdmii.com	Approved Date: 3/5/2014 Expiration Date: 3/5/2016
Date: 3/5/2014 Phone: 972-931-0700	Conditions of Approval Attached

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name
	96674	Triple X; Bone Spring, West
⁴ Property Code	⁵ Property Name	⁶ Well Number
8127	JACKSON UNIT	28H
⁷ OGRID No.	⁸ Operator Name	⁹ Elevation
15363	MURCHISON OIL & GAS, INC.	3527.2

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	21	24 S	33 E		200	SOUTH	2290	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	21	24 S	33 E		330	NORTH	2290	WEST	LEA


¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
160			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

N89°40'20"E 2640.15 FT COMPUTED USING NMDOT ROW MAP HWY 128 DATED JULY 8, 2008 2290' 530' N/4 CORNER SEC. 21 BOLE OF HOLE BOTTOM OF HOLE LAT. = 32°12'34.110"N LONG. = 103°34'42.183"W COMPUTED USING NMDOT ROW MAP HWY 128 DATED JULY 8, 2008		N89°40'20"E 2640.15 FT COMPUTED USING NMDOT ROW MAP HWY 128 DATED JULY 8, 2008 500°24'28"E 2639.66 FT	
W/4 CORNER SEC. 21 LAT. = 32°12'41.327"N LONG. = 103°35'08.807"W NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NAD83) IN DEGREES MINUTES DECIMAL SECONDS FORMAT. BASIS OF BEARING IS NEW MEXICO STATE PLANE EAST (NAD83) COORDINATES MODIFIED TO SURFACE.		E/4 CORNER SEC. 21 LAT. = 32°12'14.212"N LONG. = 103°34'07.372"W	
JACKSON UNIT #28H ELEV. = 3527.2' LAT. = 32°11'47.143"N (NAD83) LONG. = 103°34'42.149"W SW CORNER SEC. 21 LAT. = 32°11'45.204"N LONG. = 103°35'08.794"W 2290' 200' SURFACE LOCATION		S/4 CORNER SEC. 21 LAT. = 32°11'45.157"N LONG. = 103°34'38.093"W SE CORNER SEC. 21 LAT. = 32°11'45.091"N LONG. = 103°34'07.377"W 500°23'51"E 2640.18 FT	
S89°42'11"W 2638.65 FT		S89°44'22"W 2639.89 FT	

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature:  Date: 03/05/2014

Printed Name: Steve Morris


E-mail Address: smorris@jdmii.com

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MARCH 3, 2014

Date of Survey

Signature and Seal of Professional Surveyor: 

Certificate Number: CLM0008 JARAD LLO PLS 12797

SURVEY NO. 2573

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-8181 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-8178 Fax:(505) 334-8170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

 Permit 182591

PERMIT COMMENTS

Operator Name and Address: MURCHISON OIL & GAS INC [15363] 1100 Mira Vista Blvd. Plano, TX 75093		API Number: 30-025-41710
		Well: JACKSON UNIT #028H

Created By	Comment	Comment Date
pkautz	Land s/S	3/5/2014

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

Form APD Conditions

Permit 182591

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: MURCHISON OIL & GAS INC [15363] 1100 Mira Vista Blvd. Plano, TX 75093	API Number: 30-025-41710
	Well: JACKSON UNIT #028H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERMEDIATE1 CASING - Cement must circulate to surface -- 2) INTERMEDIATE2 CASING - Cement must tie back into intermediate casing -- 3) PRODUCTION CASING - Cement must tie back into intermediate2 casing --
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water