District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 183412

8/1/2014

Distance to nearest surface water

		APPLICAT	ION FOR PERMIT	TTO DRILL, R	E-ENTER, DEEPI	EN, PLUGBAC	CK, OR ADE	AZON	IE .		
DE		RODUCTION COM	PANY, LP	550	3.5	2	8908	2. OGRII	Number 6137		
17.00	3 W. Sheridan Ave ahoma City, OK 7							3. API Ni	umber 30-015-4222	24	
4. Property Co. 404		5.	Property Name Daisy Duke 3	1 State Com				6. Well N	lo. 003H		
				7. St	urface Location						
UL - Lot	Section 31	Township 22S	Range 26E	Lot Idn	Feet From 1980	N/S Line S	Feet From	75	E/W Line	County	Eddy
				8. Proposed	Bottom Hole Location	on					
UL - Lot L	Section 31	Township 22S	Range 26E	Lot Idn 3	Feet From 1980	N/S Line S	Feet From	330	E/W Line W	County	Eddy
				9. P	ool Information						
WC-015 G-0	4 S232628M;BOI	NE SPRING							980	56	
				Addition	al Well Information						
11. Work Type 12. Well Type New Well OIL		13. Cable	13. Cable/Rotary			14. Lease Type 15. Groun		5. Ground Level Elevation 3369			
16. Multiple 17. Proposed Depth 18. Formation 19. Contractor 20. Spud Date											

We will be using a closed-loop system in lieu of lined pits

10842

N

Depth to Ground water

21. Proposed Casing and Cement Program

2nd Bone Spring Sand

Distance from nearest fresh water well

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400	400	0
Int1	12.25	9.625	36	1700	550	0
Prod	8.75	5.5	17	10842	1860	1200

Casing/Cement Program: Additional Comments

5-1/2" Production Casing 2-Stage Option 230 12.5 10.86 1.96 Lead (65:35) Class H Cement: Poz (Fly Ash) + 6% BWOC Bentonite + 0.25% BWOC HR-601 + 0.125 lbs/sack Poly-E-Flake + 74.1 % Fresh Water 1310 14.5 5.38 1.22 Tail (50:50) Class H Cement: Poz (Fly Ash) + 0.5% bwoc HALAD-344 + 0.25% bwoc CFR-3 + 0.1% bwoc HR-601 + 2% bwoc Bentonite + 58.8% Fresh Water DV Tool @ 4500ft 390 11.9 12.89 2.26 Lead (50:50) Class H Cement Poz (Fly Ash) + 10% BWOC Bentonite + 1 lb/sk of Kol-Seal + 0.3% BWOC HR-601 + 0.5lb/sk D-Air 5000 + 76.4% Fresh Water 120 14.8 6.32 1.33 Tail Class C Cement + 0.125 lbs/sack Poly-E-Flake + 63.5% Fresh Water Notes: • Cement volumes Surface 100%, Intermediate 50%, Production based on at least 25% excess • Actual cement volumes will be adjusted based on fluid caliper and caliper log data • If lost circulation is encountered while drilling the production wellbore, a DV tool will be installed a m

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Double Ram	3000	3000	
Annular	3000	3000	
	and the second of the second o	OIL CONCEDIATIO	N DRUGION

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ⋈ and/or 19.15.14.9 (B) NMAC ⋈, if applicable. Signature:				OIL CONSERVATIO	ON DIVISION
Printed Name:	Electronically filed by Randy Bolle	es	Approved By:	Randy Dade	
Title:	e: Manager, Regulatory Affairs			District Supervisor	
Email Address:	ail Address: randy.bolles@dvn.com			3/25/2014	Expiration Date: 3/25/2016
Date:	3/21/2014	Phone: 405-228-8588	Conditions of Appr	oval Attached	

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 183412

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-015-42224	98056	WC-015 G-04 S232628M;BONE SPRING
4. Property Code	5. Property Name	6. Well No.
40471	Daisy Duke 31 State Com	003H
7. OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, LP	9. Elevation 3369

10. Surface Location

						1/4			1/2
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	31	228	26E		1980	S	175	E	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	31	228	26E	3	1980	S	330	W	Eddy
12. Dedicated A 158.2			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or I a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pool agreement or a compulsory pooling order heretofore entered by the division.
	E-Signed By: Randy Bolles
	Title: Manager, Regulatory Affairs
	Date: 3/21/2014
0	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervis and that the same is true and correct to the best of my belief.
	Surveyed By: Filimon Jaramillo
	Date of Survey: 2/13/2014
	Certificate Number: 12797

Form APD Comments

District I
1625 N. French Dr., Hobbs, NM 88240
Phone;(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone;(575) 748-1283 Fax:(575) 748-9720
District III

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 183412

PERMIT COMMENTS

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-015-42224
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	Daisy Duke 31 State Com #003H

Created By	Comment	Comment Date
lgood	Pressure Control Equipment: A 3M 13-5/8° BOP system (Double Ram and Annular preventer) will be installed and tested prior to drilling out the surface casing shoe. The BOP system used to drill the intermediate hole will be tested per BLM Onshore Oil and Gas Order 2. A 3M 13-5/8° BOP system (Double Ram and Annular preventer) will be installed and tested prior to drilling out the intermediate casing shoe. The BOP system used to drill the production hole will be tested per BLM Onshore Oil and Gas Order 2.	3/21/2014
Igood	The pipe rams will be operated and checked each 24 hour period and each time the drill pipe is out of the hole. These tests will be logged in the daily driller's log. A 2" kill line and 3" choke line will be incorporated into the drilling spool below the ram BOP. In addition to the rams and annular preventer, additional BOP accessories include a kelly cock, floor safety valve, choke lines, and choke manifold rated at 3,000 psi WP.	3/21/2014
Igood	Devon requests a variance to use a flexible line with flanged ends between the BOP and the choke manifold (choke line); if an H&P rig drills this well. Otherwise no flex line is needed. The line will be kept as straight as possible with minimal turns.	3/21/2014
Igood	Auxiliary Well Control and Monitoring Equipment: a. A Kelly cock will be in the drill string at all times. b. A full opening drill pipe stabbing valve having the appropriate connections will be on the rig floor at all times.	3/21/2014
CSHAPARD	Land s/S	3/24/2014

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 183412

Form APD Conditions

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-015-42224		
333 W. Sheridan Avenue	Well:		
Oklahoma City, OK 73102	Daisy Duke 31 State Com #003H		

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string