<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 478-3470 Fax:(505) 478-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 187147

|  | me and Address<br>MSTRONG ENER | .GY CORP   |                             |  | 300                |                          | 8888              | 2. OGRID Number<br>1092             |                     |
|--|--------------------------------|--|-----------------------------|--|--------------------|--------------------------|-------------------|-------------------------------------|---------------------|
|  | ). Box 1973<br>swell, NM 88202 |  |                             |  |                    |                          |                   | 3. API Number<br>30-041             | -20962              |
| 4. Property Coo<br>313                   | de<br>3334                     |  | 5. Property Name<br>MAYBELL | ENE  |                    |                          |                   | 6. Well No.<br>001                  |                     |
|  |                                |  |                             | 7.   | Surface Location   |                          |                   |                                     |                     |
| UL - Lot<br>J                            | Section 31                     | Township<br>06S  | Range<br>34E                | Lot Idn  | Feet From<br>1435  | N/S Line<br>S            | Feet From<br>1524 | E/W Line                            | County<br>Roosevelt |
|  |                                |  |                             | 8. Propos  | sed Bottom Hole Lo | ocation                  |                   |                                     |                     |
| UL - Lot<br>J                            | Section 31                     | Township 06S   | Range<br>34E                | Lot Idn  | Feet From<br>1435  | N/S Line<br>S            | Feet From<br>1524 | E/W Line                            | County<br>Roosevelt |
|  | ***                            | 2;   | 8)                          | 9.   | Pool Information   | 2)                       | 48                | 25                                  | 2.6                 |
| WC-041 G-0                               | 5 S063431J;FUS                 | SELMAN   |                             |  |                    |                          |                   |                                     | 98069               |
|  |                                |  |                             | Additi   | onal Well Informat | ion                      |                   |                                     |                     |
| 11. Work Type                            | w Well                         | 12. Well Typ<br>Ol   |                             | 13. Cable/Rotary   |                    | 14. Lease Type<br>Privat | 1000              | 5. Ground Level Elevat<br>4340      | ion                 |
| Nev                                      |                                | 17. Proposed Depth 18. Formation 19. Contractor 20. 8700 Fussleman |                             |  |                    | 0. Spud Date<br>8/1/2014 |                   |                                     |                     |
|  |                                |  |                             |  | man                |                          | 200               | 8/1/2014                            |                     |
| 16. Multiple                             | nd water                       |  |                             |  |                    |                          | Di                | 8/1/2014<br>stance to nearest surfa | oe water            |
| 16. Multiple<br>N<br>Depth to Grour      | nd water<br>using a closed-lo  | 87   | 700                         | Fussler  |                    |                          | Di                |                                     | oe water            |
| 16. Multiple<br>N<br>Depth to Groun      | using a closed-lo              | 97<br>Doop system in lie   | eu of lined pits            | Fussler Distance from neare                                | casing and Ceme    | nt Program               |                   | stance to nearest surfa             |                     |
| 16. Multiple N Depth to Groun We will be | using a closed-lo              | oop system in lie  | eu of lined pits            | Fussler Distance from neare  21. Proposed Casing Weight/ft | casing and Ceme    | nt Program               | Sads of           | stance to nearest surfa             | Estimated TOC       |
| 16. Multiple<br>N<br>Depth to Groun      | using a closed-lo              | 97<br>Doop system in lie   | eu of lined pits            | Fussler Distance from neare                                | casing and Ceme    | nt Program               | Sacks of          | stance to nearest surfa             |                     |

| Type | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 24        | 20          | 94               | 40            | 25              | 0             |
| Surf | 12.25     | 8.625       | 32               | 40            | 20              | 0             |
| Surf | 12.25     | 8.625       | 32               | 2495          | 70              | 0             |
| Surf | 12.25     | 8.625       | 24               | 2380          | 1110            | 0             |
| Prod | 7.875     | 5.5         | 17               | 8700          | 90              | 6000          |
| Prod | 7.875     | 5.5         | 17               | 600           | 0               | 6000          |
| Prod | 7.875     | 5.5         | 17               | 8200          | 360             | 6000          |

## Casing/Cement Program: Additional Comments

| 22 | Dronnead | Blowout | Prevention | Drogram |
|----|----------|---------|------------|---------|
|    |          |         |            |         |

|                       | 22.1 Toposca Biowoat i Torondon i Togram |               |              |  |  |  |  |
|-----------------------|--|---------------|--------------|--|--|--|--|
| Type Working Pressure |  | Test Pressure | Manufacturer |  |  |  |  |
|                       | Double Ram                               | 2000          | 1000         |  |  |  |  |

| 23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. |   |                     |                    | OIL CONSERVATIO | ON DIVISION                |  |
|---|---|---------------------|--------------------|-----------------|----------------------------|--|
| Signature:  |   |                     | 8                  |                 |                            |  |
| Printed Name:   | Electronically filed by Irma Cunn           | ingham              | Approved By:       | Paul Kautz      |                            |  |
| Title:  | Geo Tech                                    |                     | Title:             | Geologist       |                            |  |
| Email Address:  | ddress: icunningham@armstrongenergycorp.com |                     | Approved Date:     | 6/19/2014       | Expiration Date: 6/19/2016 |  |
| Date:   | 6/4/2014                                    | Phone: 575-625-2222 | Conditions of Appr | oval Attached   | -                          |  |

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 187147

## WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number    | 2. Pool Code          | 3. Pool Name                   |
|------------------|-----------------------|--------------------------------|
| 30-041-20962     | 98069                 | WC-041 G-05 S063431J;FUSSELMAN |
| 4. Property Code | 5. Property Name      | 6. Well No.                    |
| 313334           | MAYBELLENE            | 001                            |
| 7. OGRID No.     | 8. Operator Name      | 9. Elevation                   |
| 1092             | ARMSTRONG ENERGY CORP | 4340                           |


### 10. Surface Location

| Tot buriace Eccuson |         |          |       |         |           |          |           |          |           |
|---------------------|---------|----------|-------|---------|-----------|----------|-----------|----------|-----------|
| UL - Lot            | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County    |
| J                   | 31      | 06S      | 34E   |         | 1435      | S        | 1524      | E        | Roosevelt |

## 11. Bottom Hole Location If Different From Surface

| UL - Lot                     | Section | Township            | Range | Lot Idn                | Feet From | N/S Line | Feet From     | E/W Line | County |
|------------------------------|---------|---------------------|-------|------------------------|-----------|----------|---------------|----------|--------|
| 12. Dedicated Acres<br>40.00 |         | 13. Joint or Infill |       | 14. Consolidation Code |           |          | 15. Order No. |          |        |

## NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 187147

## **PERMIT COMMENTS**

| Operator Name and Address:   | API Number:     |
|------------------------------|-----------------|
| ARMSTRONG ENERGY CORP [1092] | 30-041-20962    |
| P.O. Box 1973                | Well:           |
| Roswell, NM 88202            | MAYBELLENE #001 |

| Created By | Comment  | Comment Date |
|------------|----------|--------------|
| pkautz     | NSL-7089 | 6/5/2014     |

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

Permit 187147

## PERMIT CONDITIONS OF APPROVAL

State of New Mexico **Energy, Minerals and Natural Resources** 

| Operator Name and Address:   | API Number:     |
|------------------------------|-----------------|
| ARMSTRONG ENERGY CORP [1092] | 30-041-20962    |
| P.O. Box 1973                | Well:           |
| Roswell, NM 88202            | MAYBELLENE #001 |

| OCD<br>Reviewer | Condition  |
|-----------------|--|
| pkautz          | If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.  |
|                 | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz          | Will require a administrative order for non-standard location prior to placing the well on production.   |