District | 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 189353

APPLICATION FOR PERMIT TO DRILL.	. RE-ENTER. DEEPEN	. PLUGBACK	OR ADD A ZONE

A CONTRACTOR	MEW	e and Address /BOURNE OIL CO	)							-	2. OGF	Number 14744		
		30x 5270 os, NM 88241									3. API	Number 30-015-42	537	
4. Property	Code 3135			5. Property Nam Ziro	e on 2 B1MF	State					6. Well	No. 002H		
							7. Sur	face Location						
UL - Lot	М	Section 2	Township 198	Range	29E	Lot Idn	М	Feet From 345	N/S Line S	Feet Fron	185	E/W Line W	Cou	inty Eddy
						8. Prop	osed E	Bottom Hole Locat	ion					
UL - Lot	Р	Section 2	Township 198	Range	29E	Lot Idn	P	Feet From 400	N/S Line	Feet From	330	E/W Line	Cou	nty Eddy
							9. Poo	ol Information						
TURKEY	TRA	CK;BONE SPRIN	G									60660	)	
						Add	ditiona	Well Information						
11. Work Ty	ype New	Well	12. Well Type OIL		13. Cable/i	Rotary			14. Lease	Type State	15. Gro	und Level Eleva 3379	tion	
16. Multiple 17. Proposed Depth N 11574			18. Formation 19. Co			19. Contr	actor	20. Spu	od Date 7/31/2014					
Depth to Gr	ound	water			Distance fr	rom nearest fr	esh wate	er well	D <sub>2</sub> S		Distanc	e to nearest surf	ace water	

■ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

	Ziri toposta dating and commit regian								
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC			
Surf	17.5	13.375	48	275	280	0			
Int1	12.25	9.625	36	1290	315	0			
Prod	8.75	7	26	7273	725	1090			
Prod	6.125	4.5	13.5	11574	0	7073			

### Casing/Cement Program: Additional Comments

MOC proposed to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equiptment before Yates formation for safety & insurance purposes. If commercial, production casing will be run & will utilize pkr/port system. No cmt is required. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	2000	1500	Schaffer
Double Ram	3000	3000	Schaffer
Annular 3000		1500	Schaffer

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.  Signature:				OIL CONSER	VATION DIVISION
Printed Name:	Electronically filed by Monty Whets	stone	Approved By:	Randy Dade	
Title:	Vice President Operations		Title:	District Supervisor	
Email Address:	prodmgr@mewbourne.com		Approved Date:	7/30/2014	Expiration Date: 7/30/2016
Date:	7/25/2014 Phone: 903-561-2900		Conditions of App	roval Attached	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-42537	2. Pool Code 60660	3. Pool Name TURKEY TRACK;BONE SPRING	
4. Property Code 313542	5. Property Name Zircon 2 B1MP State	6. Well No. 002H	
7. OGRID No. 14744	8. Operator Name MEWBOURNE OIL CO	9. Elevation 3379	


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	2	19S	29E	M	345	S	185	W	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section 2	Township 19S	Range 29E	Lot Idn	Feet From 400	N/S Line S	Feet From 330	E/W Line E	County Eddy
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Code			15. Order No.	

## NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Permit 189353

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Form APD Comments State of New Mexico

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

### PERMIT COMMENTS

Operator Name and Address:	API Number:
MEWBOURNE OIL CO [14744]	30-015-42537
PO Box 5270	Well:
Hobbs, NM 88241	Zircon 2 B1MP State #002H

Created By	Comment	Comment Date
CSHAPARD	Land s/S	7/29/2014

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 189353

### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
MEWBOURNE OIL CO [14744]	30-015-42537
PO Box 5270	Well:
Hobbs, NM 88241	Zircon 2 B1MP State #002H

OCD Reviewer Condition CSHAPARD Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string