Signature: Printed Name:

Email Address:

Title:

Date:

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ⊠ and/or 19.15.14.9 (B) NMAC ⊠, if applicable.

Phone: 575-748-4120

Electronically filed by Travis Hahn

Land Regulatory Agent

7/15/2014

thahn@yatespetroleum.com

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 189151

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONI	E
--	---

		APPLICATION	NFOR	PERMIT	O DRILL, RE	EN IEK, DEEPE	N, PL	LUGBACI	K, OR ADL				
YAT		CORPORATION								2. OGRID	25575		
	S 4TH ST FESIA , NM 88210)								3. API Nu	mber 30-025-42010		
4. Property Cod 313		5. Proj	perty Name JUIC	E BUD STA	TE COM					6. Well No	003H		
					7. Sur	face Location							
UL - Lot	Section 19	Township 21S	Range	34E	Lot Idn	Feet From 200	N/S I	Line S	Feet From	980	E/W Line W	County	Lea
					8. Proposed E	Bottom Hole Location	on						
UL - Lot K	Section 18	Township 21S	Range	34E	Lot Idn K	Feet From 2410	N/S	S Line S	Feet From	1980	E/W Line W	County	Lea
					9. Poo	ol Information							
BERRY;BON	E SPRING, SOU	ГН			1-7-8-5	Sandal de Contain					96660		
() () () ()					Additiona	Well Information							
11. Work Type Nev	11. Work Type 12. Well Type New Well OIL			13. Cable/Rotary						d Level Elevation 3737			
16. Multiple 17. Proposed Depth N 18290				18. Formation 19. Contr 2nd Bone Spring Sand			19. Contracto	r	20. Spud Date				
Depth to Ground	d water	1			nearest fresh water					Distance 1	to nearest surface w	ater	
⊠ We will be	using a closed-lo	oop system in lieu of	lined pi	ts									
14 WATER DO	350000000000000000000000000000000000000	100 NO	- 00			ing and Cement Pro		1	1307 PRE 130	10.0	70 0	0000-00-0000-00	2000 ·
Type	Hole Size	Casing Size	() ()	Casir	ng Weight/ft	Setting De			Sacks of 0		E	stimated T	OC
Surf	17.5	13.375	1		48	1875			137			0	
Int1	12.25	9.625	18		36	4100			129			0	
Int2	12.25	9.625			36		5995		725		3900		
Prod	8.5	5.5			17	18290			1870			5495	
Prod	8.75	5.5			17	11277			695	95 0			
30				Casir	ng/Cement Prog	gram: Additional Co	mme	nts					-
	S-15-10-10	332		22.	Proposed Blo	wout Prevention Pro	ogram	n		400			
Type Working Pressure			Pressure		Test Pressure				Manufacturer				
	Double Ram			3(000			3000		- 7			
	Double Ram			50	000			5000		- 1			
		38								1.0			
23. I hereby c		mation given above is	s true and	d complete to	o the best of my			Oll	L CONSERV	ATION D	IVISION		

Approved By:

Approved Date:

Title:

Paul Kautz

Geologist

7/31/2014

Conditions of Approval Attached

Expiration Date: 7/31/2016

District I

District IV

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(5/5) /48-1283 Fax:(5/5) /48-9/20 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102 August 1, 2011

rmit 180151

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-42010	2. Pool Code 96660	3. Pool Name BERRY;BONE SPRING, SOUTH
4. Property Code 313441	5. Property Name JUICE BUD STATE COM	6. Well No. 003H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3737


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	19	21S	34E		200	S	1980	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
K	18	218	34E	100000000000000000000000000000000000000	2410	S	1980	W	Lea
12. Dedicated Acres 240.00		13. Joint or Infill		14. Consolidation Code			15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-42010
	Well:
ARTESIA , NM 88210	JUICE BUD STATE COM #003H

Created By	Comment	Comment Date
Ynavarrette	MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD 0'-1875' is 897 PSI 1875'-5995' is 3180 PSI 5995'-11000' is 5262 PSI	7/15/2014
	Well will be drilled vertically to 10523' and then be kicked off at approx. 10523' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 11277' MD (11000' TVD). Hole size will then be reduced to 8 1/2" and drilled to 18290' MD (10935' TVD) where 5 1/2" casing will be set and cemented 500' into previous casing string. The bottom 100' will not be produced and will consist of the float shoe and float collar. Our bottom perf will not go past the 330' hardline. Penetration point of producing zone will be encountered at 682' FSL and 1980' FWL, 19-21S-34E. Deepest TVD is 11000' in th	7/15/2014
Ynavarrette	C-102 and horizontal drilling diagram will follow by mail.	7/15/2014

Permit 189151

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 189151

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-42010
105 S 4TH ST	Well:
ARTESIA , NM 88210	JUICE BUD STATE COM #003H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water