District | 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 191257

APPLICATION FOR PERMIT TO DRILL, RE	E-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE
-------------------------------------	--

	MEW	and Address BOURNE OIL CO	)					2.0	DGRID Number 14744	
		ox 5270 s, NM 88241						3. /	API Number 30-015-4260	04
4. Property	3136	06		5. Property Name San Lorenz	o 9 B2OB Fee			6. \	Vell No. 002H	
					7. St	urface Location				
UL - Lot	0	Section 9	Township 25%	Range S 28E	Lot Idn O	Feet From 245	N/S Line	Feet From 2382	E/W Line E	County
					8. Proposed	Bottom Hole Loca	tion			
UL - Lot	В	Section 9	Township 255	Range S 28E	Lot Idn B	Feet From 330	N/S Line	Feet From 1980	E/W Line	County
					9. Po	ool Information				
		O:BONE SPRING							53600	

### Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 2970
16. Multiple N	17. Proposed Depth 12606	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 9/22/2014
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

#### ■ We will be using a closed-loop system in lieu of lined pits

21 Droposed Casing and Coment Drogram

21. Proposed Casing and Cement Program								
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC		
Surf	17.5	13.375	48	425	450	0		
Int1	12.25	9.625	36	2450	525	0		
Prod	8.75	7	26	8397	690	2250		
Liner1	6 125	4.5	13.5	12606	0	0		

### Casing/Cement Program: Additional Comments

MOC proposed to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equiptment before Yates formation for safety & insurance purposes. If commercial, production casing will be run & will utilize pkr/port system. No cmt is required. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer				
Annular	2000	1500	Schaffer				
Double Ram	3000	3000	Schaffer				
Annular	3000	1500	Schaffer				

knowledge and b	pelief. I have complied with 19.15.14.9 (	is true and complete to the best of my  A) NMAC   and/or 19.15.14.9 (B)		OIL CONSE	ERVATION DIVISION
Printed Name:	Electronically filed by Monty Wi	netstone	Approved By:	Randy Dade	
Title:	Vice President Operations		Title:	District Supervisor	a Marka (U.
Email Address:	prodmgr@mewbourne.com		Approved Date:	8/26/2014	Expiration Date: 8/26/2016
Date:	8/20/2014	Phone: 903-561-2900	Conditions of Approval Attached		

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-015-42604	53600	SAN LORENZO;BONE SPRING
4. Property Code	5. Property Name	6. Well No.
313606	San Lorenzo 9 B2OB Fee	002H
7. OGRID No.	8. Operator Name	9. Elevation
14744	MEWBOURNE OIL CO	2970


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	9	25S	28E	0	245	S	2382	E	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot B	Section 9	Township 25S	Range 28E	Lot Idn B	Feet From 330	N/S Line N	Feet From 1980	E/W Line	County Eddy
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Cod	e		15. Order No.	

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

Permit 191257

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

### PERMIT COMMENTS

Operator Name and Address:	API Number:
MEWBOURNE OIL CO [14744]	30-015-42604
PO Box 5270	Well:
Hobbs, NM 88241	San Lorenzo 9 B2OB Fee #002H

Created By	Comment	Comment Date
CSHAPARD	Land p/P	8/21/2014

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 191257

### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
MEWBOURNE OIL CO [14744]	30-015-42604
PO Box 5270	Well:
Hobbs, NM 88241	San Lorenzo 9 B2OB Fee #002H

OCD Reviewer Condition CSHAPARD Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string