<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

State of New Mexico

Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 194884

APAC	e and Address CHE CORP							2. OGRII	Number 873		
	√eterans Airpark L and, TX 79705	ane						3. API No	umber 30-025-42218		
4. Property Code		5 Prov	perty Name					6. Well N			
2250		0.110		ST DRINKARD UNIT	1			o. Well I	845		
				7. Sur	ace Location						
UL - Lot D	Section 23	Township 21S	Range 378	Lot Idn	Feet From 1230	N/S Line N	Feet From	360	E/W Line W	County	Le
	-556.	~	500	8. Proposed B	ottom Hole Loca	tion	20		/A	122-	
UL - Lot D	Section 23	Township 21S	Range 37E	Lot Idn	Feet From 1230	N/S Line N	Feet Fron	360	E/W Line W	County	Le
				9. Poo	I Information						
EUNICE;BLI-T	U-DR, NORTH								22900		
				Additional	Well Information	1					
11. Work Type	IA/-II	12. Well Type		13. Cable/Rotary		Lease Type	15.	15. Ground Level Elevation			
New 16. Multiple	Well	OIL 17. Proposed Depth		18. Formation	10	Private Contractor	20.	3399 20. Spud Date			
N. Multiple		7450	7	Drinkard	19.	Jona dotor	20.	pud Date			
Depth to Ground	water	8.0		Distance from nearest fre	esh water well		Dist	nce to nea	rest surface water		
	Hole Size	Casing Size		Casing Weight/ft		Program Depth	Sacks of	Cement		Estimated T	ОС
Type Surf Prod	11 7.875	Casing Size 8.625 5.5		Casing Weight/ft 24 17 Casing/Cement Prog	Setting 12 74	Depth 71 50	Sacks of 47 125	5		Estimated T	oc
Surf	11	8.625	(24 17 Casing/Cement Prog	Setting 12 74 ram: Additional	Depth 71 50 Comments	47	5		Estimated T	OC
Surf	11 7.875	8.625 5.5	orking Pressure	24 17	Setting 12 74 ram: Additional	Depth 71 50 Comments	47	5	Manufa		oc
Surf Prod	11 7.875	8.625 5.5		24 17 Casing/Cement Prog	Setting 12 74 ram: Additional	Depth 71 50 Comments Program	47	5	Manufa		oc
Surf Prod Type Hydr 23. I hereby cei	11 7.875 e ril rtify that the inform d belief. fy I have complied	8.625 5.5	orking Pressure 3000 s true and compl	24 17 Casing/Cement Prog 22. Proposed Blov ete to the best of my	Setting 12 74 ram: Additional	Depth 71 50 Comments Program Test Pressure 2000	47	5			oc
Surf Prod Type Hydr 23. I hereby ceknowledge and I further certif NMAC X, if ap Signature:	11 7.875 e ril rify that the inform d belief. fy I have complied opplicable.	8.625 5.5 w	orking Pressure 3000 strue and compl	24 17 Casing/Cement Prog 22. Proposed Blov ete to the best of my	Setting 12 74 ram: Additional	Depth 71 50 Comments Program Test Pressure 2000	47 12:	5			oc
Surf Prod Type Hydr 23. I hereby cel knowledge and I further certif NMAC X, if ap Signature: Printed Name:	11 7.875 e ril rtify that the inform d belief. fy I have complied opticable. Electronicall	8.625 5.5 whation given above is d with 19.15.14.9 (A	orking Pressure 3000 strue and compl	24 17 Casing/Cement Prog 22. Proposed Blov ete to the best of my	Setting 12 74 74 74 74 75 75 75 75 75 75 75 75 75 75 75 75 75	Depth 71 71 750 Comments Program Test Pressure 2000 OII Paul Kautz Geologist	47 12:	5 50 VATION D	DIVISION	oturer	oc
Surf Prod Type Hydr 23. I hereby ce knowledge and I further certif NMAC XI, if ap	11 7.875 e ril rtify that the inform d belief. fy I have complied opticable. Electronicall	8.625 5.5 w mation given above is d with 19.15.14.9 (A	orking Pressure 3000 strue and compl	24 17 Casing/Cement Prog 22. Proposed Blov ete to the best of my I/or 19.15.14.9 (B)	Setting 12 74 ram: Additional vout Prevention Approved By: Title: Approved Date	Depth 71 71 50 Comments Program Test Pressure 2000 OII Paul Kautz Geologist	47 12:	5 50 VATION D		oturer	oc

District I f625 N. Freuch Dr., Hobbs, NM 88240 Phone: (375) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesin, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rtb Brazos Road, Artec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Snata Fe, NM 87505 Phone: (503) 476-3460 Fax: (505) 476-3465

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-102 Revised August 1,2011 Submit one copy to appropriate District Office


AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number			2 Pool Code 3 Pool Name				,			
30-025-				2290	ю <u> </u>	Eunice	; BTD	North	<u> </u>	
4 Property Code			5 Property Name NORTH EAST DRINKARD UNIT						6 Well Number #845	
7 OGRID No.			8 Operator Name APACHE CORPORATION							
	10 Surface Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
4	23	21 S	37 E		1,230	NORTH	360	WEST	LEA	
11 Bottom Hole Location If Different From Surface										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
40										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

SECTION 23, TOWNSHIP 21 SOUTH, RANGE 37 EAST P.M. 17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. 1-1/2 INCH IRON ALUMMUM CAPPEU 5 N 00'40'30" W, 18391.5013" 1-35.521978 N -103.124600 W CE N: 555720.983 GE E: 872574.543 (N.A.D. 27) (N.A.D. 27) (AT: 32.471525 N LON: -103.142154 W WMSPCE N: 537321.985 WMSPCE E: 908098.104 (N.A.D. 83) 10 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 10-02-2014 Date of Survey E. HUO W MEXIC 20559 Jeffery E. Hudson 20559



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 194884

PERMIT COMMENTS

Operator Name and Address:	API Number:	
APACHE CORP [873]	30-025-42218	
303 Veterans Airpark Lane	Well:	Ī
Midland, TX 79705	NORTHEAST DRINKARD UNIT #845	

Created By Comment Comment Date District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesie, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 194884

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
APACHE CORP [873]	30-025-42218
303 Veterans Airpark Lane	Well:
Midland, TX 79705	NORTHEAST DRINKARD UNIT #845

OCD Reviewer	Condition
DMULL	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	SURFACE & PRODUCTION CASING - Cement must circulate to surface
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water