<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 198189

	ES PETROLEUM	CORPORATIO	ON				2	OGRID Number 25575			
	S 4TH ST ESIA , NM 88210						3	. API Number 30-015-4289	3		
4. Property Code 314			5. Property Name Macanudo B	5. Property Name Macanudo BTE State Com.					6. Well No. 001H		
	54		:82	7. St	urface Location	95.	318	: 62	35.		
JL - Lot	Section 23	Township 24:	S Range 27E	Lot Idn	Feet From 2365	N/S Line S	Feet From 605	E/W Line	County	Eddy	
				8. Proposed	Bottom Hole Location	on					
UL - Lot	Section 14	Township	Range 4S 27E	Lot Idn	Feet From 330	N/S Line N	Feet From 660	E/W Line	County	Eddy	

### 9. Pool Information

or our morniagon	
WILLOW LAKE:BONE SPRING,WEST	96415

### Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lesse Type State	15. Ground Level Elevation 3171
16. Multiple N	17. Proposed Depth 8257	18. Formation Bone Spring	19. Contractor	20. Spud Date 1/30/2015
Depth to Ground water		Distance from nearest fresh water well	Distance to nearest surface water	

### ■ We will be using a closed-loop system in lieu of lined pits

### 21. Proposed Casing and Cement Program

				Ziii i opooda dadiiig	and comone rogiam		
[	Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
ſ	Surf	17.5	13.375	48	755	595	0
	Int1	12.25	9.625	36	2500	850	0
ı	Prod	8.75	5.5	17	16134	2810	2000

### Casing/Cement Program: Additional Comments

### 22 Proposed Playout Provention Program

22. Floposed Blowout Flevelition Flogram							
Type	Working Pressure	Test Pressure	Manufacturer				
Double Ram 3000		3000					

knowledge and b	pelief. I have complied with 19.15.14.9	e is true and complete to the best of my  (A) NMAC ⊠ and/or 19.15.14.9 (B)		OIL CONSE	ERVATION DIVISION
Printed Name:	Electronically filed by Travis	Hahn	Approved By:	Randy Dade	
Title:	Land Regulatory Agent		Title:	District Supervisor	
Email Address:	thahn@yatespetroleum.com	Approved Date:	1/15/2015	Expiration Date: 1/15/2017	
Date:	1/14/2015 Phone: 575-748-4120		Conditions of Ap	proval Attached	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-42893	2. Pool Code 96415	3. Pool Name WILLOW LAKE;BONE SPRING,WEST
4. Property Code 314090	Property Name     Macanudo BTE State Com.	6. Well No. 001H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3171


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	23	24S	27E	*********	2365	S	605	E	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot A	Section 14	Township 24S	Range 27E	Lot Idn	Feet From 330	N/S Line N	Feet From 660	E/W Line	County Eddy
	12. Dedicated Acres 240.00		13. Joint or Infill		14. Consolidation Code			15. Order No.	

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Form APD Comments

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 198189

## PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-42893
105 S 4TH ST	Well:
ARTESIA , NM 88210	Macanudo BTE State Com. #001H

Created By	Comment	Comment Date
Cy Cowan	Well will be drilled vertically to 7855'. Well will be kicked off at approx. 7855' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 8610' MD (8332' TVD). Hole size will then be reduced to 8 1/2" and drilled to 16134' MD (8257' TVD) where 5 1/2" casing will be set and cemented 500' into intermediate casing. Penetration point of producing zone to be stimulated will be encountered at 2310' FNL and 610' FEL, 23-24S-27E. Deepest TVD is 8332' in lateral.	1/14/2015
Cy Cowan	Well will be drilled vertically to 7855'. Well will be kicked off at approx. 7855' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 8610' MD (8332' TVD). Hole size will then be reduced to 8 1/2" and drilled to 16134' MD (8257' TVD) where 5 1/2" casing will be set and cemented 500' into intermediate casing. Penetration point of producing zone to be stimulated will be encountered at 2310' FNL and 610' FEL, 23-24S-27E. Deepest TVD is 8332' in lateral.	1/14/2015
Cy Cowan	Well will be drilled vertically to 7855'. Well will be kicked off at approx. 7855' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 8610' MD (8332' TVD). Hole size will then be reduced to 8 1/2" and drilled to 16134' MD (8257' TVD) where 5 1/2" casing will be set and cemented 500' into intermediate casing. Penetration point of producing zone to be stimulated will be encountered at 2310' FNL and 610' FEL, 23-24S-27E. Deepest TVD is 8332' in lateral.	1/14/2015
Cy Cowan	Samples: 30' Sample to 2500'. 10' Samples 2500'-TD	1/14/2015
Cy Cowan	MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD 0'-755' 361 PSI 755'-2500' 1326 PSI 2500'-8332' 3986 PSI	1/14/2015
Cy Cowan	H2S is not anticipated.	1/14/2015
Cy Cowan	C-102 and Drilling Plan will be hand carried to your office at a later date.	1/14/2015

Form APD Conditions

Permit 198189

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-42893
105 S 4TH ST	Well:
ARTESIA , NM 88210	Macanudo BTE State Com. #001H

OCD Reviewer Condition