District | 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Operator Name and Address DEVON ENERGY PR	2. OGRID Number 6137	
333 W. Sheridan Ave Oklahoma City, OK 7.		3. API Number 30-025-42427
4. Property Code 39747	5. Property Name BELL LAKE 19 STATE	6. Well No. 005H
25	7. Surface Location	

O 19 24S 33E 200 S 1770 E	UL - Lot O	Section 19	Township 24S	Range 33E	Lot Idn	Feet From 200	N/S Line S	Feet From 1770	E/W Line	County Lea
---------------------------	---------------	---------------	--------------	--------------	---------	---------------	---------------	----------------	----------	---------------

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	19	24S	33E	В	330	N	1770	E	Lea

9. Pool Information

WC-025 G-06 S253201M;BS UP SHALE	to Nation Colored to the Section	97784

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3547
16. Multiple N	17. Proposed Depth 14119	18. Formation 1st Bone Spring Sand	19. Contractor	20. Spud Date 5/6/2015
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

■ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

				Ziii i opooda dadiiig	and comoner rogium		
21		Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC		
	Surf	17.5	17.5 13.375 54.5		1300	0	
	Int1	12.25	9.625	40	5200	1530	0
	Prod	8.75	7	29	9095	1750	4700

Casing/Cement Program: Additional Comments

The Production Casing is 7 x 5 1/2". Below is the description for the 5 1/2" casing: Casing Grade: P110 Casing Weight: 17 lbs Top MD: 9095' Setting Depth: 14119' Sacks of Cement: 1750 Est Top of Cement: 4700 *Please reference drilling plan for complete specifications

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer			
Annular	3000	3000				
Double Ram	3000	3000				
Annular	3000	3000				
Double Ram	3000	3000				

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONSERVATIO	N DIVISION	
Printed Name:	Electronically filed by Randy Bolle	es .	Approved By:	Paul Kautz		
Title:	Manager, Regulatory Affairs		Title:	Geologist		
Email Address: randy.bolles@dvn.com			Approved Date:	Approved Date: 2/5/2015 Expiration Date: 2/5/2017		
Date:	2/5/2015	Phone: 405-228-8588	Conditions of Approval Attached			

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-42427	2. Pool Code 97784	3. Pool Name WC-025 G-06 S253201M;BS UP SHALE
4. Property Code 39747	5. Property Name BELL LAKE 19 STATE	6. Well No. 005H
7. OGRID No.	8. Operator Name	9. Elevation
6137	DEVON ENERGY PRODUCTION COMPANY, LP	3547


10. Surface Location

1.11	- Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0.		Jection 40	240		Lot Idii		TWO CITIE		L/VV LINE	
	U	19	245	33E		200	5	1770	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot B	Section 19	Township 24S	Range 33E	Lot Idn	Feet From 330	N/S Line N	Feet From 1770	E/W Line	County Lea
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

Permit 199298

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-42427
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	BELL LAKE 19 STATE #005H

Created By Comment Comment Date <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 199298

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-42427
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	BELL LAKE 19 STATE #005H

OCD Reviewer	Condition
DMULL	Will require a directional survey with the C-104
DMULL	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
DMULL	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water