<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone;(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone;(505) 334-6178 Fax:(505) 334-6170
District IV

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 199392

	ES PETROLEUM	CORPORATION	ON						2. OG	RID Number 25575		
	S 4TH ST TESIA , NM 88210								3. API	Number 30-015-4294	9	
4. Property Cod 314			5. Property Name MACANUDO BTE STATE COM						8. Well No. 003H			
					7. 9	Surface Location						
UL - Lot L	Section 14	Township 24	4S Range	27E	Lot Idn	Feet From 1980	N/S Line	Feet From	200	E/W Line W	County	Eddy
					8. Propose	d Bottom Hole Locat	ion					
UL - Lot	Section 14	Township 24	Range	27E	Lot Idn	Feet From 1980	N/S Line	Feet From	330	E/W Line	County	Eddy

9. Pool Information

or room mornadon	
WILLOW LAKE:BONE SPRING.WEST	96415

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3210
16. Multiple N	17. Proposed Depth 12151	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date
Depth to Ground water		Distance from nearest fresh water well	1.9	Distance to nearest surface water

☐ We will be using a closed-loop system in lieu of lined pits

21 Proposed Casing and Cement Program

				Zii i i oposca casing	una comont i rogium		
	Type	Hole Size	le Size Casing Size Casing W		Setting Depth	Sacks of Cement	Estimated TOC
	Surf	17.5	13.375	48	645	515	0
	Int1	12.25	9.625	36	2450	835	0
	Prod	8.5	5.5	17	12151	1190	7352
Г	Prod	9.75	5.5	17	7852	700	1050

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	3000	3000	
Double Ram	5000	5000	

knowledge and be	elief. have complied with 19.15.14.9 (A)	true and complete to the best of my NMAC		OIL CONSER	RVATION DIVISION	
Printed Name:	Electronically filed by Travis Hahr	1	Approved By:	Randy Dade		
Title:	Land Regulatory Agent		Title:	District Supervisor		
Email Address:	thahn@yatespetroleum.com	Approved Date:	2/17/2015	Expiration Date: 2/17/2017		
Date:	2/6/2015	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 2320 S. S. Especie Dr. Scate Fo. NM 87558 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-42949	2. Pool Code 96415	3. Pool Name WILLOW LAKE;BONE SPRING,WEST
4. Property Code 314090	Property Name MACANUDO BTE STATE COM	6. Well No. 003H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3210

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	14	24S	27E		1980	S	200	W	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section 14	Township 24S	Range 27E	Lot Idn	Feet From 1980	N/S Line S	Feet From 330	E/W Line	County Eddy
12. Dedicated Ac 160.0			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

	THE DIVISION					
	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.					
	E-Signed By: Travis Hahn Title: Land Regulatory Agent Date: 2/6/2015					
0	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.					
	Surveyed By: Gary Jones Date of Survey: 10/10/2014 Certificate Number: 7977					

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 199392

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-42949
105 S 4TH ST	Well:
ARTESIA , NM 88210	MACANUDO BTE STATE COM #003H

Created By	Comment	Comment Date
	Samples: 10' Samples Surface-TD. Logging: GR NEUTRON 30 DEG DEV TO SURFACE, NEUTRON DENSITY 30 DEG DEV TO INTERM CASING, LATEROLOG 30 DEG DEV TO INTERM CASING, CMR 30 DEG DEV TO INTERM CASING, HORIZONTAL-MWD-GR. DST's: None. Coring: None. Mudlogging: On after surface casing.	2/6/2015
THAHN	MAXIMUM ANTICIPATED BHP (DEPTHS ARE TVD): 0'-645' is 309 PSI, 645'-2450' is 1299 PSI, 2450'-7720' is 3693 PSI	2/6/2015
2017/01/2019/20	Well will be drilled vertically to 7116' then will be kicked off and directionally drilled at 12 degrees per 100' with a 8.75" hole to 7852' MD (7594' TVD). Hole size will then be reduced to 8.5" and drilled to 12151' MD (7720' TVD) where 5.5" casing will be set and cemented 500' into previous casing string. Penetration point of producing zone will be encountered at 1980' FSL and 663' FWL, 14-24S-27E. Deepest TVD is 7720' in lateral.	2/6/2015
THAHN	H2S is not anticipated. C-102 and horizontal diagram will follow.	2/6/2015

Form APD Conditions

Permit 199392

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: YATES PETROLEUM CORPORATION [25575] 105 S 4TH ST ARTESIA, NM 88210	API Number: 30-015-42949
	Well: MACANUDO BTE STATE COM #003H

OCD Reviewer Condition