<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

)	YATE	e and Address ES PETROLEUM	CORPORATIO	NC							2. OGRID Numbe 2557			
		S 4TH ST ESIA , NM 88210									3. API Number 30-0	15-4295	50	
4. Property Code 5. Property Name MACANUDO BTE STATE COM							6. Well No. 004H	l						
						7. Sur	face Location							
UL - Lot	М	Section 14	Township 2	Range 24S	27E	Lot Idn	Feet From 330	N/S Line	S	Feet From 200	E/W Line	W	County	Eddy
						8. Proposed E	Sottom Hole Locati	ion						
UL - Lot F	Р	Section 14	Township 2	Range 4S	27E	Lot Idn	Feet From 660	N/S Line	S	Feet From 33	E/W Lin	ne E	County	Eddy
				·		9. Poo	Information				•	170		
MILLOW	LAKE	E:BONE SPRING	WEST				Control of the control					9641	15	

## Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3215
16. Multiple N	17. Proposed Depth 12192	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date
Depth to Ground water		Distance from nearest fresh water well	100	Distance to nearest surface water

## ☐ We will be using a closed-loop system in lieu of lined pits

#### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	645	515	0
Int1	12.25	9.625	36	2450	835	0
Prod	8.5	5.5	17	12192	1200	7382
Prod	8.75	5.5	17	7882	700	1950

### Casing/Cement Program: Additional Comments

#### 22. Proposed Blowout Prevention Program

22. Proposed Biomout Prevention Program								
Type	Working Pressure	Test Pressure	Manufacturer					
Double Ram	3000	3000						
Double Ram	5000	5000						

knowledge and be	have complied with 19.15.14.9 (A)			OIL CONSER	RVATION DIVISION
Printed Name: Electronically filed by Travis Hahn			Approved By:	Randy Dade	
Title:	Land Regulatory Agent	Title:	District Supervisor		
Email Address: thahn@yatespetroleum.com			Approved Date:	2/17/2015	Expiration Date: 2/17/2017
Date:	2/6/2015	Conditions of Approval Attached			

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 2320 S. S. Especie Dr. Scate Fo. NM 87558

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

## WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-42950	2. Pool Code 96415	3. Pool Name WILLOW LAKE;BONE SPRING,WEST
4. Property Code 314090	Property Name     MACANUDO BTE STATE COM	6. Well No. 004H
7. OGRID No. 25575	Operator Name     YATES PETROLEUM CORPORATION	9. Elevation 3215

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	14	24S	27E	200	330	S	200	W	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section 14	Township 24S	Range 27E	Lot Idn	Feet From 660	N/S Line S	Feet From 330	E/W Line	County Eddy
12. Dedicated Acres 160.00		13. Joint or Infill		14. Consolidation Code			15. Order No.		

## NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

(P.	THE DIVISION
	OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
	E-Signed By: Travis Hahn
	Title: Land Regulatory Agent
	Date: 2/6/2015
	SURVEYOR CERTIFICATION  I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that
	the same is true and correct to the best of my belief.
	Surveyed By: Gary Jones
	Date of Survey: 10/10/2014
	Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 199400

## PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-42950
105 S 4TH ST	Well:
ARTESIA , NM 88210	MACANUDO BTE STATE COM #004H

Created By	Comment	Comment Date
THAHN	Samples: 10' Samples Surface-TD. Logging: GR NEUTRON 30 DEG DEV TO SURFACE, NEUTRON DENSITY 30 DEG DEV TO INTERM CASING, LATEROLOG 30 DEG DEV TO INTERM CASING, CMR 30 DEG DEV TO INTERM CASING, HORIZONTAL-MWD-GR. DST's: None. Coring: None. Mudlogging: On after surface casing.	2/6/2015
THAHN	MAXIMUM ANTICIPATED BHP (DEPTHS ARE TVD): 0'-645' is 309 PSI, 645'-2450' is 1299 PSI, 2450'-7750' is 3708 PSI	2/6/2015
No to the latest	Well will be drilled vertically to 7146' well will then be kicked off and directionally drilled at 12 degrees per 100' with a 8.75" hole to 7882' MD (7624' TVD). Hole size will then be reduced to 8.5" and drilled to 12192' MD (7750' TVD) where 5.5" casing will be set and cemented 500' into previous casing string. Penetration point of producing zone will be encountered at 366' FSL and 662' FWL, 14-24S-27E. Deepest TVD is 7750' in lateral.	2/6/2015
THAHN	H2S is not anticipated. C-102 and horizontal drilling diagram will follow.	2/6/2015

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 199400

## PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: YATES PETROLEUM CORPORATION [25575]	API Number: 30-015-42950
105 S 4TH ST ARTESIA , NM 88210	Well: MACANUDO BTE STATE COM #004H

OCD Reviewer Condition