District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Manufacturer

Cameron

Permit 200191

				APPLICA	ATION	FOR PE	RMITT	O DRILL	, RE-E	NTER, DEEPE	N, PLUC	BAC	K, OR ADD	A ZON	E			
	COG	OPERAT	ING LLC	;										2. OGRID	Number 229137			
		Concho Cond, TX 79												3. API Nu	mber 30-025-42	452		
4. Property	Code 38554	1			5. Prope	STRAT	OJET 31	STATE CO	M					6. Well No	006H			
3		37.		518		578		7	. Surfa	ce Location			9:				316	
UL - Lot	0	Section	31	Township	20S	Range	35E	Lot Idn		Feet From 390	N/S Line	S	Feet From 2	080	E/W Line	E	County	Lea
								8. Propo	sed Bo	ttom Hole Locati	on							
UL - Lot	В	Section	31	Township 2	08	Range	35E	Lot Idn	В	Feet From 330	N/S Line	N	Feet From 1	980	E/W Line	E	County	Lea

9. Pool Information

	or root information	23
BERRY:BONE SPRING, NORTH	na Nation California	5535

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lesse Type State	15. Ground Level Elevation 3711
16. Multiple N	17. Proposed Depth 15193	18. Formation Bone Spring	19. Contractor	20. Spud Date 3/2/2015
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

We will be using a closed-loop system in lieu of lined pits

Type Double Ram

21. Proposed Casing and Cement Program

			Zii i i opoood odomg	and comone rogram		
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1900	1220	
Int1	12.25	9.625	36	5970	2100	
Prod	8.75	5.5	17	15193	2275	

Casing/Cement Program: Additional Comments

Drill 17-1/2" hole to ~1900' w/ fresh water spud mud. Run 13-3/8" 54.5# J55 STC casing to TD and cement to surface in one stage. Will use 1" tubing and Class C w/ 2% CaCl2 to cement to surface, if necessary. Drill 12-1/4" hole to ~5970' with saturated brine water. If losses occur in the Reef, will switch to fresh water to interval TD. Run 9-5/8" 364-1/55 & 40# L80 BTC casing to TD with a DV tool placed ~ 100' above the Reef. Plan to circulate cement on both stages. Drill 8-3/4" vertical hole, curve and lateral to 15193' with cut brine. Run 5-1/2" 17# P110 LTC casing to TD and cement to surface in one stage.

22. Proposed Blowout Prevention Program

Test Pressure

3000

Working Pressure

3000

knowledge and	belief. I have complied with 19.15.14.9 (A	true and complete to the best of my) NMAC ⊠ and/or 19.15.14.9 (B)		OIL CONS	ERVATION DIVISION
Printed Name:	Electronically filed by Diane Kuy	endall	Approved By:	Paul Kautz	
Title:	Production Reporting Mgr		Title:	Geologist	
Email Address:	production@concho.com		Approved Date:	2/24/2015	Expiration Date: 2/24/2017
Date:	2/23/2015	Phone: 432-683-7443	Conditions of Ap	provol Attached	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

ermit 200191

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-42452	2. Pool Code 5535	3. Pool Name BERRY;BONE SPRING, NORTH
4. Property Code 38554	5. Property Name STRATOJET 31 STATE COM	6. Well No. 006H
7. OGRID No. 229137	8. Operator Name COG OPERATING LLC	9. Elevation 3711

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	31	20S	35E		390	S	2080	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot B	Section 31	Township 20S	Range 35E	Lot Idn	Feet From 330	N/S Line N	Feet From 1980	E/W Line	County Lea
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District III</u>
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District IIII</u>
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 200191

PERMIT COMMENTS

Operator Name and Address:	API Number:
COG OPERATING LLC [229137]	30-025-42452
One Concho Center	Well:
Midland, TX 79701	STRATOJET 31 STATE COM #006H

Created By	Comment	Comment Date
	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	2/23/2015

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 200191

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
COG OPERATING LLC [229137]	30-025-42452
One Concho Center	Well:
Midland, TX 79701	STRATOJET 31 STATE COM #006H

OCD Reviewer	Condition
DMULL	Will require a directional survey with the C-104
DMULL	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water