District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 202514

Manufacturer

APPLICATION FOR PERMIT	TO DRILL, RE-ENTER	R. DEEPEN. PLUGBACH	(, OR ADD A ZONE

Operator Nam COG	e and Address PRODUCTION.		ATION FOR PERMIT	,	,	,	-	2. OGRID Number 217955		
600	W. Illinois Ave and, TX 79701							3. API Number 30-025-42517		
4. Property Code 3134			5. Property Name MACHO NACH	O STATE COM	N			8. Well No. 008H		
				7. Su	rface Location					
UL - Lot N	Section 7	Township 24	Range 4S 33E	Lot Idn	Feet From 190	N/S Line S	Feet From 1960	D E/W Line W	County	Lea
	22		28	8. Proposed	Bottom Hole Loca	tion		50		
UL - Lot C	Section 7	Township 24	S Range 33E	Lot Idn C	Feet From 230	N/S Line	Feet From 206	E/W Line W	County	Lea
		-13/18/1		9. Po	ool Information					
TRIPLE X;BO	NE SPRING, WE	ST		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1				96674		

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3571
16. Multiple N	17. Proposed Depth 14144	18. Formation Bone Spring	19. Contractor	20. Spud Date 4/23/2015
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

We will be using a closed-loop system in lieu of lined pits

Double Ram

4/16/2015

Date:

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1210	800	
Int1	12.25	9.625	40	5020	1350	No. of the last of
Prod	8.75	5.5	17	14144	1800	4820

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 1210' with Fresh Water. Run 13-3/8", 54.5#, J-55 csg and cmt to surface. Drill 12-1/4" hole to 5020' with Brine, and run 9-5/8", 40# J55 and cement to surface. Drill 8-3/4" vertical & curve. Drill 8-3/4" lateral with cut brine to approximately 14,144' MD. Run 5-1/2", 17#, P-110 csg and cement to 4820'.

22. Proposed Blowout Prevention Program

Test Pressure

3000

Conditions of Approval Attached

Working Pressure

3000

Phone: 432-685-4372

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.			OIL CONS	SERVATION DIVISION
Signature:				
Printed Name:	Electronically filed by DIANE KUYKENDALL	Approved By:	Paul Kautz	
Title:	Production Reporting Manager	Title:	Geologist	
Email Address:	dkuvkendall@concho.com	Approved Date:	4/17/2015	Expiration Date: 4/17/2017

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 2320 S. S. Especie Dr. Scate Fo. NM 87558 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-42517	96674	TRIPLE X;BONE SPRING, WEST
4. Property Code	5. Property Name	6. Well No.
313475	MACHO NACHO STATE COM	008H
7. OGRID No. 217955	8. Operator Name COG PRODUCTION 11 C	9. Elevation 3571

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	7	248	33E		190	S	1960	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot C	Section 7	Township 24S	Range 33E	Lot Idn	Feet From 230	N/S Line N	Feet From 2060	E/W Line W	County Lea
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<u> </u>	THE DIVISION			
	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unlessed mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.			
	E-Signed By: DIANE KUYKENDALL Title: Production Reporting Manager Date: 4/16/2015			
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.			
0	Surveyed By: Chad Harcrow Date of Survey: 2/10/2015 Certificate Number: 17777			

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District III</u>
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 202514

PERMIT COMMENTS

Operator Name and Address:	API Number:
COG PRODUCTION, LLC [217955]	30-025-42517
600 W. Illinois Ave	Well:
Midland, TX 79701	MACHO NACHO STATE COM #008H

Created By	Comment	Comment Date
	COG Production has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	4/16/2015

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 202514

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
COG PRODUCTION, LLC [217955]	30-025-42517
600 W. Illinois Ave	Well:
Midland, TX 79701	MACHO NACHO STATE COM #008H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	Surface and intermediate casing must circulate cement to surface
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Production casing must tie back into intermediate casing
pkautz	Surface casing must be set at least 25' below top of Rustler Anhydrite in order seal off protectable water