<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

State of New Mexico

Form C-101 August 1, 2011

Permit 205310

1. Operat	YAT	ne and Address ES PETROLEUM	CORPORATI	ON						2.1	OGRID Number 25575		
		S 4TH ST ESIA , NM 88210)							3. /	API Number 30-015-4316	3	
4. Proper	373			5. Property Nam HUN		O STATE COM	1			6.1	Vell No. 001		
						7. 9	Surface Location						
JL - Lot	F	Section 23	Township 2	Range 4S	27E	Lot Idn	Feet From 2499	N/S Line	N	Feet From 2230	E/W Line W	County	Eddy
						8. Propose	d Bottom Hole Loca	tion					
JL - Lot		Section	Township	Range	9	Lot Idn	Feet From	N/S Line		Feet From	E/W Line	County	
	C	14	2	4S	27E	C	330		N	1980	W		Eddy

	ONE SPRING, WEST	to Salasania da Salasania		0
Vitalia de la la companya de la comp		Additional Well Information		

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3190
16. Multiple N	17. Proposed Depth 16395	18. Formation 3rd Bone Spring Sand	19. Contractor	20. Spud Date
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☐ We will be using a closed-loop system in lieu of lined pits

21 Proposed Casing and Cement Program

	21. Proposed casing and content Program											
Type Hole Size Casing Size		Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC							
Surf	17.5	13.375	48	600	285	0						
Int1	12.25	9.625	36	2400	820	0						
Prod	8.5	5.5	17	16395	2065	9369						
Prod	8 75	5.5	17	9369	780	1900						

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

9.0											
Type	Working Pressure	Test Pressure	Manufacturer								
Double Ram	3000	3000									

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONSER	RVATION DIVISION
Printed Name:	Electronically filed by Travis Hahr	i	Approved By:	Randy Dade	
Title:	Land Regulatory Agent		Title:	District Supervisor	
Email Address:	thahn@yatespetroleum.com	Approved Date:	6/3/2015	Expiration Date: 6/3/2017	
Date:	6/2/2015	Conditions of Appr	litions of Approval Attached		

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-43163	2. Pool Code	3. Pool Name 96415 WILLOW LAKE;BONE SPRING, WEST
4. Property Code 37345	5. Property Name HUMIDOR BMO STATE COM	6. Well No. 001
7. OGRID No. 25575	Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3190

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
F	23	24S	27E		2499	N	2230	W	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
С	14	248	27E	The second second	330	N	1980	W	Eddy	
12. Dedicated Acre 240.00	12. Dedicated Acres		13. Joint or Infill		14. Consolidation Code	e		15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

49	THE DIVISION
owns a working inter	OPERATOR CERTIFICATION the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either rest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling ered by the division.
E-Signed By:	Travis Hahn
Title:	Land Regulatory Agent
Date:	6/2/2015
	SURVEYOR CERTIFICATION the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that d correct to the best of my belief.
Surveyed By:	Gary Jones
Date of Survey:	1/10/2015
Certificate Number:	7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 205310

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-43163
105 S 4TH ST	Well:
ARTESIA , NM 88210	HUMIDOR BMO STATE COM #001

Created By	Comment	Comment Date
rbela	Samples: 10' Samples Surf-TD	6/2/2015
rbela	Logging: SCH: PLATFORM EXPRESS. CNL/LDT/NGT-30 DEG TO INTERM CSG. CNL/GR-30 DEG DEV TO SURF CSG. DLL/MSFL-30 DEG DEV TO SURF CSG. BHC-SONIC-30 DEG DEV TO SURF CSG. HORIZONTAL-MWD-GR.	6/2/2015
rbela	MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD. From 0'-600' pressure is 287 PSI. From 600'-2400' pressure is 1273 PSI. From 2400'-9042' pressure is 4326 PSI.	6/2/2015
rbela	Well will be drilled vertically to 8468', then be kicked off at approx. 8468' and directionally drilled at 10 degrees per 100' with a 8.75" hole to 9369' MD (9041' TVD). Hole size will then be reduced to 8.5" and drilled to 16395' MD (9032' TVD) where 5.5" casing will be set and cemented 500' into previous casing string. Penetration point of producing zone will be encountered at 1926' FNL and 2209' FWL, Section 23-T24S-R27E. Deepest TVD is 9041' in lateral	6/2/2015
rbela	H2S is not anticipated. C102 will follow by mail.	6/2/2015

Form APD Conditions

Permit 205310

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: YATES PETROLEUM CORPORATION [25575] 105 S 4TH ST ARTESIA , NM 88210	API Number: 30-015-43163
	Well: HUMIDOR BMO STATE COM #001

OCD Reviewer Condition