<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 206173

1. Operat	EOG	ne and Address B RESOURCES IN	IC .						2. OGF	RID Number 7377		
		. Box 2267 and, TX 79702							3. API	Number 30-025-42643		
4. Proper	ty Code 3149			5. Property Name OPHE	LIA 22				6. Well	No. 705H		
						7. 9	Surface Location					
UL - Lot	J	Section 22	Township 26	Range SS	33E	Lot Idn	Feet From 2410	N/S Line S	Feet From 2448	E/W Line	County	Lea
						8. Propose	d Bottom Hole Location	on				
						Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	

9. Pool Information

WC-025 G-09 S263327G;UPPER WOLFCAMP	98097

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 3282
16. Multiple N	17. Proposed Depth 17381	18. Formation Upper Wolfcamp	19. Contractor	20. Spud Date 10/1/2015
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

			Ziii i opooda dadiiig	and comone rogium		
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	10.75	40.5	1100	800	0
Int1	8.75	7.625	29.7	10750	1450	0
Prod	6.125	4.5	13.5	17781	600	10250

Casing/Cement Program: Additional Comments

22 Proposed Playout Provention Program

22. Floposed blowout Flevention Flogram								
Type	Working Pressure	Test Pressure	Manufacturer					
Double Ram	10000	5000						

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONSE	ERVATION DIVISION
Printed Name:	Electronically filed by Stan Wagne	r	Approved By:	Paul Kautz	
Title:	Regulatory Analyst			Geologist	and the second second
Email Address:	Stan_Wagner@eogresources.com	l.	Approved Date:	6/17/2015	Expiration Date: 6/17/2017
Date:	6/17/2015	Conditions of Ap	proval Attached		

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-42643	98097	WC-025 G-09 S263327G;UPPER WOLFCAMP
4. Property Code	5. Property Name	6. Well No.
314980	OPHELIA 22	705H
7. OGRID No. 7377	8. Operator Name EOG RESOURCES INC	9. Elevation 3282


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
J	22	26S	33E	7.00	2410	S	2448	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot G	Section 27	Township 26S	Range 33E	Lot Idn	Feet From 2591	N/S Line N	Feet From 2566	E/W Line	County Lea
	12. Dedicated Acres 160.00		13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 206173

PERMIT COMMENTS

Operator Name and Address:	API Number:
EOG RESOURCES INC [7377]	30-025-42643
P.O. Box 2267 Midland, TX 79702	Well: OPHELIA 22 #705H

Created By Comment Comment Date District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fsx:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fsx:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fsx:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fsx:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 206173

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
EOG RESOURCES INC [7377]	30-025-42643
P.O. Box 2267	Well:
Midland, TX 79702	OPHELIA 22 #705H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water