District | 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 206481

			APPLIC	ATION FOR PERMI	TTO DRILL, RI	E-ENTER, DEEPE	N, PLUGBAC				
	MEW	and Address BOURNE OIL C	o					2. 00	3RID Number 14744		
		ox 5270 s, NM 88241						3. AF	Number 30-025-42651		
. Property	3149	98		5. Property Name ANTELOPE 9	B3PA STATE CO	DM		6. We	ell No. 001H		
		518	37.		7. Su	ırface Location	:15	20 20	:18	.00	
JL - Lot	Р	Section 9	Township 23	Range 34E	Lot Idn	Feet From 185	N/S Line S	Feet From 750	E/W Line E	County	ea
					8. Proposed	Bottom Hole Location	on				
JL - Lot	Α	Section 9	Township 23	Range 3S 34E	Lot Idn A	Feet From 330	N/S Line N	Feet From 450	E/W Line	County	ea
					9. Po	ool Information					
ANTELO	PE RI	DGE;BONE SP	RING, NW						2	2207	
		0110 m 2 / 2 / 2 / 1 m 2			Addition	al Well Information				10.0	
11 Work T	100		12 Well Type	13 Cable			14 Lease Tyr	15 G	round Level Flevetion		_

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3409	
16. Multiple N	17. Proposed Depth 15805	18. Formation 3rd Bone Spring Sand	19. Contractor	20. Spud Date 7/20/2015	
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water	

We will be using a closed-loop system in lieu of lined pits

21 Proposed Casing and Cement Program

0.34	21.1 Toposca casing and coment Togram						
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC	
Surf	17.5	13.375	54.5	1475	1040	0	
Int1	12.25	9.625	40	4950	1000	0	
Prod	8.75	7	26	11425	770	4750	
Prod	6.125	4.5	13.5	15805	205	10666	

Casing/Cement Program: Additional Comments

MOC proposed to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equiptment before Yates formation for safety & insurance purposes. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer			
Annular	2000	1500	Schaffer			
Double Ram	3000	3000	Schaffer			
Annular	3000	1500	Schaffer			

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONSERVATIO	ON DIVISION
Printed Name:	Electronically filed by Monty Whets	stone	Approved By:	Paul Kautz	
Title:	Vice President Operations			Geologist	
Email Address: prodmgr@mewbourne.com			Approved Date:	6/25/2015	Expiration Date: 6/25/2017
Date:	6/24/2015	Conditions of Appr	oval Attached		

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-8178 Fax:(505) 334-8170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87605 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102 August 1, 2011

rmit 206481

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-42651	2207	ANTELOPE RIDGE;BONE SPRING, NW
4. Property Code	5. Property Name	6. Well No.
314998	ANTELOPE 9 B3PA STATE COM	001H
7. OGRID No. 14744	8. Operator Name MEWBOURNE OIL CO	9. Elevation 3409


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	9	23S	34E	P	185	S	750	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	9	238	34E	A	330	N	450	E	Lea
12. Dedicated Acres 160.00		13. Joint or Infill	14. Consolidation Code 15. Order No.				15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 206481

PERMIT COMMENTS

Operator Name and Address:	API Number:
MEWBOURNE OIL CO [14744]	30-025-42651
PO Box 5270	Well:
Hobbs, NM 88241	ANTELOPE 9 B3PA STATE COM #001H

Created By	Comment	Comment Date

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 206481

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
MEWBOURNE OIL CO [14744]	30-025-42651		
PO Box 5270	Well:		
Hobbs, NM 88241	ANTELOPE 9 B3PA STATE COM #001H		

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water