16. Multiple

N

Depth to Ground water

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 208784

| | | | APPLICA | ATION FOR | PERMIT | TO DRILL | , RE-F | ENTER, DEEF | EN, PLUGBAC | K, OR | ADD A ZON | VE. | | |
|-------------|---------------|-------------------------------------|--------------|------------------------|--------------|--------------|----------|----------------------|-------------------------|-------|---------------------|-----------------------|--------|-----|
| | DEVO | and Address ON ENERGY PRO | | OMPANY, LP | | | | | | | 2. OGRI | D Number 6137 | | |
| | | V. Sheridan Aven oma City, OK 73 | | | | | | | | | 3. API N | 30-025-42738 | | |
| 4. Property | Code 40329 | 9 | | 5. Property Nam SEA | e SNAKE 3 | 5 STATE | | | | | 6. Well N | No. 010H | | |
| | | | | | | 7 | 7. Surfa | ce Location | | | | | | |
| UL - Lot | Р | Section 35 | Township 2 | Rang 23S | 33E | Lot Idn | Р | Feet From 400 | N/S Line S | Feet | From 450 | E/W Line | County | Lea |
| | | | | | | 8. Propo | sed Bo | ottom Hole Loca | tion | | | | | |
| UL - Lot | Α | Section 35 | Township 2 | Rang 23S | 33E | Lot Idn | Α | Feet From 330 | N/S Line | Feet | From 350 | E/W Line | County | Lea |
| | | | | | | | 9. Pool | Information | | | | | | |
| TRIPLE | X;BON | IE SPRING | | | | | | and the state of the | | | 1 | 59900 | | |
| | | | | | | Addi | tional | Well Information | 1 | | | | | |
| 11. Work T | ype New | Well | 12. Well Typ | oe DIL | 13. C | Cable/Rotary | | | 14. Lesse Type State | | 15. Ground Le 36 | evel Elevation 345 | | |

■ We will be using a closed-loop system in lieu of lined pits

17. Proposed Depth

13979

21 Proposed Casing and Cement Program

19. Contractor

20. Spud Date

Distance to nearest surface water

18. Formation

Bone Spring

Distance from nearest fresh water well

| | | | | Z I. FTOPOSCU Cusing | and Cement Frogram | | |
|----|----------------------------|-------|------------------|----------------------|--------------------|---------------|------|
| | Type Hole Size Casing Size | | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC | |
| | Surf | 17.5 | 13.375 | 48 | 1400 | 1230 | 0 |
| 12 | Int1 | 12.25 | 9.625 | 40 | 5200 | 1520 | 0 |
| | Prod | 8.75 | 5.5 | 17 | 13979 | 1850 | 5250 |

Casing/Cement Program: Additional Comments

See Drilling Plans for the 5 1/2" Prod Two State cement.

22 Proposed Blowout Prevention Program

| | ZZI i roposou Bionout i rogium | | | | | | |
|------------|--------------------------------|---------------|--------------|--|--|--|--|
| Type | Working Pressure | Test Pressure | Manufacturer | | | | |
| Annular | 3000 | 3000 | 11.00% | | | | |
| Double Ram | 3000 | 3000 | | | | | |
| Annular | 3000 | 3000 | | | | | |
| Double Ram | 3000 | 3000 | | | | | |

| knowledge and be | have complied with 19.15.14.9 (A) I | | | OIL CONSERVATIO | N DIVISION |
|------------------|--------------------------------------|---------------------|--------------------|-----------------|----------------------------|
| Printed Name: | Electronically filed by Randy Bolles | 3 | Approved By: | Paul Kautz | |
| Title: | Manager, Regulatory Affairs | | Title: | Geologist | |
| Email Address: | Email Address: randy.bolles@dvn.com | | | 8/19/2015 | Expiration Date: 8/19/2017 |
| Date: | 8/18/2015 | Phone: 405-228-8588 | Conditions of Appr | oval Attached | |

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87605 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

ermit 208784

WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number | 2. Pool Code | 3. Pool Name |
|------------------|-------------------------------------|----------------------|
| 30-025-42738 | 59900 | TRIPLE X;BONE SPRING |
| 4. Property Code | 5. Property Name | 6. Well No. |
| 40329 | SEA SNAKE 35 STATE | 010H |
| 7. OGRID No. | 8. Operator Name | 9. Elevation |
| 6137 | DEVON ENERGY PRODUCTION COMPANY, LP | 3645 |


10. Surface Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| Р | 35 | 23S | 33E | P | 400 | S | 450 | E | Lea |

11. Bottom Hole Location If Different From Surface

| UL - Lot A | Section 35 | Township 23S | Range 33E | Lot Idn A | Feet From 330 | N/S Line N | Feet From 350 | E/W Line | County Lea |
|------------------------------|------------|--------------|---------------------|--------------|------------------------|---------------|------------------|---------------|---------------|
| 12. Dedicated Acre 160.00 | | | 13. Joint or Infill | | 14. Consolidation Code | 2 | | 15. Order No. | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 208784

PERMIT COMMENTS

| Operator Name and Address: | API Number: |
|--|--------------------------|
| DEVON ENERGY PRODUCTION COMPANY, LP [6137] | 30-025-42738 |
| 333 W. Sheridan Avenue | Well: |
| Oklahoma City, OK 73102 | SEA SNAKE 35 STATE #010H |

| Created By | Comment | Comment Date |
|------------|--|--------------|
| lgood | The C-102, plats, Drilling Plans and Direction Plan are being sent via Fed-Ex. | 8/18/2015 |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 208784

PERMIT CONDITIONS OF APPROVAL

| Operator Name and Address: | API Number: |
|--|--------------------------|
| DEVON ENERGY PRODUCTION COMPANY, LP [6137] | 30-025-42738 |
| 333 W. Sheridan Avenue | Well: |
| Oklahoma City, OK 73102 | SEA SNAKE 35 STATE #010H |

| OCD Reviewer | Condition |
|-----------------|--|
| pkautz | Will require a directional survey with the C-104 |
| pkautz | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz | If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well. |
| pkautz | 1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing |
| pkautz | If cement does not circulate to surface, must run temperature survey or other log to determine top of cement |
| pkautz | Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water |
| pkautz | Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186 |
| pkautz | 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe. |