#### Form C-103 District I State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 August 1, 2011 Energy, Minerals and Natural Resources Permit 195550 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 WELL API NUMBER Oil Conservation Division 30-025-42005 District III 1000 Rio Brazos Rd., Aztec, NM 87410 5. Indicate Type of Lease 1220 S. St Francis Dr. Phone:(505) 334-6178 Fax:(505) 334-6170 District IV Santa Fe, NM 87505 6. State Oil & Gas Lease No. 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS STATE 36 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 102 9. OGRID Numb 2. Name of Operator LINN OPERATING, INC. 269324 3. Address of Operato 10. Pool name or Wildcat 600 Travis Street, Suite 4900, Houston, TX 77002 Unit Letter O : 1205 feet from the S Section 36 Township 17S line and feet 2615 from the E Township 17S Range 33E NMPM County Lea 11. Elevation (Show whether DR, KB, BT, GR, etc.) 4109 GR Pit or Below-grade Tank Application or Closure Depth to Groundwater\_\_\_\_ Distance from nearest fresh water well Distance from nearest surface water bbls; Construction Material\_ Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume\_\_\_\_ 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTER CASING TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB X Other: Drilling/Cement Other: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Please see the attached Drilling/Cement Summary, If you have any questions or concerns please contact abolanos@linnenergy.com or 281-840-4352. 10/9/2014 Spudded well. Casing and Cement Program Class Csg Size Weight Est TOC Pres Held Open Hole Dpth Drop Size Set Type 10/10/14 FreshWater 12.25 8.625 24 J55 0 1572 720 1.98 C 1000 0 N Surf 10/15/14 Prod 7.875 5.5 17 J55 0 5007 975 1.91 C 5000 0 N Mud I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines $\square$ , a general permit $\square$ or an (attached) alternative OCD-spproved plan $\square$ . SIGNATURE TITLE DATE 11/14/2014 Electronically Signed Regulatory Compliance Supervisor Type or print name Nancy Fitzwater nfitzwater@linnenergy.com Telephone No. 281-840-4266

DATE

11/14/2014 10:25:02 AM

For State Use Only:

APPROVED BY:

Paul Kautz

TITLE

Geologist

# State 36 #102 (30-025-42004) Drilling/Cement Report LINN Operating, Inc.

### 10/9/14

MIRU Drill Surf hole (12 1/4) 11' to 1512'.

#### 10/10/14

Drill 1512'to 1572', Run in hole with 40 Jts of 8 5/8 24# J-55 csg. Set @ 1570'. Ttl Len: 1570.75.' Cmt surf Casing: Lead: 520 sks Class C +4% (Benonite Gel), 2% (Calcium Chloride), 0.125% (Celloflake), .4% (Defoamer). Pump Tail: 200 sks Class C+ 1% (Calcium Chloride). Circulate 57bbls/161sks cmt to surf. Wait on cement – 3.75 hrs, Rig up tester, Test casing -30 min @ 1000#'s-ok.

#### 10/11/14

Drill cement and float equipment.

Drill 7 7/8 production hole, Drill 1572' to 3303'.

#### 10/12/14

Drill 3303' to 3549'.

#### 10/13/14

Drill 3549' to 4306'.

#### 10/14/14

Drill 4306 to 5011'.

#### <u>10/15/14</u>

Run logs to 3100'.

Run 118 Jts 5 ½ 17# J-55 Csg. Prod Set 5007.0'. Len: 5007.24'. Pump Lead Cement: 650sks of 35/65 POZ Class C+ 4% (Benonite Gel), 2% (Calcium Chloride), 0.125%(Celloflake), .4% (Defoamer). Tail: 325 sks Class C+ 1% (Calcium Chloride). Circ 25 bbls/73 sks cmt to surf.

#### 10/21/2014

Pressure test bottom & top of prod casing to 4200#'s and 5000#'s. Both successful for 30 min.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Comments Permit 195550

#### DRILLING COMMENTS

Operator: LINN OPERATING, INC.	OGRID: 269324
600 Travis Street Houston, TX 77002	Permit Number: 195550
	Permit Type: Drilling

#### Comments

Created by	Comment	Comment Date
Created By	Comment	Comment Date

There are no Comments for this Permit