District I Form C-103 State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 August 1, 2011 Energy, Minerals and Natural Resources Permit 207547 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 WELL API NUMBER Oil Conservation Division 30-015-42769 District III 1000 Rio Brazos Rd., Aztec, NM 87410 5. Indicate Type of Lease 1220 S. St Francis Dr. Phone:(505) 334-6178 Fax:(505) 334-6170 District IV Santa Fe, NM 87505 6. State Oil & Gas Lease No 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS EL PRESIDENTE STATE (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 8. Well Number 1. Type of Well: 003H 2. Name of Operato 9. OGRID Numbe NADEL AND GUSSMAN PERMIAN, LLC 155615 3. Address of Operato 10. Pool name or Wildcat 601 N MARIENFELD, SUITE 508, MIDLAND, TX 79701 : 250 feet from the S Unit Letter P line and feet 330 from the E Township 24S Range 27E NMPM County Eddy 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3141 GR Pit or Below-grade Tank Application or Closure Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water bbls; Construction Material_ Pit Liner Thickness: mil Below-Grade Tank: Volume 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTER CASING TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB X Other: Drilling/Cement Other: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion See Attached 11/21/2014 Spudded well. Casing and Cement Program Hole Csg Size Pres Held Open Yield lb/ft Drop Size Type 11/21/14 FreshWater 17.5 13.375 J55 0 492 515 1.35 C 600 0 N Surf 48 11/24/14 12.25 9.625 J55 0 2349 720 1.75 C 1100 Int1 Brine 36 0 N 12/23/14 Int2 CutBrine 8.75 7 26 P110 2000 10105 1080 13 Н 1500 0 N 06/18/15 Prod FreshWater 6.125 17 P110 9472 1.7485 1600 0 N 5.5 0 315 P110 01/09/15 Liner1 FreshWater 6.125 4.5 11.6 9472 14093 350 1.35 4500 0 N I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square . SIGNATURE Electronically Signed General Manager DATE 10/14/2015

sgerman@naguss.com

District Supervisor

Telephone No.

DATE

432-682-4429

10/14/2015 4:29:21 PM

E-mail address

TITLE

Type or print name

For State Use Only: APPROVED BY: Scott Germann

Randy Dade

El Presidente State #3H

30-015-42769

Sec. 2-T24S-R27E

Eddy Co., NM

Work information for Casing Strings

11/21/2014 - SPUD

11/21/2014 – DRILL 17.5" HOLE TO 492'. RUN 492' OF 13.375" CASING. CEMENT 515 SACKS, CLASS C, 14.8 PPG, 1.35 YIELD. FULL RETURNS DURING JOB. CIRCULATED 170 SACKS TO SURFACE. TESTED CASING TO 600 PSI FOR 30 MINS. HELD GOOD.

11/24/2014 – DRILL 12.25" HOLE TO 2,349'. RUN 2,349' OF 9.625" CASING. CEMENT LEAD 520 SACKS, CLASS C, 12.6 PPG, 1.99 YIELD. TAIL WITH 200 SACKS, CLASS C, 14.8 PPG, 1.33 YIELD. FULL RETURNS DURING JOB. CIRCULATED 108 SACKS TO SURFACE. TESTED CASING TO 1100 PSI FOR 30 MINS. HELD GOOD.

12/23/2014 – DRILL 8.75" HOLE TO 10,105'. RUN 10,105' OF 7" CASING. CEMENT LEAD 780 SACKS, CLASS H, 11.8 PPG, 2.45 YIELD. TAIL WITH 300 SACKS, CLASS H, 14.2 PPG, 1.29 YIELD. DID NOT CIRCULATE. TESTED CASING TO 1500 PSI FOR 30 MINS. HELD GOOD.

1/9/2015 – DRILL 6.125" HOLE TO 14,093'. RUN 4.5" LINER FROM 9,472' TO 14,093'. CEMENT 350 SACKS, CLASS H, 14.8 PPG, 1.35 YIELD. FULL RETURNS DURING JOB. CIRCULATED 95 SACKS TO SURFACE. TESTED LINER TO 4500 PSI FOR 30 MINS. HELD GOOD.

6/18/2015 – DRILL 6.125" HOLE TO 9,472'. RUN 9,472' OF 5.5" CASING. CEMENT 315 SACKS, CLASS H, 14.8 PPG, 1.7485 YIELD. FULL RETURNS DURING JOB. CIRCULATED 37 SACKS TO SURFACE. TESTED CASING TO 1,600 PSI FOR 30 MINS. HELD GOOD.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Comments Permit 207547

DRILLING COMMENTS

Operator:	OGRID:
NADEL AND GUSSMAN PERMIAN, LLC	155615
601 N MARIENFELD MIDLAND , TX 79701	Permit Number: 207547
	Permit Type: Drilling

Comments

Created By	Comment	Comment Date

There are no Comments for this Permit