<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 215464

	CIDENTAL PERMI	AN LTD						2. OGRII	D Number 157984		
	Box 4294 ston, TX 77210		*******					3. API N	umber 30-025-43026		
4. Property Code 1952		5. Prop	perty Name NORTH HOBBS	S G/SA UNIT				6. Well No. 663			
				7. Sur	face Location						
JL - Lot A	Section 24	Township 18S	Range 37E	Lot Idn	Feet From 129	N/S Line N	Feet From	099	E/W Line	County	Lea
				8. Proposed E	ottom Hole Locati	ion					
UL - Lot B	Section 24	Township 18S	Range 37E	Lot Idn B	Feet From 913	N/S Line N	Feet From 2	2032	E/W Line	County	Lea
		0.74%		9. Poo	I Information						
HOBBS;GRA	YBURG-SAN AND	RES		N. C.					31920		
					Well Information						
11. Work Type New	Well	12. Well Type OIL	13. C	Cable/Rotary		14. Lease Type State	15. (36°36	vel Elevation 71		
16. Multiple 17. Proposed Depth N 4700			18. F	18. Formation 19. Contractor 2			20. 8	20. Spud Date 3/1/2016			
Depth to Ground	water		Dista	nce from nearest fres	sh water well		Dista	ance to ne	arest surface water		
We will be u	ising a closed-lo	op system in lieu of	A CONTRACTOR OF THE PARTY OF TH	1 Proposed Casi	ing and Cement P	rogram					
Type	Hole Size	Casing Size		ing Weight/ft	Setting D		Sacks of C	Cement		Estimated T	OC
Surf	12.25	9.625		36 1650 650)	0				
Prod	8.75	7	9	26 4800 22)	3942				
Prod	8.75	7		26	3942	2	580)		0	
			Casi	ing/Cement Prog	ram: Additional C	omments					
			23	Dronosed Blov	vout Prevention P	rogram					
	Туре	Ī	Working Pressure	c oposca Dioi	.out i to to ita oii F	Test Pressure		T	Manufs	cturer	

State of New Mexico **Energy, Minerals and Natural Resources**

Oil Conservation Division

Туре	Working Pressure	Test Pressure	Manufacturer
Annular	3000	3000	

knowledge and be	have complied with 19.15.14.9 (A) I			OIL CONSERVATIO	ON DIVISION
Printed Name:	Electronically filed by KELLEY MO	NTGOMERY	Approved By:	Paul Kautz	
Title:	Manager Regulatory		Title:	Geologist	
Email Address: kelley_montgomery@oxy.com			Approved Date:	1/19/2016	Expiration Date: 1/19/2018
Date:	Date: 1/19/2016 Phone: 713-366-5716			roval Attached	

| District | 1 | 1625 N. French Dr., Hobbs, NM 88240 | 1625 N. French Dr., Hobbs, NM 88240 | Phone: (575) 393-6161 Fax: (575) 793-0720 | District II | 811 S. First St., Artesia, NAI 88210 | Phone: (575) 748-1283 Fax: (575) 748-9720 | District III | 1000 Rio Brianus Road, Azize, NM 87410 | Phone: (503) 334-6178 Fax: (505) 334-6170 | District IV | 1220 S. St. Francis Dr., Santa Fe, NM 87505 | Phone: (503) 476-3460 Fax: (503) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

I	WELL	LOC	A TION	AND	ACREAGE	DEDICA	TION PLAT

API Number			Poo	l Code		Pool Name					
Property Code		λ/	Property Name NORTH HOBBS G/SA UNIT						Well Number 663		
OGRID No.			Operator Name						Elevation		
				OCCIDENTAL PERMIAN LTD. Surface Location				3671.8'			
_	, , , , , , , , , , , , , , , , , , , 			эшп	Lot Idn		y				
UL or lot no.	Section	Township	Range	Range		Feet from the	North/South line	Feet from the	East/We	st line	County
A	24	18 SOUTH	37 EAST, N.	M. P. M.		129'	NORTH	1099'	EAST		LEA
	Bottom Hole Location If Different From Surface										
UL or lot no.	Section	Township	Township Range		Lot Idn	Feet from the	North/South line	Feet from the	East/We	st line	County
В	24	18 SOUTH	37 EAST, N.	37 EAST, N.M.P.M.		913'	NORTH	2032'	EAS	T	LEA
Dedicated	Acres	Joint or Infill	Consolidation Code	Order No.			tenen un				

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Form APD Comments

Permit 215464

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address: OCCIDENTAL PERMIAN LTD [157984]	API Number: 30-025-43026
PO Box 4294 Houston, TX 77210	Well: NORTH HOBBS G/SA UNIT #663

Created By Comment Comment Date

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 215464

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
OCCIDENTAL PERMIAN LTD [157984]	30-025-43026		
PO Box 4294	Well:		
Houston, TX 77210	NORTH HOBBS G/SA UNIT #663		

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	SURFACE & PRODUCTION CASING - Cement must circulate to surface
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.