<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 217028

APPLICATION FOR PERMIT TO DRILL	., RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE
---------------------------------	--

		APPLICA	TION FOR PE	RIVIT TO	DRILL, RE	:-EN IER, DEI	EPEN, PLUG	BAC	K, OR AL	JU A Z	ONE		
MA	ne and Address TADOR PRODUCT	TION COMPAN	IY							2. 00	RID Number 228937		
	e Lincoln Centre las, TX 75240									3. AP	Number 30-015-436	354	
Property Cod 316	e 000		5. Property Name ZACH M	1cCORMIC	K FEDERAL	COM 18-24S-29)E			6. We	ell No. 001		
					7. Su	rface Location							
UL - Lot D	Section 18	Township 24	Range IS	29E	Lot Idn 1	Feet From 716	N/S Line	N	Feet Fron	380	E/W Line W	County	Eddy
				8	3. Proposed	Bottom Hole Lo	cation						
JL - Lot D	Section 18	Township 24	Range 4S	29E	Lot Idn 1	Feet From 660	N/S Line	N	Feet Fron	660	E/W Line W	County	Eddy
					9. Po	ol Information							
PIERCE CRO	OSSING;WOLFCAI	MP,NW (GAS)			1		ii .					96712	
					Additiona	al Well Informati	ion						
I1. Work Type Nev	v Well	12. Well Typ	e BAS	13. Cable	e/Rotary		14. Lease Type Privat	e	1		Level Elevation 2953		
16. Multiple N													
Depth to Groun	d water	100	412 2 5 2	Distance	from nearest fre	esh water well				istance to	nearest surface wa	ater	

☑ We will be using a closed-loop system in lieu of lined pits

21 Propos	sed Casing	and Cemer	of Program
ZI. PIODOS	seu Casiiii	and Cemer	II Program

	Entroposed casing and comment regium											
Type	Type Hole Size Casing Size		Hole Size Casing Size		Hole Size Casing Size		Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC		
Surf	17.5	13.375	54.5	600	500	0						
Int1	12.25	9.628	40	2780	600	0						
Prod	8.75	7	26	12000	1097	1200						

Casing/Cement Program: Additional Comments

22	Droposod	Dlowout	Prevention	Drogram

Type	Working Pressure	Test Pressure	Manufacturer
Annular	5000	3000	CAMERON
Double Ram	10000	5000	CAMERON
Pipe	10000	5000	CAMERON

knowledge and I	I have complied with 19.15.14.9 (A)			OIL CONSERVATIO	N DIVISION
Printed Name:	Electronically filed by Dana Arnold		Approved By:	Randy Dade	
Title:	Staff Attorney		Title:	District Supervisor	
Email Address:	darnold@matadorresources.com	98	Approved Date:	2/23/2016	Expiration Date: 2/23/2018
Date:	2/19/2016	Phone: 972-371-5284	Conditions of Appr	roval Attached	

District I
1025 N French Dr , Hobbs, NM 88240
Phone. (575) 393-6161 Fax: (575) 393-0720
District III
811 S First St , Artesia, NM 88210
Phone (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rto Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S St Prancis Dr , Sante Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Sante Fe, NM 87505

FORM C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


	.,		-		
⁽ API Number	² Pool Code	² Pool Code ³ Pool Name			
	96712	PIERCE CROSSING;WOLFCAMP, NW (GAS)			
Property Code	³ Pr	operty Name	⁶ Well Number		
	ZACH McCORMICK	FED COM 18-24S-29E	#1		
OGRID No.	8O[perator Name	⁹ Elevation		
228937	MATADOR PRO	DUCTION COMPANY	2953'		

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	18	24-S	29-E	2000	716'	NORTH	380'	WEST	EDDY

UL or lot no.	Section 18	Township 24-S	Range 29-E	Lot Idn	Feet from the 660'	North/South line NORTH	Feet from the 660'	East/West line WEST	County EDDY
¹² Dedicated Acres 160	¹³ Joint or I	(nfil) ¹⁴ Co	onsolidation Coc	fe ¹⁵ Ord	er No.				

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Permit 217028

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address:	API Number:
MATADOR PRODUCTION COMPANY [228937]	30-015-43654
One Lincoln Centre	Well:
Dallas, TX 75240	ZACH McCORMICK FEDERAL COM 18-24S-29E #001

Created By	Comment	Comment Date
amonroe	Applying for NSU; some land in unit will be Federal.	2/19/2016

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 217028

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
MATADOR PRODUCTION COMPANY [228937]	30-015-43654
One Lincoln Centre	Well:
Dallas, TX 75240	ZACH McCORMICK FEDERAL COM 18-24S-29E #001

OCD Reviewer	Condition
	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
ksharp	NSP required for 160-acre spacing