Submit within 45 days of well co	ompletion	State of New Mexico				Revised November 6, 2013			
	En				urces	1. WELL API NO. 30-015-43494			
Energy, Minerals and Natural Resources						**************************************			
Oil Conservation Division						2. Well Name: FOREIGNER 33 4 W2LM FEE #001H			
1220 S. St Francis Dr.						3. Well Number:			
Santa Fe, NM 87505						001H			
						4. Surface Hole L	ocetion:		
HYDRAULIC FRACTURING FLUID						Unit:L Lot:L	Section:33 To	ownship:23S Range:28E	
DISCLOSURE								/S Line:S W Line:W	
⊠ Original						5. Bottom Hole Lot:		wnship:23S Range:28E	
□ Amendment						Feet from:333	N/	S Line:S	
And the second and the second						Feet from:727 6. latitude:	_	W Line:W	
							32.26084723 -104.69901894 7. County:		
						Eddy			
Operator Name and Address:	Mary 1, 1779				9. OGRID:	14744	10. Phone Numbe	r: 575-393-5905	
MEWBOURNE OIL	_ CO				a. COND.	14144	To. I holle Numbe	1. 070 000 0000	
PO Box 5270 Hobbs 88241									
11. Last Fracture Date: 6/28/2016 Frac Performed by: Weatherford 12. Product									
13. Pool Code(s): 14. Gross Fi						ictured Interval:			
						0,488 ft to 10,520 ft Ime of Fluid Pumped:			
10,504 ft						9,307,022 gals			
17. Total Volume of Re-Use Water Pumped: N/A						of Re-Use Water in Fluid Pumped: lot Disclosed			
19. HYDRAULIC FLUID			CONTRACTOR AND ADDRESS OF THE PARTY OF THE P	A de la companya de l), (27%), (4%), (5%)	NUNCO NO 10	72	D224 34 64 85 10	
Trade Name	Supplier	Purpose	Ingredients	(CAS #) Chem Service #	ical Abstract	Maximum Ingre Concentration	dient in Additive (% by	Maximum Ingredient Concentration in HF Fluid (% by	
Water	Mewbourne Oil	Carrier / Base Fluid	Carrier / Base Fluid -	7732-18-5		mass)	100%	mass) 90.3037595%	
400 141	Company	B	Water	44000 00 7				0.400.400004	
100 Mesh	WFT	Proppant	Crystalline Silica in the form of Quartz	14808-60-7			100%	6.4264962%	
40/70 Premium	WFT	Proppant	Crystalline Silica in the form of Quartz	14808-60-7		100%		3.0888447%	
WBK-133	WFT	Breaker	Ammonium Persulfate	7727-54-0			100%	0.0113527%	
WAI-251LC	WFT	Inhibitor	1-Decanol 1-Octanol	112-30-1 111-87-5			5% 5%	1.3E-06%	
			2-Butoxyethanol		111-76-2		10%	1.3E-06% 2.6E-06%	
			Ethoxylated	72480-70-7		5%		1.3E-06%	
			Nonylphenol Ethylene Glycol			40%		1.05E-05%	
			Isopropyl Alcohol			5%		1.3E-06%	
			N,N-Dimethylformamide Tar bases, quinoline			20% 10%		5.3E-06% 2.6E-06%	
			derivs, benzyl chloride-			1070		2.02-00%	
			quaternized Triethylphosphate	78-40-0		1	5%	1.3E-06%	
WIC-641L	WFT	Iron Control	Citric acid	77-92-9			60%	5.12E-05%	
WIC-644L	WFT	Iron Control	acetic acid glacial	64-19-7		90%		6.61E-05%	
WNE-366LN	WFT	Surfactant	Methanol	67-56-1		45%		0.0192634%	
WFR-54LA	WFT	Friction Reducer	Distillates (petroleum), hydrotreated light	64742-47-8		45%		0.0464338%	
MBC 610	WFT	Biocide	Didecyl dimethyl	7173-51-5			11%	0.0024351%	
15% HCL	WFT	Acid	ammonium chloride Hydrochloric Acid	7647-01-0			15%	0.0012311%	
Ingredients shown above		Acid	Acetaldehyde	75-07-0			0%	3E-07%	
are subject to 29 CFR 1910			Cinnamaldehyde	104-55-2			0%	1.3E-06%	
			Dioxane Ethylene Oxide	123-91-1 75-21-8			0% 0%	3E-07% 3E-07%	
			Proprietary Surfactant	Proprietary			0%	0.0021404%	
			Compound 1 Proprietary Surfactant			0%		0.0021404%	
			Compound 2				U%	0.0021404%	
20. I, as Operator, hereby certify that the information shown on this disclosure form is true and complete to the best of my knowledge and belief.									
Signature: Signed Electronically Printed Name: Nm Young Title: Manager Date: 8/30/2016									
E-mail Address: rterrell@mewbourne.com									
NMOCD does not require the reporting of information beyond MSDS data as described in 29 CFR 1910.1200. NMOCD does not require the reporting or disclosure of proprietary, trade secret or confidential business information.									