## District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

N

Depth to Ground water

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

6/20/2017

Distance to nearest surface water

Permit 226811

APPLICATION FOR PERMIT	TO DRILL, RE-ENTER, DEEPEN,	PLUGBACK, OR ADD A ZONE
------------------------	-----------------------------	-------------------------

DE\ 333	ne and Address /ON ENERGY PRO W. Sheridan Aven ahoma City, OK 73		525 S. M. S. M	-	,			2. OGF	RID Number 6137 Number 30-025-43451		
4. Property Cod 308	e		operty Name THISTLE UNI	Т				6. Well			
				7. Sui	rface Location						
JL - Lot N	Section 34	Township 23S	Range 33E	Lot Idn	Feet From 621	N/S Line S	Feet From	2199	E/W Line W	County	Lea
				8. Proposed	Bottom Hole Locat	ion					
UL - Lot K	Section 27	Township 23S	Range 33E	Lot Idn K	Feet From 2630	N/S Line S	Feet From	2230	E/W Line W	County	Lea
				9. Po	ol Information						
TRIPLE X;BO	NE SPRING			1 - 1 - 4 -	And the second of				59900		
				Additiona	I Well Information						
11. Work Type Nev	/ Well	12. Well Type OIL	13.	Cable/Rotary		14. Lease Type State	15		Level Elevation 8650		
16. Multiple		17. Proposed Dept	h 18.	Formation		19. Contractor	20	20. Spud Date			

#### We will be using a closed-loop system in lieu of lined pits

16755

#### 21. Proposed Casing and Cement Program

Bone Spring

Distance from nearest fresh water well

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	1350	1230	0
Int1	12.25	9.625	40	4300	0	0
Int1	12.25	9.625	40	5100	1490	0
Prod	8.75	5.5	17	16755	2535	4900

## Casing/Cement Program: Additional Comments

13-3/8" Surface Two Stage Cmt 460 sks 12.9 9.81 1.85 14 1st Stage Leat: (65:35) Class C Cement: Poz (Fly Ash); 6% BWOC Bentonite + 5% BWOW Sodium Chloride + 0.125 lbs/sack Poly-E-Flake 550 14.8 6.32 1.33 6 1st Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. DV Tool = 300ft. 320 sks 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. See Drilling Plan to be submitted via FedEx.

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Annular	3000	3000	
Double Ram	3000	3000	
Annular	3000	3000	
Double Ram	3000	3000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.  Signature:			OIL CONSERVA	TION DIVISION	
Printed Name:	Electronically filed by Randy Bolles		Approved By:	Paul Kautz	
Title:	Manager, Regulatory Affairs		Title:	Geologist	
Email Address:	randy.bolles@dvn.com		Approved Date:	10/14/2016	Expiration Date: 10/14/2018
Date:	10/14/2016	Phone: 405-228-8588	Conditions of Appr	roval Attached	

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 2320 S. S. Especie Dr. Scate Fo. NM 87558

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011 Permit 226811

# WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-43451	59900	TRIPLE X;BONE SPRING
4. Property Code	5. Property Name	6. Well No.
30884	THISTLE UNIT	118H
7. OGRID No.	8. Operator Name	9. Elevation
6137	DEVON ENERGY PRODUCTION COMPANY, LP	3650

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	34	23S	33E		621	S	2199	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot K	Section 27	Township 23S	Range 33E	Lot Idn K	Feet From 2630	N/S Line S	Feet From 2230	E/W Line W	County Lea
12. Dedicated Acre 240.00			13. Joint or Infill		14. Consolidation Code			15. Order No.	

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

72	THE DIVISION
owns a working inter	OPERATOR CERTIFICATION  he information contained herein is true and complete to the best of my knowledge and belief, and that this organization either  rest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this  a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling  red by the division.
E-Signed By:	Randy Bolles
Title:	Manager, Regulatory Affairs
Date:	10/14/2016
	SURVEYOR CERTIFICATION  he well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that correct to the best of my belief.
Surveyed By:	Filimon Jaramillo
Date of Survey:	6/14/2016
Certificate Number:	4704

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 226811

# PERMIT COMMENTS

Operator Name and Address:	API Numb	per:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]		30-025-43451
333 W. Sheridan Avenue	Well:	THE STATE OF THE PARTY OF THE P
Oklahoma City, OK 73102		THISTLE UNIT #118H

Created By	Comment	Comment Date
drebecca	Drilling Plan, Directional Plan and C-102 being sent via FedEx.	10/14/2016

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 478-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 226811

# PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-43451
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	THISTLE UNIT #118H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Must notify OCD Hobbs Office of any water flows in the Castile Formation at 575-370-3186. Report depth and flow rate
pkautz	1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.
pkautz	The New! Gas Capture Plan (GCP) notice is posted on the NMOCD website under Announcements. The Plan became effective May 1, 2016. A copy of the GCP form is in our FORMS section under Unnumbered Forms. Please review filing dates for all applicable activities currently approved or pending and submit accordingly. Failure to file a GCP may jeopardize the operator's ability to obtain C-129 approval to flare gas after the initial 60-day completion period.