| Submit within 45 days of well completion State of New Mexico | | | | | | Revised November 6, 2013 | | | |
|---------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------|--------------------------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------|----------|
| Energy, Minerals and Natural Resources | | | | | urces | 1. WELL API NO. 30-015-43684 | | | |
| Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 | | | | | | Well Name: OWL DRAW 27 W2NC FEDERAL COM #002H Well Number: 002H | | | |
| | | | | | | | | | DISCLOSU |
| ⊠ Original □ Amendment | | | | | | 5. Bottom Hole Location: Unit:C Lot: Section:27 Township:26S Range:27E Feet from:339 N/S Line:N Feet from:2976 E/W Line:E | | | |
| | | | | | | 6. latitude: 32.1 7. County: Edd | 00626139 | longitude: -104.1790652 | |
| 8. Operator Name and Add MEWBOURI PO Box 527 Hobbs 8824 | NE OIL CO 0 | | | | 9. OGRID: | 14744 | 10. Phone Number | er: 575-393-5905 | |
| 11. Last Fracture Date: 10/13/2016 Frac Performed by: Halliburton | | | | | | 12. Production Type: | | | |
| 13. Pool Code(s): | | | | | | Gross Fractured Interval: | | | |
| 98017 15. True Vertical Depth (TVD): 10.024 ft | | | | | 9,991 ft to 10,057 ft 18. Total Volume of Fluid Pumped: 16,862,160 gals | | | | |
| 17. Total Volume of Re-Us N/A | se Water Pumped: LUID COMPOSITION A | ND CONCENTRAT | TON: | | | f Re-Use Water in I ot Disclosed | Fluid Pumped: | | |
| Trade Name | Supplier | Purpose | Ingredients | (CAS #) Chemical Abstract Service # | | Maximum Ingredient Concentration in Additive (% by mass) | | Maximum Ingredient Concentration in HF Fluid (% by mass) | |
| Water | | Carrier / Base Fluid | | 7732-18-5 | | 100% | | 90.33257% | |
| FR-601 | SNF | Proppant Friction Reducer | Silicon Dioxide Copolymer of acrylamide and sodium acrylate | 14808-60-7 25987-30-8 | | | 100% 10% | 9.47415% 0.01077% | |
| | | | Isoparaffinic Solvent | 64742-47-8 | | ł. | 10% | 0.01077% | |
| | | | Water | 7732-18-5 | | 100 | 60% | 0.06461% | |
| | | | Nonylphenol Sorbitan Monooleate | 9016-45-9 1338-43-8 | | | 10% 10% | 0.01077% 0.01077% | |
| GB-2 | Multiple Suppliers | Breaker | Ammonium Persulfate | 7727-54-0 | 727-54-0 | | 99.9% | 0.00983% | |
| GB-210 | Ace Completions | Polyacrylamide Breaker | Sodium Hypochlorite Sodium Chloride | 7681-52-9 7647-14-5 | | <u> </u> | 12.5% 10% | 0.00367% 0.00294% | |
| | | | Sodium Hydroxide | 1310-73-2 | | | 2% | 0.00059% | |
| | | | Water | 7732-18-5 | | | 78% | 0.02292% | |
| NE-227 | Ace Completions | Non-emulsifier | Proprietary Poly (oxy-1,2-ethanediyl), alpha hexyl-omega- hydroxy- | NA 31726-34-8 | | | 15% 5% | 0.00696% 0.00232% | |
| | | | Isotridecanol, ethoxylated | 9043-30-5 | | | 5% | 0.00232% | |
| | | | Alcohol | 68609-68-7 | | | 5% | 0.00232% | |
| | | | Solvent Naptha (Petroleum), Heavy Aromatic | 64742-94-5 | | | 1% | 0.00046% | |
| | | | Water | 7732-18-5 | | | 90% | 0.04174% | |
| Signature: Sig | certify that the information shown of gned Electronically Pri /17/2016 | on this disclosure form is tru- inted Name: NM Young | e and complete to the best of | of my knowledge s | ind belief. | Title: Manager | r | | |