District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 230860

1. Operator Nam	ne and Address				,		EN, PLUGBAC		2. OGRID	Number		
	ON ENERGY PRO	ODUCTION C	OMPANY, LP						AND ARBIT	6137		
	W. Sheridan Aven								3. API Number			
Okla	homa City, OK 73	102								30-025-43548		
4. Property Code			5. Property Name	La granda company					6. Well No			
308	84		THIST	LE UNIT						117H		
					7. Su	rface Location						
UL - Lot	Section	Township	Range		Lot Idn	Feet From	N/S Line	Feet From		E/W Line	County	14 4 4 4 4 4
Р	34	2	23S	33E	Р	185	S	4	60	E	100000	Lea
	48		***		8. Proposed	Bottom Hole Local	tion	2/2			4,	
UL - Lot	Section	Township	Range		Lot Idn	Feet From	N/S Line	Feet From		E/W Line	County	
1	27	23	S	33E	1	2630	S	11	22	E		Lea
					9. Po	ol Information						
TRIPLE X;BO	NE SPRING				1-1-1-1	the same that is a first own of the			59	9900		
					Additiona	al Well Information						
11. Work Type New Well 12. Well Type OIL		13. C	13. Cable/Rotary		14. Lesse Type State		15. Ground Level Elevation 3638					
16. Multiple 17. Proposed Depth N 17401		18. F	18. Formation Bone Spring		19. Contractor	20. S	pud Date 2/2	8/2017				
Depth to Ground water			Dista	Distance from nearest fresh water well Di				Distance to nearest surface water				
Deptil to Oloulio	Water			Dista	noe nom nearest ne	ESH Water Well		Distai	ioe to fieb	ilest surface water		

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.75	13.375	48	1350	2560	0
Int1	12.25	9.625	40	4300	0	0
Int1	12.25	9.625	40	5100	1490	0
Prod	8.75	5.5	17	17401	2220	4900

Casing/Cement Program: Additional Comments

Second Stage Surf Cmt as follows: 460 12.9 9.81 1.85 14 1st Stage Lead: (65:35) Class C Cement: Poz (Fly Ash): 6% BWOC Bentonite + 5% BWOW Sodium Chloride + 0.125 lbs/sack Poly-E-Flake 550 14.8 6.32 1.33 6 1st Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. DV Tool = 300ft. 320 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake See C-102, Plats, Drilling Plan, and Directional Plan being mailed via FedEx.

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Annular	3000	3000	
Double Ram	3000	3000	
Annular	3000	3000	
Double Ram	3000	3000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONSER	RVATION DIVISION
Printed Name:	Electronically filed by Randy Bolles	8	Approved By:	Paul Kautz	
Title:	Manager, Regulatory Affairs	Title:	Geologist	11	
Email Address:	randy.bolles@dvn.com		Approved Date:	1/21/2017	Expiration Date: 1/21/2019
Date:	1/16/2017	Conditions of Appr	roval Attached		

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 230860

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-43548	2. Pool Code 59900	3. Pool Name TRIPLE X;BONE SPRING
4. Property Code 30884	5. Property Name THISTLE UNIT	6. Well No. 117H
7. OGRID No.	8. Operator Name	9. Elevation
6137	DEVON ENERGY PRODUCTION COMPANY, LP	3638

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	34	23S	33E	Р	185	S	460	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	27	238	33E	1	2630	S	1122	E	Lea
12. Dedicated Ac 240.0			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

74	THE DIVISION
owns a working inte location pursuant to	OPERATOR CERTIFICATION the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either erest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling tered by the division.
E-Signed By:	Randy Bolles
Title:	Manager, Regulatory Affairs
Date:	1/16/2017
	SURVEYOR CERTIFICATION the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that d correct to the best of my belief.
Surveyed By:	Filimon Jaramillo
Date of Survey:	12/1/2016
Certificate Number:	5078

Form APD Comments

Permit 230860

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-43548
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	THISTLE UNIT #117H

Created By	Comment	Comment Date
drebecca	C-102, Plats, Drilling Plan, and Directional Plan being mailed via FedEx.	1/16/2017

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 230860

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-43548
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	THISTLE UNIT #117H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Pit construction and closure must satisfy all requirements of your approved plan.
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.