District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 231384

APPLICATION FOR PERMIT	TO DRILL, RE-ENT	TER, DEEPEN, PLUGB	ACK, OR ADD A ZONE

DE/	me and Address VON ENERGY PRO W. Sheridan Aven	DDUCTION COMPAN	IY, <mark>L</mark> P		,		3,000	GRID Number 6137 PI Number		
Oklahoma City, OK 73102								30-025-43563	}	
4. Property Code 5. Property Name THISTLE UNIT						6. V	/ell No. 102H			
				7. S	urface Location					
UL - Lot P	Section 34	Township 23S	Range 33E	Lot Idn	Feet From 215	N/S Line S	Feet From 400	E/W Line	County	Lea
				8. Proposed	Bottom Hole Loc	ation				
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
Α	22	238	33E	A	330	D N	380	E		Lea
				9. P	ool Information					
TRIPLE X;BC	ONE SPRING			1-1-1				59900		
				Addition	nal Well Informatio	on		•		
11. Work Type Nev	v Well	12. Well Type OIL	13.	Cable/Rotary		14. Lease Type State	15. Groun	nd Level Elevation 3640		
16. Multiple N		17. Proposed Depth 24810	18.	Formation Bone Spri	ng	19. Contractor	20. Spud	Date 2/10/2017		
	d water			ance from nearest f	_			to nearest surface water		

■ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Zii i opooda dadiig ana domenti i ogiani						
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	1350	2560	0
Int1	12.25	9.625	40	4300	0	0
Int1	12.25	9.625	40	5100	1490	0
Prod	8.75	5.5	17	24810	3950	4900

Casing/Cement Program: Additional Comments

13-3/8" Surface Two Stage Cmt as follows: 460 12.9 9.81 1.85 14 1st Stage Lead: (65:35) Class C Cement: Poz (Fly Ash): 6% BWOC Bentonite + 5% BWOW Sodium Chloride + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 1st Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd Stage Tail: Class C Cement + 0.125 lbs/sack Poly-E-Flake. 550 14.8 6.32 1.33 6 2nd S lbs/sack Poly-E-Flake. C-102, Plats, Drilling Plan, and Directional Plan being mailed via FedEx.

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Annular	3000	3000	
Double Ram	Double Ram 3000		
Annular	Annular 3000		
Double Ram 3000		3000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ⋈ and/or 19.15.14.9 (B) NMAC ⋈, if applicable. Signature:				OIL CONSERV	ATION DIVISION
Printed Name:	Electronically filed by Randy Bolles	3	Approved By:	Paul Kautz	
Title:	Manager, Regulatory Affairs		Title:	Geologist	
Email Address:	randy.bolles@dvn.com		Approved Date:	1/31/2017	Expiration Date: 1/31/2019
Date:	1/30/2017	Conditions of Approval Attached			

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District IV

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 231384

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-43563	2. Pool Code 59900	3. Pool Name TRIPLE X;BONE SPRING
4. Property Code 30884	5. Property Name THISTLE UNIT	6. Well No. 102H
7. OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, LP	9. Elevation 3640

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	34	23S	33E	Р	215	S	400	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	22	238	33E	A	330	N	380	E	Lea
12. Dedicated Acre 480.00			13. Joint or Infill		14. Consolidation Code	2		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

75	THE DIVISION
owns a working inter	OPERATOR CERTIFICATION the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either rest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling ered by the division.
E-Signed By:	Randy Bolles
Title:	Manager, Regulatory Affairs
Date:	1/30/2017
	SURVEYOR CERTIFICATION the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that correct to the best of my belief.
Surveyed By:	Filimon Jarmillo
Date of Survey:	1/30/2017
Certificate Number:	4713D

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 231384

PERMIT COMMENTS

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-43563
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	THISTLE UNIT #102H

Created By	Comment	Comment Date
drebecca	C-102, Plats, Drilling Plan, and Directional Plan being mailed via FedEx.	1/30/2017

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 478-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 231384

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-43563
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	THISTLE UNIT #102H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	T16S to T26S Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Operator shall notify appropriate District office when setting conductor pipe
pkautz	Operator shall notify appropriate District office when setting conductor pipe
pkautz	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of spudding a well.
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	Must notify OCD Hobbs Office of any water flows in the Castile Formation at 575-370-3186. Report depth and flow rate
pkautz	1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.
pkautz	Submit Gas Capture Plan form prior to spudding or initiating recompletion operations