

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

n RAB1704850616 **OPERATOR** ☒ Initial Report ☐ Final Report

Name of Company OXY USA Inc. <i>16696</i>	Contact Eric Maestas
Address 770 Rosebud Rd. Amistad NM 88410	Telephone No. 575-420-7825
Facility Name Bravo Dome Gathering System	Facility Type Carbon Dioxide Gathering System
Surface Owner Bradshaw	Mineral Owner Bradshaw
API No. 30-059-20241	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
G	03	18	34	660	North	660	East	Union

Latitude N 35.825575 Longitude W -103.308502

NATURE OF RELEASE

Type of Release Produced Water	Volume of Release 7 bbls	Volume Recovered None
Source of Release: 8 in steel Pipeline	Date and Hour of Occurrence 02/15/2017 8:00 AM	Date and Hour of Discovery 02/15/2017 8:00AM
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom? N/A	
By Whom? Eric Maestas	Date and Hour 02/15/2017 9:30 AM	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*N/A

Describe Cause of Problem and Remedial Action Taken.*

Produced water was spilled on the ground after a 8" steel pipeline developed a leak. There was approximately 7 bbls of produced water that ran out of the pipe onto the ground. Area has been delineated in preparation for remediation.

Describe Area Affected and Cleanup Action Taken.*

Affected area has been delineated, Safety Environmental Solutions Inc. will be assisting with the remediation plan submittal.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>[Signature]</i>		OIL CONSERVATION DIVISION	
Printed Name: Eric Maestas		Approved by Environmental Specialist: <i>[Signature]</i>	
Title: HES Coordinator		Approval Date: <i>2/15/17</i>	Expiration Date:
E-mail Address: eric_maestas@oxy.com		Conditions of Approval:	
Date: <i>2/15/17</i>	Phone: 575-420-7825	Attached ☒	

* Attach Additional Sheets If Necessary

X SEE ATTACHMENT X

CONDITIONS OF APPROVAL

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 15 FEB 17 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number NRAB1704850616 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District IV office in SANTA FE on or before 15 MAR 17 and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized to the following concentrations: benzene 10 mg/kg, total BTEX 50 mg/kg, TPH (GRO+DRO+MRO; C₆ thru C₃₆) 100 mg/kg, chloride 600 mg/kg. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized to the following concentrations: benzene 10 mg/kg, total BTEX 50 mg/kg, TPH (GRO+DRO+MRO; C₆ thru C₃₆) 100 mg/kg, chloride 250 mg/kg. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- No inference should be made concerning the minimum characterization concentrations expressed above as to the ultimate remediation levels which might be approved. Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505-476-3465

jim.griswold@state.nm.us

Bayliss, Randolph, EMNRD

From: Lowe, Leonard, EMNRD
Sent: Friday, February 17, 2017 11:40 AM
To: Bayliss, Randolph, EMNRD
Subject: FW: OXY Bravo Dome Produced water spill 2152017
Attachments: Scanned from a Xerox multifunction device001.pdf

Mr. Bayliss,

Leonard Lowe
Engineering Bureau
Oil Conservation Division
Energy Minerals and Natural Resources Department
1220 South St. Frances
Santa Fe, New Mexico 87004
Office: 505-476-3492
Cell: 505-930-6717
Fax: 505-476-3462
E-mail: leonard.lowe@state.nm.us
Website: <http://www.emnrd.state.nm.us/ocd/>

-----Original Message-----

From: Eric_Maestas@oxy.com [mailto:Eric_Maestas@oxy.com]
Sent: Wednesday, February 15, 2017 9:59 AM
To: Jones, William V, EMNRD <WilliamV.Jones@state.nm.us>; Lowe, Leonard, EMNRD <Leonard.Lowe@state.nm.us>
Cc: Sharon_Reid@oxy.com; Eric_Maestas@oxy.com; Charles_Terry@oxy.com; Cole_Wallin@oxy.com;
Mike_Kelly2@oxy.com; Tommy_Pugh@oxy.com; Bradey_Holland@oxy.com; Casey_Summers@oxy.com
Subject: OXY Bravo Dome Produced water spill 2152017

Mr. Jones,

A produced water spill was reported today on the leg 5 lateral of the Bravo Dome field. An internal corrosion leak occurred spilling and estimated 7bbls of produced water. Attached is the C-141 for the 7bbl produced water spill that occurred today. Please let me know if you have any questions or comments.

Thank you,

Eric Maestas
HES Ops Coordinator
Bravo Dome Sheep Mountain
cell: (575)420-7825