<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesis, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District III

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 233777

	EOG	e and Address RESOURCES	INC								2. OGF	7377		
		Box 2267 and, TX 79702									3. API	Number 30-025-43719		
4. Property	y Code 3175			5. Property Name FRAZ	ZIER 27 ST	TATE COM	1				6. Well	No. 703H		
		20				200	7. Surf	ace Location	.00			: 02-	215	
UL - Lot	С	Section 27	Township 2	Range 24S	33E	Lot Idn	С	Feet From 549	N/S Line	N	Feet From 1610	E/W Line W	County	Lea
						8. Prop	osed B	ottom Hole Locati	on					
UL - Lot	N	Section 27	Township	Range 24S	33E	Lot Idn	N	Feet From 230	N/S Line	S	Feet From 1900	E/W Line W	County	Lea

	9. Pool information	
WC-025 G-09 \$243336H IPPER WOLFCAMP	to Selestralida (d. Antal	98092

#### **Additional Well Information**

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Distance from nearest fresh water well		Distance to nearest surface water
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
N	17269	Wolfcamp		5/1/2017
11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well	OIL		State	3517

#### ■ We will be using a closed-loop system in lieu of lined pits

#### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	14.75	10.75	40.5	1233	700	0
Int1	8.75	7.625	29.7	11400	2800	0
Prod	6.75	5.5	17	17269	750	10900

#### Casing/Cement Program: Additional Comments

#### 22 Dronosed Blowout Drevention Drogram

22. Proposed Biomout Prevention Program								
Туре	Working Pressure	Test Pressure	Manufacturer					
Double Ram	5000	3000						

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.  Signature:				OIL CONS	SERVATION DIVISION
Printed Name:	Electronically filed by Stan Wagne	r	Approved By:	Paul Kautz	
Title:	Regulatory Analyst		Title:	Geologist	
Email Address:	ail Address: Stan_Wagner@eogresources.com			3/26/2017	Expiration Date: 3/26/2019
Date:	3/24/2017	Conditions of Ap	proval Attached		

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 233777

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-43719	98092	WC-025 G-09 S243336I;UPPER WOLFCAMP
4. Property Code	5. Property Name	6. Well No.
317562	FRAZIER 27 STATE COM	703H
7. OGRID No.	8. Operator Name	9. Elevation
7377	EOG RESOURCES INC	3517


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	27	24S	33E	C	549	N	1610	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	27	24S	33E	N	230	S	1900	W	Lea
12. Dedicated Acres 160.00		13. Joint or Infill		14. Consolidation Code			15. Order No.		

## NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 233777

## PERMIT COMMENTS

EOG RESOURCES INC [7377]	API Number: 30-025-43719			
P.O. Box 2267 Midland, TX 79702	Well: FRAZIER 27 STATE COM #703H			

Created By Comment Comment Date District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 478-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 233777

## PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
EOG RESOURCES INC [7377]	30-025-43719
P.O. Box 2267	Well:
Midland, TX 79702	FRAZIER 27 STATE COM #703H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERMEDIATE1 CASING - Cement must circulate to surface - 2) PRODUCTION CASING - Cement must tie back into intermediate2 casing -
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Only Fresh Water and Air are Valid Drilling Fluids for Surface Casing
pkautz	Operator shall notify appropriate District office when setting conductor pipe
pkautz	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of spudding a well
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	Must notify OCD Hobbs Office of any water flows in the Castile Formation at 575-370-3186. Report depth and flow rate
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.
pkautz	Submit Gas Capture Plan form prior to spud