Submit within 45 days of well of	completion		C				Revised November 6, 2013	
State of New Mexico						1. WELL API NO.		
	Energy, Minerals and Natural Resources					30-043-21286 2. Well Name:		
Oil Conservation Division						N ESCAVADA UNIT #328H 3. Well Number:		
1220 S. St Francis Dr.						328H		
		Sant	a Fe, NM 875	<b>U</b> 5				
HYDRAULIC FRACTURING FLUID DISCLOSURE						Feet from:1918 N/S	wnship:22N Range:07W S Line:S W Line:E	
□ Original						5. Bottom Hole Location:		
⊠ Amends disclosure submitted on 8/24/2017						Feet from:1165	ownship:22N Range:07W I/S Line:N	
							E/W Line:W ongitude:	
						36.151859 7. County:	-107.557806	
						Sandoval		
WPX ENERGY PRODUCTION, LLC PO Box 640 721 South Main Aztec 87410					9. OGRID:	120782 10. Phone Numb	per: 505-333-1801	
11. Last Fracture Date: 8/16/2017 Frac Performed by: Halliburton 12					12. Production	**		
13. Pool Code(s):						14. Gross Fractured Interval:		
98172 15. True Vertical Depth (TVD):					16. Total Volu	5,836 ft to 10,928 ft Volume of Fluid Pumped:		
5,077 ft 17. Total Volume of Re-Use Wat	ter Pumped:					69,492 gals of Re-Use Water in Fluid Pumped:		
N/A						t Disclosed		
19. HYDRAULIC FLUID Trade Name	Supplier	AND CONCENTRA Purpose	IION:	(CAS #) Chem	nical Abstract	Maximum Ingredient	Maximum Ingredient	
Trade Name	Саррист	T unpose	ingredients	Service #	nour Aboutuot	Concentration in Additive (% by mass)	Concentration in HF Fluid (% by mass)	
2% KCL Water	Operator	Base Fluid	Water	7732-18-5		98%	52.30312%	
Cla-Web(TM) GBW-30 BREAKER	Halliburton Halliburton	Additive Breaker	Listed Below Listed Below	Listed Below Listed Below		0%		
HC-2	Halliburton	Additive	Listed Below	Listed Below Listed Below		0%		
LOSURF-300D	Halliburton	Non-ionic Surfactant		Listed Below		0%	0%	
NITROGEN LIQUEFIED SAND-PREMIUM BROWN-	Halliburton Halliburton	Fluid Proppant	Listed Below Listed Below	Listed Below Listed Below		0%		
20/40, 100 LB SACK		Торранс	Elsted Below					
WG-35 GELLING AGENT MSDS and Non-MSDS Ingredients are listed below the	Halliburton	Gelling Agent	Listed Below	Listed Below		0%		
Ingredients	Listed Above	Listed Above	1,2,4 Trimethylbenzene			1%		
			Amine salts Crystalline silica, quartz	Proprietary 14808-60-7		0.1%		
			Ethanol	64-17-5		60%		
			Glycerine	56-81-5		5%	0.00476%	
			Guar gum	9000-30-0		100%		
			Heavy aromatic petroleum naphtha	64742-94-5		30%	0.006%	
			Hemicellulase enzyme			30%		
			Hydroxyalkylammonium chloride	Proprietary		60%	0.01539%	
			Inner salt of alkyl amines	Proprietary		30%	0.02858%	
			Lactose Naphthalene	63-42-3 91-20-3		100% 5%		
			Nitrogen	7727-37-9		100%		
			Oxylated phenolic resin	Proprietary		30%	0.008%	
			Poly(oxy-1,2- ethanediyl), alpha-(4- nonylphenyl)-omega- hydroxy-, branched	127087-87-	0	5%	0.001%	
			Potassium chloride	7447-40-7		2%		
			Quaternary amine Sodium chloride	Proprietary 7647-14-5		5% 30%		
		<u>                                     </u>	Water	7732-18-5		60%		
20. I, as Operator, hereby certify that the information shown on this disclosure form is true and complete to the best of my knowledge and belief.								
Signature: Signed Electronically Printed Name: Tiffany Smith Engineering Technician  Title: II								
Date: 8/24/2017  E-mail Address: Tiffany.Smith@wpxenergy.com  IMOCD does not require the reporting of information beyond MSDS data as described in 29 CFR 1910 1200. NMOCD does not require the reporting or disclosure of proprietary, trade secret or confidential business.								

NMOCD does not require the reporting of information beyond MSDS data as described in 29 CFR 1910.1200. NMOCD does not require the reporting or disclosure of proprietary, trade secret or confidential business information.