

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 240800

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address OXY USA WTP LIMITED PARTNERSHIP PO Box 4294 Houston, TX 77210		2. OGRID Number 192463
4. Property Code 318404		3. API Number 30-015-44432
5. Property Name TURKEY TRACK 4 3 STATE		6. Well No. 024H

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	4	19S	29E	L	1400	S	360	W	Eddy

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	3	19S	29E	P	380	S	180	E	Eddy

9. Pool Information

TURKEY TRACK;BONE SPRING	60660
--------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3408
16. Multiple N	17. Proposed Depth 18090	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 4/16/2018
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	400	307	0
Int1	12.25	9.625	36	3000	923	0
Prod	8.75	5.5	20	18090	3205	2500

Casing/Cement Program: Additional Comments

BOP Program: 13-5/8" 5M three ram stack w/ 5M annular preventer, 5M choke manifold. Additional information will be sent along with the H2S and Gas Capture plan.
--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	5000	5000	
Double Ram	5000	5000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ if applicable. Signature: Printed Name: Electronically filed by KELLEY MONTGOMERY Title: Manager Regulatory Email Address: kelly_montgomery@oxy.com Date: 9/6/2017	OIL CONSERVATION DIVISION Approved By: Raymond Podany Title: Geologist Approved Date: 9/12/2017 Expiration Date: 9/12/2019 Conditions of Approval Attached
Phone: 713-366-5716	

District 1
 1625 N. French Dr., Hobbs, NM 88240
 Phone: (775) 793-6161 Fax: (775) 793-0730
 District 10
 811 S. First St., Alamogordo, NM 88001
 Phone: (505) 748-1281 Fax: (505) 748-9720
 District 12
 1000 E. Beane Road, Artesia, NM 87410
 Phone: (505) 334-6173 Fax: (505) 334-6170
 District 13
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3469 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-102
 Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-	Pool Code 60660	Pool Name Turkey Track; Bone Spring
Property Code	Property Name TURKEY TRACK "4-3" STATE	Well Number 24H
OGRIID No. 192463	Operator Name OXY USA INC WTP LP	Elevation 3408.1'


Surface Location

UL or lot no.	Section	Township	Range	Lot Id#	Feet from the	North/South line	Feet from the	East/West line	County
L	4	19 SOUTH	29 EAST, N.M.P.M.		1400'	SOUTH	360'	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Id#	Feet from the	North/South line	Feet from the	East/West line	County
P	3	19 SOUTH	29 EAST, N.M.P.M.		380'	SOUTH	180'	EAST	EDDY
Dedicated Acres 320	Joint or In LH Y	Consolidation Code	Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and
 verifiable to the best of my knowledge and belief, and that this
 information either was a working document or endorsed account
 correct to the best of my knowledge and belief, and that this
 information is true and correct to the best of my knowledge
 with no intent of such a statement or working interest, or to a
 voluntary pooling agreement or a compulsory pooling order
 heretofore entered by the division.

Signature: Justin Morris Date: 8/6/17
 Printed Name: Justin Morris
 Email Address: Justin.Morris@oxy.com

SURVEYOR CERTIFICATION

I hereby certify that the information contained herein is true and
 verifiable to the best of my knowledge and belief, and that this
 information is true and correct to the best of my knowledge.

Date of Survey: JUNE 29, 2017
 Signature and Seal of Professional Surveyor: ERRY J. ASH
 Certificate Number: 15079

Signature: Tommy Paul Date: 8/9/2017
 Certificate Number: 15079

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

Permit 240800

PERMIT COMMENTS

Operator Name and Address: OXY USA WTP LIMITED PARTNERSHIP [192463] PO Box 4294 Houston, TX 77210	API Number: 30-015-44432
	Well: TURKEY TRACK 4 3 STATE #024H

Created By	Comment	Comment Date
justinmorris	Top Perforated Interval: 379 FSL 340 FWL M 4-19S-29E - Lat: 32.6835986 Long: -104.0872438. Bottom Perforated Interval: 379 FSL 340 FEL P 3-19S-29E - Lat: 32.6834546 Long: -104.0552006. A closed loop system will be utilized consisting of above ground steel tanks and haul-off bins. Disposal of liquids, drilling fluids and cuttings will be disposed of at an approved facility.	9/6/2017
justinmorris	Oxy requests the option to contract a Surface Rig to drill, set surface casing, and cement for this well. If the timing between rigs is such that Oxy would not be able to preset surface, the Primary Rig will MIRU and drill the well in its entirety per the APD. Additional information on the spudder rig will be sent with the H2S and Gas Capture Plan.	9/6/2017

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Conditions

Permit 240800

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: OXY USA WTP LIMITED PARTNERSHIP [192463] PO Box 4294 Houston, TX 77210		API Number: 30-015-44432
		Well: TURKEY TRACK 4 3 STATE #024H
OCD Reviewer	Condition	
RPodany	Will require a directional survey with the C-104	
RPodany	Cement is required to circulate on both surface and intermediate1 strings of casing	