<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 243117

		APPLICATION	ON FOR PERMIT	TO DRILL, RE	E-ENTER, DEEPEN	N, PLUGBACI	K, OR ADD	A ZON	ΙE		
Operator Nam OXY	e and Address USA INC							2. OGRI	D Number 16696		
PO Box 4294 Houston, TX 77210						3. API Number 30-015-44510					
4. Property Code 3197	Property Code 5. Property Name 6. Well No. 319797 CORRAL FLY 02-01 STATE 024H										
				7. Su	rface Location						
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From		E/W Line	County	
M	2	25S	29E	M	1275	S	42	20	W		Eddy
				8. Proposed	Bottom Hole Location	n					
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From		E/W Line	County	
1	1	25S	29E	1	2260	S	18	0	E		Eddy

9. Pool Information

PIERCE CROSSING; BONE SPRING, EAST 96473				
		Additional W	ell Information	
11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3026
16. Multiple N	17. Proposed Depth 19112	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 1/11/2018
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Туре	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	403	355	0
Int1	12.25	9.625	47	8307	3051	0
Prod	8.5	5.5	20	19112	1824	7807

Casing/Cement Program: Additional Comments

Proposed Casing/Cementing Program: Intermediate 1- Contingency DVT/ECP @ +/- 3199'. If cement circulates to surface during primary cementing operation, DVT cancellation cone will be run and 2nd stage cancelled. Proposed Intermediate Casing consisting of 9-5/8" 43.5# HCL-80 BTC @ 0-7500' followed by 9-5/8" 47# HCL-80 BTC @ 7500-8307'. Proposed Mud Program: 0-403' Water-Based Mud-403-3199' Brine - 3199-8307' Water-Based Mud - 8307' - TD Oil-Based Mud. BOP Program: 13-5/8" 5M three ram stack w/ 5M annular preventer, 5M choke manifold. Additional information will be sent along with the H2S and Gas Capture Plan.

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Annular	5000	5000	
Double Ram	5000	5000	

23. I hereby certify knowledge and be	that the information given above is	true and complete to the best of my		OIL CONSERVATION	ON DIVISION
I further certify I have complied with 19.15.14.9 (A) NMAC ⊠ and/or 19.15.14.9 (B) NMAC ⊠, if applicable.					
Signature:					
Printed Name:	Printed Name: Electronically filed by KELLEY MONTGOMERY			Raymond Podany	
Title:	Manager Regulatory	Title:	Geologist		
Email Address:	il Address: kelley_montgomery@oxy.com			10/27/2017	Expiration Date: 10/27/2019
Date:	10/26/2017 Phone: 713-366-5716			oval Attached	

District I
1625 N. French Dr., Biobbs, NM 88240
Phone: (375) 339-6161 Fac: (375) 339-4720
District II
311 S. Finst St., Antonia, NM 88210
Float: (375) 748-1281 Fac: (375) 748-9729
District III
1000 8io Brauco Rond, Anton, NM 87410
Phone: (305) 234-6178 Fac: (305) 334-6170
District IV
1220 S. St. Francis Dr., Santa Pe, NM 87505
Phone: (305) 476-3460 Fac: (305) 478-3462

Property Code

30-015-

API Number

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

Well Number

WO# 170818WL-a (KA)

WELL LOCATION AND ACREAGE DEDICATION PLAT

Property Name

Pool Code

96473

Pool Name
Pierce Crossing; Bone Spring, East

			COR	RAL FL	Y "02-	-01" S	TATE			24H	
OGRID. 16696	No.	Operator Name Elevation									
10090				OXY	USA	INC.	·····			3026.4	,
				Surfa	ace Loc						
UL or lot no. Sec		wnship	Range		Lot Idn I	eet from the	North/South line		East/Wes.	t line Co	ounty
M	2 25	SOUTH	29 EAST, N.	М.Р.М.		1275'	SOUTH	420'	WES7	ED ED	DY
			Bottom Ho	le Locatio	on If D	ifferent l	From Surfac	e			
UL or lot no. Sec	ction To	wnship	Range		Lot Idn 1	Feet from the	North/South line	Feet from the	East/Wes	t line Co	unty
I ,	1 25	SOUTH	29 EAST, N.	М.Р.М.		2260'	SOUTH	180'	EAST	ED ED	DY
Dedicated Aca	res Join	t or Infill	Consolidation Code	Order No.					L-1		
320		Υ									
No allowable	will be a	ssigned to	this completion u	ntil all inter	ests have	been con	solidated or a	non-standard	unit has be	en annroved hy	v the
division.									mant mad be	on approved by	- 120
								0	PERATOR CI	ERTIFICATION	
		I					ŀ	L'hereby cer.	tify shat she informa	tion contained herein is true	r and
								compilese to	the heat of my buows	lodge and belief, and sharch	Ú.
		-		- · 1		- 1		organization	eliher owner a work	ing interest or unleased mi	uma/
						I		interest in sh	e land including the	proposed bottom hale loca	tion or
		I		· ·				har a right s	o drill this well at th	la location purmant to a co	edrain!
35			35 3	6				36		or working listenest, or so a	
2			. 2	, ,			ı			a compulsory pooling order	
_ 1	33	2_	11	4	3	12	1	1	nterned by the division		
NEW MEXIC NAD 1:	PCINT CO_EAST	NEW	OP PERF. MEXICO EAST	NEW MEXI	CO EAST	BOTTO	M HOLE LOCATION W MEXICO EAST	Signature	1. Netlebe	Date 10/16/20	17
Y=421477.8 X=655767.5	983 4 US FT	Y=421 Y=656	AD 1983 479.59 US FT 057.53 US FT	NAD Y=421539. X=665982.	1983 39 US FT	Y=4	NAD 1983 21540.36 US FT 66142.68 US FT	Sarah	Mitchell		
LAT.: N 32.1 LONG.: W 103	1581806° 3.9635549°	LAT.: N	32.1581827 W 103.9626178	LAT.: N 32. LONG.: W 10	.1582490° 3.9305447	LONG.	: N 32.1582500 : W 103.9300277	Printed Nam			
		1				1		sarah_	_mitchell@	oxy.com	
	***********	.	erranerranerra	maringa.			humbern	.027			
Jane	mmin	GRID A	Z = 89°39'17"	10375.34	IN ALL	mpmm	minimi	SUR	VEYOR CER	TIEICATION	
		1	PRODUCING A	1	274 742.22		1	E131	/ 53	11	<u>.</u> .
· kanne	mmm	, mining	PROJECT AR	EA 330-	inimi	oromotoro	manninini	nlat was	plotted from fie	vett ibödiliga shown d 4d, notes of detudi su	LYGRA.
1922		= 339*23'5	0-				. 5501.	g made by same is to	më er under my ruk and ën roet	supervision, and tha To the best of my bell	t the int
22.25	/10	07.00	1	1			1 54	N Same S	5 / /10	1070 Li	50-
1 . I I X		-		, 1			1		AUGUST	18, 2017	
21			2 11 12	2		<u> </u>		11 Date of 3	men.	10%	
SURFACE L	OCATION	1				1		Signature Professio	and Section	JONAL LAND	
NEW MEXIC NAD 1:	983		1	1		į.			0.00	1011	
Y=420493.4 X=656137.5 LAT.: N 32.	9 US FF				-					. 1 1	
LAT.: N 32. LONG.: W 103	3.9623700			1		ŀ		07	en. /	1/1./91	21/200
		1	1			1	1	Certificat	e Number	15079	7041

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 243117

PERMIT COMMENTS

Operator Name and Address:	API Number:		
OXY USA INC [16696]	30-015-44510		
PO Box 4294	Well:		
Houston, TX 77210	CORRAL FLY 02-01 STATE #024H		

Created By	Comment	Comment Date
	Top Perforated Interval: 2261 FSL 340 FWL L 2-25S-29E - Lat: 32.1581827 Long: 103.9626178. Bottom Perforate Interval: 2261 FSL 340 FEL 1-25S-29E - Lat: 32.1582490 Long: 103.9305447. A closed loop system will be utilized consisting of above ground steel tanks and haul-off bins. Disposal of liquids, drilling fluids and cuttings will be disposed of at an approved facility. OXY requests the option to contract a Surface Rig to drill, set surface casing, and cement for this well. If the timing between rigs is such that OXY would not be able to preset surface, the Primary Rig will MIRU and drill	10/16/2017

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 243117

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
OXY USA INC [16696]	30-015-44510
PO Box 4294	Well:
Houston, TX 77210	CORRAL FLY 02-01 STATE #024H

OCD Reviewer	Condition
RPodany	Will require a directional survey with the C-104
RPodany	Cement is required to circulate on both surface and intermediate1 strings of casing