Form C-103 District I State of New Mexico August 1, 2011 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 243423 District II WELL APLNIIMBER 811 S. First St., Artesia, NM 88210 **Oil Conservation Division** Phone:(575) 748-1283 Fax:(575) 748-9720 30-015-44061 **District III** 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS SCOTT B SWD (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 001 2. Name of Operator 9. OGRID Number MESQUITE SWD, INC 161968 3. Address of Operator 10. Pool name or Wildcat PO BOX 1479, CARLSBAD, NM 88221 : <u>27</u>4 Unit Letter N feet from the S line and feet 2165 from the W Section Township 24S Range 28E NMPM County Eddy 11. Elevation (Show whether DR, KB, BT, GR, etc.) 2954 GR Pit or Below-grade Tank Application or Closure ___ Distance from nearest fresh water well__ __ Depth to Groundwater____ _ Distance from nearest surface water Pit Type mil Below-Grade Tank: Volume_ Pit Liner Thickness: bbls; Construction Material 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. See Attached 3/26/2017 Spudded well. **Casing and Cement Program** Date String Hole Csg Weight Dpth Class Pres Pres Open Size Size lb/ft TOC Held Drop Hole 03/27/17 Surf FreshWater 26 20 133 J55 0 528 965 1.97 С 1500 0 Ν 04/09/17 Prod CutBrine 12.25 9.625 53.5 P110 0 9768 1925 2.47 P/H 1500 0 Ν 03/30/17 17.5 13.375 2065 С Int1 Brine 68 J55 0 1800 2.11 1500 Ν 04/23/17 Liner1 CutBrine 8.5 7.625 39 P110 9700 14152 810 1.465 Н Ν I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square

VP

Geologist

jneat12@gmail.com

E-mail address

TITLE

DATE

DATE

Telephone No.

10/26/2017

505-885-3996

10/31/2017 10:36:32 AM

SIGNATURE

Type or print name

For State Use Only:

APPROVED BY:

Electronically Signed

Raymond Podany

Scott B SWD #1 API #30-015-44061 Drilling Summary

03/26/17 - Spud 26" hole @ 6:00 am

03/27/17 - TD 26" hole @ 528'. Ran 20" 133# J-55 csg. Set @ 528'. Cmt w/585 sx lead and 380 sx tail Class "C" cmt w/4% gel, 2% CaCl, Celloflake. Yield 1.97 on lead and 1.34 on tail. Circ 163 sx. WOC 26 hrs. Test csg to 1500# for 30 minutes. Held good.

03/30/17 - TD 17 1/2" hole @2605'. Ran 13 3/8" 68# J-55 BTC csg. Set @ 2600'. Cmt w/1420 sx lead, tail in w/380 sx, Class C cmt w/6% gel, 5% salt, 3# KalSeal. Yield 2.11 on lead and 1.32 on tail. Circ 665 sx. WOC 26 hrs. Test csg to 1500# for 30 minutes, held good.

04/07/17 - TD 12 1/4" hole @ 9778'. Ran 9 5/8" 53.5# P-110 csg.

04/09/17 - Set 9 5/8" csg @ 9768'. DVT @ 2514'. Cmt Stage 1 w/ 1050 sx 50/50 P/H cmt w/5% salt, 10% gel, .2% PF153, .2% PF13 retarder, 3# Kolseal., Yield 2.47 Tail in w/300 sx Class H cmt w/.3% PF13 retarder, .3% PF606, .4 PF45, Yield 1.19. Cmt Stage 2 w/ lead 375 sx Class C w/4% gel, 1% CaCl, .125#/sk Celloflake, .4#/sk defoamer, Yield 1.97. Tail in w/200 sx. Class C Neat. Yield 1.32. Circ 83 sx. WOC 18 hrs. Test csg to 1500# for 30 minutes, held good.

04/21/17 - TD 8 1/2" hole @ 14155'.

04/23/17 - Ran 107 jts. (4868.07') 7 5/8" 39# ECP-110 PTF J-2/STL FJ csg. Set @ 14152'. Liner 9259' - 14152'. Cmt liner w/810 sx Class H cmt w/Gas Stop .25 #/sk. Yield 1.465. Cmt did not circ. Ran CBL to verify cmt tied into 9 5/8" csg. WOC 28 hrs.

04/26/17 - TD 6 1/2" hole @15,212'.

04/29/17 - Release rig.

Comments

Permit 243423

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462 State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DRILLING COMMENTS

Operator:	OGRID:	
MESQUITE SWD, INC	161968	
PO BOX 1479	Permit Number:	
CARLSBAD, NM 88221	243423	
	Permit Type:	
	Drilling	

Comments

Created By	Comment	Comment Date

There are no Comments for this Permit