

RECEIVED: N 06/20/17	REVIEWER: MAM	TYPE: DHC	APP NO: DMA1731054170
-------------------------	------------------	--------------	--------------------------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Geological & Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505

**ADMINISTRATIVE APPLICATION CHECKLIST**

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND
 REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Applicant: Cimarex Energy Co. Of Colorado	OGRID Number: 162683
Well Name: Echols Com #2	API: 30-015-32286
Pool: Carlsbad; Upper Penn; South (Gas), Purple Sage, Wolfcamp (Gas)	Pool Code: 96594, 98220

**SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION
 INDICATED BELOW**

DHC-4823

1) TYPE OF APPLICATION: Check those which apply for [A]

A. Location - Spacing Unit - Simultaneous Dedication

☐ NSL☐ NSP (PROJECT AREA)☐ NSP (PRORATION UNIT)☐ SD

B. Check one only for [I] or [II]

[I] Commingling - Storage - Measurement

☒ DHC☐ CTB☐ PLC☐ PC☐ OLS☐ OLM

[II] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery

☐ WFX☐ PMX☐ SWD☐ IPI☐ EOR☐ PPR**2) NOTIFICATION REQUIRED TO:** Check those which apply.A. ☐ Offset operators or lease holdersB. ☐ Royalty, overriding royalty owners, revenue ownersC. ☐ Application requires published noticeD. ☐ Notification and/or concurrent approval by SLOE. ☐ Notification and/or concurrent approval by BLMF. ☐ Surface ownerG. ☐ For all of the above, proof of notification or publication is attached, and/or,H. ☐ No notice required**FOR OCD ONLY**

☐ Notice Complete

☐ Application Content Complete

3) CERTIFICATION: I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Annithy Crawford

Print or Type Name

Annithy Crawford

Signature

11/6/2017

Date


432-620-1909

Phone Number

acrawford@cimarex.com

e-mail Address

Cimarex Energy Co.
600 N. Marlenfeld St.
Suite 600
Midland, TX 79701
MAIN 432.571.7800



Michael McMillan
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Echols Com 2
API: 30-015-32286
Section 12, Township 23 South, Range 26 East, N.M.P.M.
Eddy County, New Mexico

Dear Mr. McMillan:

The Echols Com 2 well is located in Unit M of the SW/4 of Section 12, 23S, 26E, Eddy County, NM. Cimarex Energy Co. is the operator of the S/2 of Section 12, 23S, 26E, Eddy County, NM as to all depths, except surface to 5,000 feet in the NE/4 SE/4. Ownership within the wellbore of the Echols Com 2 is identical from the surface to the base of the Morrow formation.

Best,

A handwritten signature in cursive script, reading "Cayla Gorski".

Cayla Gorski
Production Landman
cgorski@cimarex.com
Direct: 432-571-7874

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-9720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30015-32286	³ Pool Code 98220	³ Pool Name Purple Sage; Wolfcamp (Gas)
⁴ Property Code 29000	⁵ Property Name Echols Com	² Well Number
⁶ OGRID No. 162683	⁷ Operator Name Cimarex Energy of Colorado	⁸ Elevation 3258'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	12	23S	26E		1110	South	990	West	Eddy

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

				<p>¹⁶ OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>Signature: Date: 11-6-17</p> <p>Printed Name: Amithy Crawford</p> <p>E-mail Address: acrawford@cimarex.com</p>
				<p>¹⁷ SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p> <p>Certificate Number</p>

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-4720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30015-32286	² Pool Code 96594	³ Pool Name Carlsbad; Upper Penn; South (Gas)
⁴ Property Code 29000	⁵ Property Name Echols Com	⁶ Well Number 2
⁷ OGRID No. 162683	⁸ Operator Name Cimarex Energy of Colorado	⁹ Elevation 3258'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	12	23S	26E	1110		South	990	West	Eddy

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

				<p>¹⁶ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Signature: Date: 11-6-17 Printed Name: Amithy Crawford E-mail Address: acrawford@cimarex.com</p>
				<p>¹⁷ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>Date of Survey: Signature and Seal of Professional Surveyor: Certificate Number:</p>

District I
1625 N. French Drive, Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Road, Artesia, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-107A
Revised August 1, 2011

APPLICATION TYPE
Single Well
Establish Pre-Approved Pools
EXISTING WELLBORE
Yes No

APPLICATION FOR DOWNHOLE COMMINGLING

Operator
Cimarex Energy Co. of Colorado

Address
600 N. Marinfeld, Suite 600, Midland TX 79701

Lease
Echols Com #2

Sec 12, 23S, 26E

Unit Letter-Section-Township-Range

County

OGRID No. **162683** Property Code **29000** API No. **30-015-32286** Lease Type: ☐ Federal ☒ State ☐ Fee

DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE
Pool Name	Purple Sage (Wolfcamp)		Carlsbad; Upper Penn; S. (Gas)
Pool Code	98220		96594
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	8748'-10112'		10112'-10503'
Method of Production (Flowing or Artificial Lift)	Flowing		Flowing
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	Within 150% of top Perf		Within 150% of Top Perf
Oil Gravity or Gas BTU (Degree API or Gas BTU)	Oil: 51.8 API Gas: 1225.8 BTU Dry 11204.6 BTU Wet @ 14.73 psi		Oil: 53.5° API Gas: 1142.4 BTU dry / 1122.6 BTU wet @ 14.73 psi
Producing, Shut-In or New Zone	New Zone		New Zone
Date and Oil/Gas/Water Rates of Last Production. (Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.)	Date: N/A Rates: 66 BOPD, 1655 MCFD 418 BWPD	Date: Rates:	Date: N/A Rates: 34 BOPD, 852 MCFPD 215 BWPD
Fixed Allocation Percentage (Note: If allocation is based upon something other than current or past production, supporting data or explanation will be required.)	Oil 66 % Gas 66 %	Oil % Gas %	Oil 34 % Gas 34 %

ADDITIONAL DATA

Are all working, royalty and overriding royalty interests identical in all commingled zones?

If not, have all working, royalty and overriding royalty interest owners been notified by certified mail?

Yes ☒ No ☐
Yes ☐ No ☐

Are all produced fluids from all commingled zones compatible with each other?

Yes ☒ No ☐

Will commingling decrease the value of production?

Yes ☐ No ☒

If this well is on, or communitized with, state or federal lands, has either the Commissioner of Public Lands or the United States Bureau of Land Management been notified in writing of this application?

Yes ☒ No ☐

NMOCD Reference Case No. applicable to this well: **DHC-3871-A**

Attachments:

C-102 for each zone to be commingled showing its spacing unit and acreage dedication.

Production curve for each zone for at least one year. (If not available, attach explanation.)

For zones with no production history, estimated production rates and supporting data.

Data to support allocation method or formula.

Notification list of working, royalty and overriding royalty interests for uncommon interest cases.

Any additional statements, data or documents required to support commingling.

PRE-APPROVED POOLS

If application is to establish Pre-Approved Pools, the following additional information will be required:

List of other orders approving downhole commingling within the proposed Pre-Approved Pools

List of all operators within the proposed Pre-Approved Pools

Proof that all operators within the proposed Pre-Approved Pools were provided notice of this application.

Bottomhole pressure data.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Amithy Crawford* TITLE Regulatory Analyst DATE 11/6/2017

TYPE OR PRINT NAME Amithy Crawford TELEPHONE NO. (432) 620-1909

E-MAIL ADDRESS acrawford@cimarex.com



**Echols Com 2 - Cisco Canyon and Wolfcamp (Ciscamp) Proposed
Eddy County, NM**

Plugback Procedure – Echols Com 2

Well Data

KB	18'
TD	12,050'
PBTD	11,365'
Casing	13-3/8" 48# H-40 @ 487'. Cmt'd w/ 490 sx, cmt circ 9-5/8" 40# @ 3,188'. Cmt'd w/ 1,300 sx, cmt circ 5-1/2" 17# P-110 & N-80 @ 12,045'. Cmt'd w/ 1,800 sx. TOC @ 2,020' by TS
Tubing	2-3/8" 4.7# L-80 8rd
Proposed RC Perfs	Wolfcamp (8,748' – 10,112') & Cisco Canyon (10,112' – 10,503')

Procedure

Notify BLM 24 hours prior to start of workover operations.

1. Test anchors prior to MIRU PU.
2. MIRU PU, rental flare, and choke manifold.
3. Kill well with produced water if available or FW as necessary.
4. ND WH, NU 5K BOP
5. Release packer and TOOH w/ 2-3/8" 4.7# N-80 tbg. Stand back Tubing.
6. MIRU WL
7. RIH w/ CIBP and set at +/- 10,976'
8. RIH w/ WL to bail 35' of cement on top of WL set at +/- 10,976'
9. RIH w/ CIBP and set at +/- 10,539.
10. RU Pump truck and pressure test casing to 8,500 psi on a chart for 30 minutes with no more than 10% leak off.
11. ND 5k BOP, RDMO PU
12. RU two 10k frac valves and flow cross
13. MIRU water transfer with frac tanks to contain water to be pumped from frac pond
14. Test: frac valves and flow cross prior to frac job. Arrange for these items, manlift, forklift, and Pace testers to be on location the day before the frac job to test so that we do not have the frac waiting on a successful test the following day.
15. RU frac valves, flow cross, goat head, and wireline lubricator.
16. RIH w/ gauge ring/junk basket for 5-1/2" 17# N-80 & P-110 csg to +/- 10,368'
17. Perforate Cisco Canyon from 10,112' – 10,503'.
18. RU frac and flowback equipment.
19. Acidize and frac Cisco Canyon perfs down casing.
20. Set 10k flow through composite plug 15' uphole of top perforation
21. Test to 8,500 psi
22. Perforate Wolfcamp from 8,748' – 10,112'.



*Echols Com 2 - Cisco Canyon and Wolfcamp (Ciscamp) Proposed
Eddy County, NM*

23. Acidize and frac Wolfcamp perms down casing.
24. Set 10k flow through composite plug 15' above top perforation
25. Test to 8,500 psi
26. RD frac
27. MIRU 2" coiled tbg unit.
28. RIH w/ blade mill & downhole motor on 2" CT and drill out sand and composite plugs using freshwater for circulation. Pump sweeps each time a plug is tagged, each time a plug is drilled out, and every 60 bbls pumped.
29. Clean out to PBDT 10,218'
30. POOH w/ blade mill, motor & CT
31. RDMO coiled tbg unit.
32. Flow back well for 24 hours, then SI well overnight.
33. RU wireline and lubricator.
34. RIH w/ GR/JB for 5-1/2" 17# N-80 to +/- 8,698'
35. RIH w/ 2-3/8" WEG, 2-3/8" pump out plug pinned for 1,500 – 2,000 psi differential pressure, 10' 2-3/8" 4.7# L-80 tbg sub w/ 1.875" XN profile nipple w/ blanking plug in place, 5-1/2" Arrowset 1X packer and on-off tool stinger w/ 1.875" X profile nipple. Set packer +/- 8,698'. From downhole up:
 - a. 2-3/8" WEG
 - b. 2-3/8" pump out plug pinned for 1,500 – 2,000 psi differential pressure
 - c. 1.875" XN profile nipple
 - d. 10' 2-3/8" 4.7# L-80 tbg sub
 - e. 5-1/2" x 2-3/8" Arrowset 1X packer and on-off tool stinger w/ 1.875" X profile nipple
36. RD WL and lubricator
37. ND goat head and frac valve, NU BOP, MIRU Pulling Unit
38. TIH w/ on/off tool overshot, GLVs, and 2-3/8" 4.7# L-80 tbg.
39. Latch overshot onto on-off tool and space out tubing
40. ND BOP, NU WH
41. RDMO pulling unit
42. RU pump truck and pump out plug. Put well on production.
43. **Run Production Log for allocation purposes after recovering load. Run additional production logs if actual production varies significantly from expected performance. Send copies of these logs to BLM and file for an adjustment of allocation factor if necessary.**



LABORATORY SERVICES
Natural Gas Analysis

www.permianls.com

575.397.3713 2609 W Marland Hobbs NM 88240

For: Cimarex Energy
Attention: Mark Cummings
600 N. Marlenfeld, Suite 600
Midland, Texas 79701

Sample: Sta. # 309588185
Identification: Wigeon 23 Fed Com 1
Company: Cimarex Energy
Lease:
Plant:

Sample Data: Date Sampled 7/30/2013 12:25 PM
Analysis Date 7/31/2013
Pressure-PSIA 900
Sample Temp F 107
Atmos Temp F 85

Sampled by: Taylor Ridings
Analysis by: Vicki McDaniel

H2S = 0.3 PPM

Component Analysis

		Mol Percent	GPM
Hydrogen Sulfide	H2S		
Nitrogen	N2	0.677	
Carbon Dioxide	CO2	0.123	
Methane	C1	82.764	
Ethane	C2	9.506	2.536
Propane	C3	3.772	1.037
I-Butane	IC4	0.640	0.209
N-Butane	NC4	1.185	0.373
I-Pentane	IC5	0.335	0.122
N-Pentane	NC5	0.374	0.135
Hexanes Plus	C6+	0.624	0.270
		100.000	4.681

REAL BTU/CU.FT.		Specific Gravity	
At 14.65 DRY	1219.2	Calculated	0.6973
At 14.65 WET	1197.9		
At 14.696 DRY	1223.0		
At 14.696 WET	1202.1	Molecular Weight	20.1966
At 14.73 DRY	1225.8		
At 14.73 Wet	1204.6		

North Permian Basin Region
P.O. Box 740
Sundown, TX 79372-0740
(806) 229-8121


Lab Team Leader - Sheila Hernandez
(432) 495-7240

OIL ANALYSIS

Company:	CIMAREX ENERGY	Sales RDT:	44212
Region:	PERMIAN BASIN	Account Manager:	WAYNE PETERSON (575) 910-9389
Area:	CARLSBAD, NM	Analysis ID #:	3208
Lease/Platform:	WIGEON '23' FEDERAL	Sample #:	437122
Entity (or well #):	1	Analyst:	SHEILA HERNANDEZ
Formation:	WOLFCAMP	Analysis Date:	5/30/08
Sample Point:	FRAC TANK 234	Analysis Cost:	\$100.00
Sample Date:	5/13/08		

Cloud Point:	<68 °F
Weight Percent Paraffin (by GC)*:	1.49%
Weight Percent Asphaltenes:	0.03%
Weight Percent Oily Constituents:	98.41%
Weight Percent Inorganic Solids:	0.07%

*Weight percent paraffin and peak carbon number includes only n-alkanes (straight chain hydrocarbons) greater than or equal to C₂₀H₄₂.



North Permian Basin Region
P.O. Box 740
Sundown, TX 79372-0740
(806) 229-8121
Lab Team Leader - Sheila Hernandez
(432) 495-7240

Water Analysis Report by Baker Petrolite

Company:	CIMAREX ENERGY	Sales RDT:	44212
Region:	PERMIAN BASIN	Account Manager:	WAYNE PETERSON (505) 910-9389
Area:	CARLSBAD, NM	Sample #:	43887
Lease/Platform:	WIGEON UNIT	Analysis ID #:	82014
Entity (or well #):	23 FEDERAL 1	Analysis Cost:	\$80.00
Formation:	UNKNOWN		
Sample Point:	SEPARATOR		

Summary		Analysis of Sample 43887 @ 75 °F					
Sampling Date:	05/14/08	Anions	mg/l	meq/l	Cations	mg/l	meq/l
Analysis Date:	05/15/08	Chloride:	55040.0	1552.48	Sodium:	32207.4	1400.94
Analyst:	WAYNE PETERSON	Bicarbonate:	329.4	5.4	Magnesium:	268.0	22.05
TDS (mg/l or g/m3):	90873.3	Carbonate:	0.0	0.	Calcium:	2780.0	138.72
Density (g/cm3, tonne/m3):	1.062	Sulfate:	225.0	4.68	Strontium:		
Anion/Cation Ratio:	1	Phosphate:			Barium:		
		Borate:			Iron:	23.5	0.85
		Silicate:			Potassium:		
Carbon Dioxide:	150 PPM	Hydrogen Sulfide:		0 PPM	Aluminum:		
Oxygen:		pH at time of sampling:		7.31	Chromium:		
Comments:		pH at time of analysis:			Copper:		
TEST RAN IN THE FIELD		pH used in Calculation:		7.31	Lead:		
					Manganese:		
					Nickel:		

Conditions		Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl										
Temp	Gauge Press.	Calcite CaCO ₃		Gypsum CaSO ₄ ·2H ₂ O		Anhydrite CaSO ₄		Celestite SrSO ₄		Barite BaSO ₄		CO ₂ Press
°F	psi	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount	psi
80	0	0.94	27.24	-1.11	0.00	-1.14	0.00	0.00	0.00	0.00	0.00	0.13
100	0	0.97	31.09	-1.16	0.00	-1.12	0.00	0.00	0.00	0.00	0.00	0.19
120	0	0.99	35.26	-1.20	0.00	-1.08	0.00	0.00	0.00	0.00	0.00	0.28
140	0	1.02	39.74	-1.23	0.00	-1.02	0.00	0.00	0.00	0.00	0.00	0.38


Note 1: When assessing the severity of the scale problem, both the saturation index (SI) and amount of scale must be considered.

Note 2: Precipitation of each scale is considered separately. Total scale will be less than the sum of the amounts of the five scales.

Note 3: The reported CO₂ pressure is actually the calculated CO₂ fugacity. It is usually nearly the same as the CO₂ partial pressure.

Scale Predictions from Baker Petrolite

Analysis of Sample 43887 @ 75 °F for CIMAREX ENERGY, 05/15/08





LABORATORY SERVICES
Natural Gas Analysis

www.permianls.com

575.397.3713 2609 W Marland Hobbs NM 88240

For: Cimarex Energy
Attention: Mark Cummings
600 N. Marienfeld, Suite 600
Midland, Texas 79701

Sample: Sta. # 309588438
Identification: Taos Fed. #3 Sales
Company: Cimarex Energy
Lease:
Plant:

Sample Data: Date Sampled 7/2/2014 10:30 AM
Analysis Date 7/9/2014
Pressure-PSIA 83
Sample Temp F 76.4
Atmos Temp F 76

Sampled by: K. Hooten
Analysis by: Vicki McDaniel

H2S =

Component Analysis

		Mol Percent	GPM
Hydrogen Sulfide	H2S		
Nitrogen	N2	0.618	
Carbon Dioxide	CO2	0.172	
Methane	C1	88.390	
Ethane	C2	7.080	1.889
Propane	C3	1.966	0.540
I-Butane	IC4	0.355	0.116
N-Butane	NC4	0.569	0.179
I-Pentane	IC5	0.198	0.072
N-Pentane	NC5	0.213	0.077
Hexanes Plus	C6+	0.439	0.190
		100.000	3.063

REAL BTU/CU.FT.		Specific Gravity	
At 14.65 DRY	1136.2	Calculated	0.6445
At 14.65 WET	1116.4		
At 14.696 DRY	1139.7		
At 14.696 WET	1120.3	Molecular Weight	18.6673
At 14.73 DRY	1142.4		
At 14.73 Wet	1122.6		

North Permian Basin Region
P.O. Box 740
Sundown, TX 79372-0740
(806) 229-8121
Lab Team Leader - Sheila Hernandez
(432) 495-7240

Water Analysis Report by Baker Petrolite

Company:	CIMAREX ENERGY	Sales RDT:	33521
Region:	PERMIAN BASIN	Account Manager:	STEVE HOLLINGER (575) 910-9393
Area:	CARLSBAD, NM	Sample #:	535681
Lease/Platform:	TAOS FEDERAL LEASE	Analysis ID #:	113272
Entity (or well #):	3	Analysis Cost:	\$90.00
Formation:	UNKNOWN		
Sample Point:	SEPARATOR		

Summary		Analysis of Sample 535681 @ 75 F					
Sampling Date:	09/28/11	Anions	mg/l	meq/l	Cations	mg/l	meq/l
Analysis Date:	10/13/11	Chloride:	52535.0	1481.82	Sodium:	28338.7	1232.66
Analyst:	SANDRA GOMEZ	Bicarbonate:	146.0	2.39	Magnesium:	417.0	34.3
TDS (mg/l or g/m3):	88836.7	Carbonate:	0.0	0.	Calcium:	3573.0	178.29
Density (g/cm3, tonne/m3):	1.063	Sulfate:	83.0	1.73	Strontium:	1472.0	33.8
Anion/Cation Ratio:	1	Phosphate:			Barium:	22.0	0.32
		Borate:			Iron:	34.0	1.23
		Silicate:			Potassium:	215.0	5.5
Carbon Dioxide:	150 PPM	Hydrogen Sulfide:		0 PPM	Aluminum:		
Oxygen:		pH at time of sampling:		6	Chromium:		
Comments:		pH at time of analysis:			Copper:		
RESISTIVITY 0.083 OHM-M @ 75F		pH used in Calculation:		6	Lead:		
					Manganese:	1.000	0.04
					Nickel:		

Conditions		Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl										
Temp	Gauge Press.	Calcite CaCO ₃		Gypsum CaSO ₄ ·2H ₂ O		Anhydrite CaSO ₄		Celestite SrSO ₄		Barite BaSO ₄		CO ₂ Press
F	psi	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount	psi
80	0	-0.61	0.00	-1.46	0.00	-1.49	0.00	-0.05	0.00	1.22	11.59	1.14
100	0	-0.51	0.00	-1.51	0.00	-1.47	0.00	-0.07	0.00	1.04	10.94	1.44
120	0	-0.40	0.00	-1.54	0.00	-1.43	0.00	-0.07	0.00	0.89	10.30	1.76
140	0	-0.28	0.00	-1.57	0.00	-1.38	0.00	-0.06	0.00	0.75	9.68	2.07

Note 1: When assessing the severity of the scale problem, both the saturation index (SI) and amount of scale must be considered.

Note 2: Precipitation of each scale is considered separately. Total scale will be less than the sum of the amounts of the five scales.

Note 3: The reported CO2 pressure is actually the calculated CO2 fugacity. It is usually nearly the same as the CO2 partial pressure.



KB - 18' above GL

Cimarex Energy Co. of Colorado


Echols #2

1110' FSL & 990' FWL

Sec. 12, T-23-S, R-26-E, Eddy Co., NM

M. Karner

03/18/2015



13-3/8", 48# H-40 csg @ 487'
cmt'd w/ 490 sx, cmt circ

TOC @ 2020' by TS

9-5/8", 40# J-55 csg @ 3188'
cmt'd w/ 1300 sx, cmt circ

337 Jts 2 3/8" 4.7# L-80 Tbg

DV Tool @ 7011'
cmt'd w/ 800 sx

TOC @ 9200' by CBL

T-2 On-off Tool w/ 1.81" F Profile nipple @ 10,973'
Arrowset 1X pkr @ 10980'
1.87" XN profile nipple w/ 1.79" no go @ 10,991'

Atoka Perfs (11,026' - 11,038'), (11,080' - 11,127'),
(11,155' - 11,166'), (11,172' - 11,182'), (11,206' - 11,217'),
and (11,231' - 11,238')


Cement bailed from 11,365' - 11,400'
CIBP at 11,400'
Morrow perfs (11,474' - 11,909')

PBTD @ 12023'
5-1/2" 17# N-80 & P-110 @ 12045' cmt'd w/ 1000 sx
TD @ 12050'



Proposed Ciscamp WBD
KB - 18' above GL

Cimarex Energy Co. of Colorado
Echols #2
1110' FSL & 990' FWL
Sec. 12, T-23-S, R-26-E, Eddy Co., NM
M. Karner
02/07/2017



13-3/8", 48# H-40 csg @ 487'
cmtd w/ 490 sx, cmt circ

TOC @ 2020' by TS

9-5/8", 40# J-55 csg @ 3188'
cmtd w/ 1300 sx, cmt circ

2 3/8" 4.7# L-80 Tbg

DV Tool @ 7011'
cmtd w/ 800 sx

T-2 On-off Tool w/ 1.81" F Profile nipple @ 8,691'
Arrowset 1X pkr @ 8,698'

Wolfcamp perms (8,748' - 10,112')

Cisco Canyon perms (10,112' - 10,503')

CIBP set at 10,539'

CIBP at 10,976' w/ 35' cmt on top
Atoka Perfs (11,026' - 11,238')

Cement bailed from 11,365' - 11,400'
CIBP at 11,400'
Morrow perms (11474' - 11909')

PBTD @ 12023'
5-1/2" 17# N-80 & P-110 @ 12045' cmtd w/ 1000 sx
TD @ 12050'

North Permian Basin Region
P.O. Box 740
Sundown, TX 79372-0740
(806) 229-8121


Lab Team Leader - Sheila Hernandez
(432) 495-7240

OIL ANALYSIS

Company:	CIMAREX ENERGY	Sales RDT:	33521
Region:	PERMIAN BASIN	Account Manager:	STEVE HOLLINGER (575) 910-9393
Area:	LOCO HILLS, NM	Analysis ID #:	5419
Lease/Platform:	TAOS FEDERAL LEASE	Sample #:	561758
Entity (or well #):	3	Analyst:	SHEILA HERNANDEZ
Formation:	UNKNOWN	Analysis Date:	09/13/11
Sample Point:	TANK	Analysis Cost:	\$125.00
Sample Date:	08/24/11		

Cloud Point:	89 °F
Weight Percent Paraffin (by GC)*:	1.03%
Weight Percent Asphaltenes:	0.01%
Weight Percent Oily Constituents:	98.93%
Weight Percent Inorganic Solids:	0.03%

*Weight percent paraffin and peak carbon number includes only n-alkanes (straight chain hydrocarbons) greater than or equal to C20H42.





Objective

Cimarex is seeking approval from the U.S. Bureau of Land Management (BLM) of its proposed *commingling permit* application and the *allocation factors* for the Cisco Canyon and Wolfcamp formations in the recompletion of the **Echols Com 2** well (API: 30-015-32286).

The proposed “allocation factors” have been estimated following BLM’s approved allocation methodology in the *2016 Downhole Commingling Field Study “Cisco Canyon and Wolfcamp (Ciscamp) Commingled Allocation Assessment in White City, Eddy County, NM”* (NMP0220), approved by BLM on July 6, 2016 (**Appendix A**). Based on this approach and the assessment of subsurface data, the recommended initial allocation factors are **66%** for the Wolfcamp and **34%** for the Cisco Canyon.

The support evidence for this application includes petrophysical assessment and recoverable reserves estimation for each proposed formation (Table 1) and a log section (**Appendix B**).

Proposed Recompletion

Cimarex plans to recomplete the **Echols Com 2** well to the Cisco Canyon and the Wolfcamp formations. This well is located within the BLM approved White City Ciscamp Field Study Area (see Exhibit 6A of the above referenced Field Study) and is currently completed in the Atoka formation and has produced 420 MCF of gas from this zone (see **Appendix C**). The company plans to temporarily abandon the Atoka zone under a cast-iron bridge plug with cement on top, and will consider returning this zone to production and commingle with the new proposed Ciscamp formations in the future once these zones reach an equivalent reservoir pressure. In such case, the production allocations factors will be revised and re-submitted for approval following the approved Field Study methodology for “Handling of Existing Rate Contribution from Proven Developed Producing (PDP) Zone(s)”, using Eq.1.1 and Eq. 1.2; and along with the required BLM and NMOCD documentation.

The proposed Ciscamp recompletion will be performed with a *multi-stage frac job*. The plan is to commingle Wolfcamp and Cisco Canyon streams downhole immediately after completion to allow faster flowback recovery and more efficient artificial lift. The synergy between both streams has shown to significantly improve liquid unloading in analog wells by maintaining higher and more stable critical gas velocities for a longer period. This in turn minimizes formation damage and increases reserves recovery by extending the life of the well.

A proposed recompletion and workover procedure is included in **Appendix D**.



CONFIDENTIAL. February 7th, 2017
Production Operations – Carlsbad Region, Permian Basin
Echols Com 2 - Cisco Canyon and Wolfcamp (Ciscamp) Proposed
Commingling Allocation Factors. Eddy County, NM

Proposed Initial Production Allocation Factors

Based on BLM's approved Allocation Methodology and Cimarex's assessment, the "Initial Allocation Factors" for the New Completion Zones in subject well are estimated as follows:

$$\text{Wolfcamp \% Alloc. Factor} = \frac{WC \text{ RGIP} - WC \text{ Prev. Cum Gas}}{\text{Total RGIP}}$$

$$\text{Cisco Canyon \% Alloc. Factor} = \frac{CC \text{ RGIP} - CC \text{ Prev. Cum Gas}}{\text{Total RGIP}}$$

The Recoverable Gas in Place (RGIP) for subject well is **653 MMCF** from the Wolfcamp and **342 MMCF** from the Cisco Canyon, for a total of **995 MMCF of gas** (see Table 1). In this case, the proposed commingling intervals have never produced in this well (no prior cumulative production), therefore Remaining RGIP (RRGIP) is equal to RGIP for both formations.

The resulting proposed allocation factors are calculated as follows:

$$\text{Wolfcamp \% Alloc. Factor} = \frac{653 \text{ MMCF}}{995 \text{ MMCF}} = 66\%$$

$$\text{Cisco Canyon \% Alloc. Factor} = \frac{342 \text{ MMCF}}{995 \text{ MMCF}} = 34\%$$

The RGIP for each zone is estimated using the Hydrocarbon Pore Volume (HCPV) assessment as shown in Table 1. The implemented net pay cut-offs are Average Porosity (PHI) > 6-10% and Average Sw < 25-45%. *Total estimated oil reserves are 33 MBO.*

Echols Com 2

Proposed RC Zone(S)	Avg. Depth, ft	Est. Reservoir Pressure, psi	Net Pay, h (ft)	Avg. PHI	Avg. Sw	HCPV (1-Sw)*PHI*h	OGIP, MMCF	Est. Recovery Factor	RGIP @RF, MMCF	Zone Prod. Start Date	Prev. Cum. Gas to Date, MMCF	Remaining RGIP (RRGIP), MMCF	Initial Alloc. Factors, % (based on RRGIP Ratio)
Wolfcamp Total :	9,530	4,146	111	10.2%	25%	8.6	770	85%	653			653	66%
Cisco Canyon :	10,240	4,454	37	14.0%	17%	4.3	402	85%	342		-	342	34%
Total:			148			12.9	1,172	85%	995		-	995	100%

Table 1: Summary of Reservoir Properties, Estimated Reserves and Resulting Allocation Factors

In this well, the spacing for both formations is the same, as well as public interests: 90.07% working interest and 72.40% net revenue interest. Both formations are sweet.



CONFIDENTIAL. February 7th, 2017

Production Operations – Carlsbad Region, Permian Basin
***Echols Com 2 - Cisco Canyon and Wolfcamp (Ciscamp) Proposed
Commingling Allocation Factors. Eddy County, NM***

Enclosed with this report are the C-107A, Downhole Commingle Worksheet, current and proposed wellbore diagrams, current gas, oil, and water analyses C-102, 3160-5.



CONFIDENTIAL. February 7th, 2017
Production Operations – Carlsbad Region, Permian Basin
***Echols Com 2 - Cisco Canyon and Wolfcamp (Ciscamp) Proposed
Commingling Allocation Factors. Eddy County, NM***

Appendix A: 2016 Downhole Commingling Field Study for the White City Area



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Pecos District
Carlsbad Field Office
620 E. Greene
Carlsbad, New Mexico 88220-6292
www.blm.gov/nm



3180 (P0220)

July 6, 2016

Reference:
White City Area
2016 Downhole Commingling Field Study
Eddy County, New Mexico

Cimarex Energy Co. of Colorado
600 N. Marienfeld Street, Suite 600
Midland, TX 79701

Gentlemen:

In reference to your 2016 Downhole Commingling Field Study for the White City Area; it is hereby approved, with the following conditions of approval:

1. All future NOI Sundries submitted to request approval to downhole commingle (DHC) the Lower Penn, Upper Penn and the Wolfcamp formation shall reference this Study and be mentioned in Exhibit 6A. A copy of this study does not need to be attached to the Sundry.
2. All future NOI Sundries submitted to request approval to DHC shall reference NMOCD approval order.
3. All future NOI Sundries submitted to request approval to DHC shall include the BLM's DHC worksheet.
4. All DHC approvals are subject to like approval by NMOCD.
5. The BLM may require an updated evaluation of the field study be done in the future.

Please contact Edward G. Fernandez, Petroleum Engineer at 575-234-2220 if you have any questions.

Sincerely,

Edward G. Fernandez
for Cody R. Layton
Assistant Field Manager,
Lands and Minerals

Enclosure
cc: NMP0220 (CFO I&E)



Appendix D: Recompletion Procedure – Echols Com 2

Well Data

KB	18'
TD	12,050'
PBTD	11,365'
Casing	13-3/8" 48# H-40 @ 487'. Cmt'd w/ 490 sx, cmt circ 9-5/8" 40# @ 3,188'. Cmt'd w/ 1,300 sx, cmt circ 5-1/2" 17# P-110 & N-80 @ 12,045'. Cmt'd w/ 1,800 sx. TOC @ 2,020' by TS
Tubing	2-3/8" 4.7# L-80 8rd
Proposed RC Perfs	Wolfcamp (8,748' – 10,112') & Cisco Canyon (10,112' – 10,503')

Procedure

Notify BLM 24 hours prior to start of workover operations.


1. Test anchors prior to MIRU PU.
2. MIRU PU, rental flare, and choke manifold.
3. Kill well with produced water if available or FW as necessary.
4. ND WH, NU 5K BOP
5. Release packer and TOOH w/ 2-3/8" 4.7# N-80 tbg. Stand back Tubing.
6. MIRU WL
7. RIH w/ CIBP and set at +/- 10,976'
8. RIH w/ WL to bail 35' of cement on top of WL set at +/- 10,976'
9. RIH w/ CIBP and set at +/- 10,539.
10. RU Pump truck and pressure test casing to 8,500 psi on a chart for 30 minutes with no more than 10% leak off.
11. ND 5k BOP, RDMO PU
12. RU two 10k frac valves and flow cross
13. MIRU water transfer with frac tanks to contain water to be pumped from frac pond
14. Test frac valves and flow cross prior to frac job. Arrange for these items, manlift, forklift, and Pace testers to be on location the day before the frac job to test so that we do not have the frac waiting on a successful test the following day.
15. RU frac valves, flow cross, goat head, and wireline lubricator.
16. RIH w/ gauge ring/junk basket for 5-1/2" 17# N-80 & P-110 csg to +/- 10,368'
17. Perforate Cisco Canyon from 10,112' – 10,503'.
18. RU frac and flowback equipment.
19. Acidize and frac Cisco Canyon perfs down casing.
20. Set 10k flow through composite plug 15' uphole of top perforation
21. Test to 8,500 psi



CONFIDENTIAL. February 7th, 2017


Production Operations – Carlsbad Region, Permian Basin
***Echols Com 2 - Cisco Canyon and Wolfcamp (Ciscamp) Proposed
Commingle Allocation Factors. Eddy County, NM***

22. Perforate Wolfcamp from 8,748' – 10,112'.
23. Acidize and frac Wolfcamp perms down casing.
24. Set 10k flow through composite plug 15' above top perforation
25. Test to 8,500 psi
26. RD frac
27. MIRU 2" coiled tbg unit.
28. RIH w/ blade mill & downhole motor on 2" CT and drill out sand and composite plugs using freshwater for circulation. Pump sweeps each time a plug is tagged, each time a plug is drilled out, and every 60 bbls pumped.
29. Clean out to PBTD 10,218'
30. POOH w/ blade mill, motor & CT
31. RDMO coiled tbg unit.
32. Flow back well for 24 hours, then SI well overnight.
33. RU wireline and lubricator.
34. RIH w/ GR/JB for 5-1/2" 17# N-80 to +/- 8,698'
35. RIH w/ 2-3/8" WEG, 2-3/8" pump out plug pinned for 1,500 – 2,000 psi differential pressure, 10' 2-3/8" 4.7# L-80 tbg sub w/ 1.875" XN profile nipple w/ blanking plug in place, 5-1/2" Arrowset 1X packer and on-off tool stinger w/ 1.875" X profile nipple. Set packer +/- 8,698'. From downhole up:
 - a. 2-3/8" WEG
 - b. 2-3/8" pump out plug pinned for 1,500 – 2,000 psi differential pressure
 - c. 1.875" XN profile nipple
 - d. 10' 2-3/8" 4.7# L-80 tbg sub
 - e. 5-1/2" x 2-3/8" Arrowset 1X packer and on-off tool stinger w/ 1.875" X profile nipple
36. RD WL and lubricator
37. ND goat head and frac valve, NU BOP, MIRU Pulling Unit
38. TIH w/ on/off tool overshot, GLVs, and 2-3/8" 4.7# L-80 tbg.
39. Latch overshot onto on-off tool and space out tubing
40. ND BOP, NU WH
41. RDMO pulling unit
42. RU pump truck and pump out plug. Put well on production.
43. **Run Production Log for allocation purposes after recovering load. Run additional production logs if actual production varies significantly from expected performance. Send copies of these logs to BLM and file for an adjustment of allocation factor if necessary.**



CONFIDENTIAL. February 7th, 2017
Production Operations – Carlsbad Region, Permian Basin
Echols Com 2 - Cisco Canyon and Wolfcamp (Ciscamp) Proposed
Commingling Allocation Factors. Eddy County, NM

Appendix B: Log section from top of Wolfcamp to top of Strawn – Echols Com 2





Appendix C: Current Completion – Echols Com 2

