<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 221167

		ne and Address ADOR PRODUCT		·					2. 00	GRID Number 228937		
	One	Lincoln Centre as, TX 75240	ION COMPAN	T					3. AF	226937 Pl Number 30-025-44200)	
1. Property	y Code 3981			5. Property N	ame ANGER 33 ST	ATE COM			6. We	ell No. 124H		
						7. Sui	face Location					
JL - Lot		Section	Township	Ran	ge	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
	Α	33	2	0S	35E	Α	300	N	424	E		Lea
						8. Proposed I	Bottom Hole Locatio	n				
		Section	Township	Rar	iae	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
UL - Lot		00011011										

9. Pool Information

GRAMA RIDGE;BONE SPRING, NORTH	28434

Additional Well Information

11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well	OIL		State	3694
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
N	15500	Bone Spring		1/31/2018
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Туре	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	20	13.375	54.5	2000	2837	0
Int1	12.25	9.625	40	5900	1747	0
Prod	8.75	5.5	20	15500	2293	4900

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

	poodaa		
Туре	Working Pressure	Test Pressure	Manufacturer
Annular	5000	3000	Cameron
Double Ram	10000	5000	Cameron
Pipe	10000	5000	Cameron

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONSERVATION	ON DIVISION
Printed Name:	Electronically filed by Ava Monroe		Approved By:	Paul Kautz	
Title: Engineering Tech			Title:	Geologist	
Email Address: amonroe@matadorresources.com			Approved Date:	11/18/2017	Expiration Date: 11/18/2019
Date:	11/16/2017 Phone: 972-371-5218			oval Attached	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (305) 334-6170
District IV
1220 S. St. Francis Dr., Sante Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Sante Fe, NM 87505


FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

		•	ARTE PO	JCATIO	IN AND ACK	LAGE DEDIC	ATION PLA	I		
	API Numbe	r		² Pool Code			³ Pool Na	me		
				28434		GAMMA RIDGE;BO	ONE SPRING, NO	ORTH		
⁴ Property (Code				⁵ Property N	ame		6/	Vell Number	
	l			RA	NGER 33 S	TATE COM		,	#124H	
⁷ OGRID I	No.				⁸ Operator N	ame			9Elevation	
22893	7			MATADOR PRODUCTION COMPANY					3694'	
				***************************************	¹⁰ Surface Lo	ocation		-		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
A	33	20-S	35-E	-	300'	NORTH	424'	EAST	LEA	
		*		· · · · · · · · · · · · · · · · · · ·					*	
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
P	33	20-S	35-E	-	240'	SOUTH	660'	EAST	LEA	
12Dedicated Acres	13 Joint or	Infill 14C	onsolidation Co	de ¹⁵ Ord	er No.		•			
160.52	- 1			- 1						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 221167

PERMIT COMMENTS

Operator Name and Address:	API Number:
MATADOR PRODUCTION COMPANY [228937]	30-025-44200
One Lincoln Centre	Well:
Dallas, TX 75240	RANGER 33 STATE COM #124H

Created By Comment Comment Date

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 221167

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
MATADOR PRODUCTION COMPANY [228937]	30-025-44200
One Lincoln Centre	Well:
Dallas, TX 75240	RANGER 33 STATE COM #124H

OCD	Condition
Reviewer	
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Pit construction and closure must satisfy all requirements of your approved plan.
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.