#### District I State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** District II WELL APINIMBER 811 S. First St., Artesia, NM 88210 Oil Conservation Division Phone:(575) 748-1283 Fax:(575) 748-9720 30-025-43922 District III 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS PROXY WCA STATE COM (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 001H 2. Name of Operator 9. OGRID Number ONEENERGY PARTNERS OPERATING, LLC 372031 3. Address of Operator 10. Pool name or Wildcat 2929 Allen Parkway, Suite 200, Houston, TX 77019 Unit Letter M : 380 feet from the S line and feet 380 from the W 35E NMPM Section 36 Township 24S Range County Lea 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3275 GR Pit or Below-grade Tank Application or Closure \_\_\_ Distance from nearest fresh water well\_\_ \_ Distance from nearest surface water\_ \_\_\_ Depth to Groundwater\_\_\_\_ Pit Type bbls; Construction Material Pit Liner Thickness: mil Below-Grade Tank: Volume 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Drilled Wolfcamp well from spud to TD.12/27/2017 Spudded well. Casing and Cement Program Date Strina Fluid Hole Csg Weight Grade Fst Dpth Sacks Yield Class Pres Pres TOC Type Size Size lb/ft Set Dpth Held Drop 12/30/17 Surf 17.5 13.375 54.5 J-55 0 923 625 G 850 O

01/15/18

01/24/18

02/13/18

SIGNATURE

Type or print name

For State Use Only: APPROVED BY:

Int1

Int2

Prod

9.625

7

4.5

12.25

8.75

6.125

NMOCD guidelines  $\square$ , a general permit  $\square$  or an (attached) alternative OCD-approved plan  $\square$ 

Electronically Signed

Paul Kautz

David Ramsden-Wood

40

29

TITLE

TITLE

13.5

E-mail address

J-55

P-110

P-110

1280

10701

0

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to

Geologist

5293

10851

16755

President & Chief Operating Officer

drw@oneenergypartners.com

1370

845

555

С

С

Н

Telephone No.

DATE

5000

5000

1200

303-253-0707

4/6/2018 8:36:09 AM

0

0

0

Form C-103

X

Open

Hole

August 1, 2011

Permit 250607

Comments

Permit 250607

# <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

### **DRILLING COMMENTS**

Operator:	OGRID:
ONEENERGY PARTNERS OPERATING, LLC	372031
2929 Allen Parkway	Permit Number:
Houston, TX 77019	250607
	Permit Type:
	Drilling

#### Comments

Created By	Comment	Comment Date
roverbey	12/30/2017: TD 17-1/2" hole @ 923'; set 13 3/8" 54.5# J55 BTC casing @ 923'; pump 20BBL spacer, 355 sxs 13.5# lead, 270 sxs 14.8# tail, 273 sxs displace/circ.	4/4/2018
	to surface; WOC 11 hours; WH tested to 850 psi. 1/5/2018: TD 12-14" hole @ 5001' 1/6/2018: Run in hole with 9 5/8" 40# J55 LTC csg w/ ESP to 3989' (hole tight).	
	Unable to land. 1/7/2018: Attempt to work past tight hole. Decision made to POOH w/ casing and ream. 1/8/2018: Ream f/ 2385'-2430; RIH 2430-3000'; Ream f/	
	3000-4486'; While backreaming 4486-4470' packed off unable to pump; backream with pump out of hole 4470- surface. Can't g	