<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 252807

		APPLICATION	FOR PERI	WIT TO DRILL, RE-E	ENTER, DEEP	EN, PLUGBA	CK, OR A	ADD A ZON	IE		
· oc	ame and Address	N LTD							ID Number 157984		
	D. Box 4294 ouston , TX 77210-4							3. API N	lumber 30-025-44827		
4. Property Co	ode 520	5. Prop	erty Name NORTH H	OBBS G/SA UNIT				6. Well	No. 675		
				7. Surfa	ce Location						
UL - Lot D	D Section Township Range 18S 37		Lot Idn Feet From D 498		N/S Line			E/W Line W	County Lea		
				8. Proposed Bo	ottom Hole Loca	tion					
UL - Lot D			Range 37	Lot Idn E D	Feet From 498	N/S Line N	N/S Line Feet Fr		E/W Line W	County Lea	
			•	9. Pool	Information	•					
HOBBS;GRA	AYBURG-SAN ANDF	RES		0.1 001	momation				31920		
				Additional \	Well Information	•			•		
11. Work Type		12. Well Type		13. Cable/Rotary		14. Lease Type		15. Ground Le	evel Elevation		
New Well OIL			·		State	State		3669			
16. Multiple N	16. Multiple 17. Proposed Depth			18. Formation 19. Contractor San Andres				20. Spud Date 10/1/2018			
			Distance from nearest fresh water well				Distance to nearest surface water				
X We will be	using a closed-loo	p system in lieu of li	ned pits								
				21. Proposed Casir							
Type Surf	Hole Size 12.25	Casing Size 9.625		Casing Weight/ft	Setting		Sacks of Cement 600			Estimated TOC 0	
Prod	8.75	9.625		36 26	1700 4700			700		0	
		1	•	Casing/Cement Progr	am: Additional	Comments			'	-	
	Typo	1	Working Proc	22. Proposed Blow	out Prevention				Manufaci	turor	
	Type Annular		Working Pres		out Prevention	Test Pressure			Manufac	turer	
	Type Annular		Working Press		out Prevention				Manufac	turer	
23. I hereby knowledge a	Annular certify that the informand belief. tify I have complied	· ·	5000 true and com			Test Pressure	OIL CONS	SERVATION D		turer	
23. I hereby knowledge a	Annular certify that the informand belief. tify I have complied	· ·	5000 true and com	sure		Test Pressure	OIL CONS	SERVATION D		turer	
23. I hereby knowledge a I further cer	Annular certify that the informand belief. tify I have complied the.	· ·	5000 true and com	sure		Test Pressure		SERVATION D		turer	
23. I hereby knowledge a I further cer , if applica	Annular certify that the informand belief. tify I have complied the.	d with 19.15.14.9 (A) ly filed by KELLEY M	5000 true and com	sure	С	Test Pressure 3000	utz	SERVATION D		turer	
23. I hereby knowledge a I further cer M, if applica Signature:	Annular certify that the informand belief. tify I have complied the complete the	d with 19.15.14.9 (A) ly filed by KELLEY M	5000 true and com	sure	C Approved By:	Test Pressure 3000 Paul F Ka Geologist	utz				

District 1
1625 N. French Dr., Bobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. Frist St., Artenia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazze Road, Aziec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. V. Francis Dr., Santa Fc, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

			WELL LOCATI	ON ANI	D <i>ACI</i>	REAGE D	EDICATIO	N PI.AT			
30-0) 25 5	I Number		Code DD		Nappas	; Errai	Pool Name	Α.	en L	Indres
195	perty Code	<u>,</u>	λ7	ORTH H	Property IORR9	Name A	ידינואוודי ()]			ell Number 675
م م	FRID No.	7/11	344	71111 11	Operator		UNII				Elevation
12	<u> </u>	841	00			PERMIAN	LTD.			36	369.9°
UL or lot no	Section	Township	Range	Surf		OCATION Feet from the	North/South line	F 6	F4717		
D	25	18 SOUTH	37 EAST, N.	М. Р. М.	Loi iai	498'	NORTH	Feet from the 1093'	East/We WES	1	County LEA
			Bottom Ho	le I ocati	on If I	Different l	<u> </u>			<u> </u>	
UL or lot no	. Section	Township	Range	io Localit	~		North/South line		East/We	st line	County
Dedicate	ed Acres	Joint or Infill	Consolidation Code	Order No.	<u> </u>						
No allow division.	able wii	ll be assigned to	o this completion w	til all inter	ests ha	ve been con	solidated or a	non-standard	unit has b	ееп аррго	oved by the
division.	**************************************	4.							PERATOR C	CERTIFICA	TION
		498				i					hereis is true and
10	93'	<u>-</u> ᢤ │]			he best of my know		i
		\1	Asimiran					l -		•	unleased mineral
		\'	1					li .	_	-	om hale location or
		Λ	I					1	r of such a miner	_	evani to a contract erest or to a
						'			ling agreement o		1
		SURI NEW	FACE LOCATION / MEXICO EAST NAD 1983 19080.61 US FT 18849.76 US FT W 103.2098425					heresofore en	ecred by the division	"land	5/20/10
		X=88	86849.76 US FT N 32.7243476					Signafire		yauc 1	Date 10
		l CONG.:	103.2098425					HOP	11 Ha	∞	
			1			-		April	211_1	trole	2007 L PX 1
		_						E-mi Addre	36		Ju'
		-	Constitution of the second					SUR	VEYOR CE	RY J A	2N
		!				!		I hereby o	erido delindo	well for any	Stown on this petual surveys
			Ī					made by n	le õRufde d m ue <u>si</u> nal corred	y supervisión	Dandehat the
		·				i			ste (15079)	URVE
								Date of Si	\ Zepril	5 , 20 18	
	ŕ		25					Signature Profession	and Sear of E nal Surveyor	SSIONAL	AM
			100						_ `	- 0	
		1,6	7963					Certificate	my (<u>llse</u>	V5/8/2018
		1/1						Ceruncan	. 1 Junipa		5079 405WL-b (KA)

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 252807

PERMIT COMMENTS

Operator Name and Address:	API Number:		
OCCIDENTAL PERMIAN LTD [157984]	30-025-44827		
P.O. Box 4294	Well:		
Houston , TX 77210-4294	NORTH HOBBS G/SA UNIT #675		

Created By Comment	Comment Date
--------------------	--------------

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 252807

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:			
OCCIDENTAL PERMIAN LTD [157984]	30-025-44827			
P.O. Box 4294	Well:			
Houston , TX 77210-4294	NORTH HOBBS G/SA UNIT #675			

OCD Reviewer	Condition
pkautz	Will require a deviation survey with the C-104
pkautz	SURFACE & PRODUCTION CASING - Cement must circulate to surface
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Stage Tool - 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.