

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 258728

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705		2. OGRID Number 873
4. Property Code 317303		3. API Number 30-015-45380
5. Property Name PALMILLO 14 15 STATE		6. Well No. 303H

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	15	19S	28E		1796	S	321	W	Eddy

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
I	14	19S	28E	I	2265	S	50	E	Eddy

9. Pool Information

PALMILLO;BONE SPRING, SOUTHWEST	96413
---------------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3475
16. Multiple N	17. Proposed Depth 18587	18. Formation 3rd Bone Spring Sand	19. Contractor	20. Spud Date 2/28/2019
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	300	225	0
Int1	12.25	9.625	36	3500	725	0
Prod	8.5	5.5	17	18587	1825	8776
Prod	8.75	5.5	17	8776	667	3000

Casing/Cement Program: Additional Comments

Palmillo 14-15 State COM 302H & 303H will be batch drilled. Surfaces will be preset. Intermediate will be drilled & csg will be ran on the 302H. A T/A cap will be installed on the 302H. Rig will move over to the 303H & drill the whole well. A T/A cap will then be installed on the 303H. The rig will move back to the 302H, finish drlg prod section. Tubing heads will be installed when rig moves off.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	3000	1500	
Double Ram	3000	3000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ if applicable. Signature:	OIL CONSERVATION DIVISION
Printed Name: Electronically filed by Sorina Flores	Approved By: Raymond Podany
Title: Supv of Drilling Services	Title: Geologist
Email Address: sorina.flores@apachecorp.com	Approved Date: 10/31/2018 Expiration Date: 10/31/2020
Date: 10/30/2018 Phone: 432-818-1167	Conditions of Approval Attached

District I
1625 N French Dr., Hobbs, NM 88240
Phone (575) 393-6161 Fax (575) 393-0720
District II
811 S First St., Artesia, NM 88210
Phone (575) 748-1283 Fax (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone (505) 334-6178 Fax (505) 334-6170
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-		² Pool Code 96413		³ Pool Name PALMILLO; BONESPRING, SW	
⁴ Property Code 317303		⁵ Property Name PALMILLO 14-15 STATE			⁶ Well Number 303H
⁷ GRID NO. 873		⁸ Operator Name APACHE CORPORATION			⁹ Elevation 3475'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
L	15	19S	28E		1796	SOUTH	321	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	14	19S	28E		2265	SOUTH	50	EAST	EDDY

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
320			

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

¹⁶ GEODETIC DATA NAD 83 GRID - NM EAST SURFACE LOCATION (S.L.) N 603286.4 - E 591114.7 LAT: 32.6583769° N LONG: 104.1715891° W KICK OFF POINT (K.O.P.) N 603827.7 - E 590845.3 LAT: 32.6598659° N LONG: 104.1724618° W FIRST TAKE POINT (F.T.P.) N 603827.8 - E 590895.6 LAT: 32.6598658° N LONG: 104.1722986° W LAST TAKE POINT (L.T.P.) N 603841.8 - E 601080.6 LAT: 32.6598575° N LONG: 104.1392034° W BOTTOM HOLE (B.H.) N 603841.8 - E 601130.5 LAT: 32.6598574° N LONG: 104.1390410° W		CORNER DATA NAD 83 GRID - NM EAST A: FOUND BRASS CAP "1941" N 601487.4 - E 590787.6 B: FOUND BRASS CAP "1941" N 604120.4 - E 590796.6 C: FOUND BRASS CAP "1941" N 606757.2 - E 590806.5 D: FOUND BRASS CAP "1941" N 606785.9 - E 593400.0 E: FOUND BRASS CAP "1941" N 606815.2 - E 595993.1 F: FOUND BRASS CAP "1941" N 606837.6 - E 598589.8 G: FOUND BRASS CAP "1941" N 606860.6 - E 601187.3		H: FOUND BRASS CAP "1941" N 604227.7 - E 601181.4 I: FOUND BRASS CAP "1941" N 601577.6 - E 601175.4 J: FOUND BRASS CAP "1941" N 601556.9 - E 598579.0 K: FOUND BRASS CAP "1941" N 601537.8 - E 595981.6 L: FOUND BRASS CAP "1941" N 601514.2 - E 593387.0		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Sorina L Flores 10/30/2018 Signature Date Sorina L Flores Printed Name sorina.flores@apachecorp.com E-mail Address	
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 9-13-2018 Date of Survey Signature and Seal of Professional Surveyor Jeffrey L. Fansler 10034 Certificate Number		Job No.: LS18091069DP					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

Permit 258728

PERMIT COMMENTS

Operator Name and Address: APACHE CORPORATION [873] 303 Veterans Airpark Ln Midland, TX 79705		API Number: 30-015-45380
		Well: PALMILLO 14 15 STATE #303H
Created By	Comment	Comment Date
sflores	Apache Corp respectfully request approval to use a spudder rig to pre-set surface casing. Procedure attached.	10/30/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Conditions

Permit 258728

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: APACHE CORPORATION [873] 303 Veterans Airpark Ln Midland, TX 79705		API Number: 30-015-45380
		Well: PALMILLO 14 15 STATE #303H
OCD Reviewer	Condition	
rpodany	Will require a directional survey with the C-104	
rpodany	Cement is required to circulate on both surface and intermediate1 strings of casing	