Form C-103 District I State of New Mexico August 1, 2011 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 262488 District II 811 S. First St., Artesia, NM 88210 WELL APLNIIMBER **Oil Conservation Division** Phone:(575) 748-1283 Fax:(575) 748-9720 30-025-43737 **District III** 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS CORIANDER AOC 1-12 STATE (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 002H 2. Name of Operator 9. OGRID Number CIMAREX ENERGY CO. 215099 3. Address of Operator 10. Pool name or Wildcat 600 N. Marienfeld Street, Suite 600, Midland, TX 79701 4. Well Location : 330 feet from the N line and feet 710 Unit Letter 1 from the E __ Township 32E NMPM Section 23S Range County Lea 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3751 GR Pit or Below-grade Tank Application or Closure ___ Distance from nearest fresh water well__ __ Depth to Groundwater___ _ Distance from nearest surface water Pit Type mil Below-Grade Tank: Volume_ bbls; Construction Material Pit Liner Thickness: 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Production Casing: Tapered string - 5-1/2"/7" - 0-19642'. Please see attached for more information. See Attached 8/26/2018 Spudded well. **Casing and Cement Program** Date String Hole Csg Weight Dpth Yield Pres Open Drop Size Size lb/ft TOC Set Held Hole 08/27/18 Surf FreshWater 17.5 13.375 48 j55 0 1295 1635 1.664 1500 0 Υ С 08/31/18 Int1 CutBrine 12.25 9.625 40 j55 0 4970 1865 1.879 h 2765 0 Υ 09/22/18 CutBrine 7 29 p110 Υ Int3 8.5 0 8100 3755 3.34 9900 0 h 09/22/18 Prod CutBrine 8.5 5.5 20 p110 0 19642 3755 3.34 9930 0 Υ I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to

Prod Admin Supervisor

Geologist

gholloway@cimarex.com

E-mail address

TITLE

1/17/2019

1/17/2019 3:12:55 PM

Telephone No.

DATE

NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square

Electronically Signed

Genea A Holloway

Paul F Kautz

SIGNATURE

Type or print name

For State Use Only:

APPROVED BY:

Coriander AOC 1-12 State 2H Cimarex Energy CO. 30025-43737

09/25/18	09/23/18	09/20/18	09/02/18	08/30/18 08/31/18	08/28/18	08/26/18 08/27/18
1.223 yld. Circ 101 sx to surface. WOC. Release rig.	5-1/2", 20#, P110, B1C/L1C csg: 8100-19642'. 7", 29#, P110 MS, LTC csg: 0-8100'. Mix & pump 520 sx Class H, 10.5 ppg, 3.34 yld; tail w/ 3235 sx Versacem H, 14.5 ppg,	ID 8-1/2" hole @ 19642". RIH w/ tapered production string:	Test csg to 2765# for 30 mins. OK. TD 8-3/4" vertical hole @ 9200'. PU curve BHA.	TD 12-1/4" hole @ 4970'. RIH w/ 9-5/8", 40#, J55, LTC csg & set @ 4970'. Mix & pump lead: 1380 sx Econocem HLC, 12.9 ppg, 1.879 yld; tail w/ 485 sx Hal Cem C, 14.8 npg. 1 33 vld. Circ. 8 sx to surface. WOC 6.5 hrs.	13.7 ppg, 1.664 yld. Tail w/ 455 5x Class C, 14.8 ppg, 1.348 yld. Circ 843 sx to surface. WOC 12 hours. Test csg to 1500# for 30 mins. OK.	spud well. TD 17-1/2 surface hole @ 1295'. RIH w/ 13-3/8", 48#, J55, STC csg & set @ 1295'. Mix & pump lead: 1180 sx Class C,

Comments

Permit 262488

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DRILLING COMMENTS

Operator:	OGRID:
CIMAREX ENERGY CO.	215099
600 N. Marienfeld Street	Permit Number:
Midland, TX 79701	262488
	Permit Type:
	Drilling

Comments

I	Created By	Comment	Comment Date

There are no Comments for this Permit