<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 264389

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address		2. OGRID Number 14744				
MEWBOURNE OIL CO	MEWBOURNE OIL CO					
P.O. Box 5270	3. API Number					
Hobbs, NM 88241		30-025-45689				
4. Property Code	5. Property Name	6. Well No.				
325117	CHAROLAIS 28 21 W10B STATE COM	001H				

7 Surface Location

ſ	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	Р	28	198	35E	Р	205	S	1160	E	Lea

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	21	19S	35E	В	100	N	1980	E	Lea

9. Pool Information

COLUMN WOLFOAMS COLUMN ACT	55050
SCHARB;WOLFCAMP, SOUTHEAST	55650
KLEIN RANCH;WOLFCAMP	96989

Additional Well Information

11. Work Type New Well	12. Well Type GAS	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3710
16. Multiple Y	17. Proposed Depth 21340	18. Formation Wolfcamp	19. Contractor	20. Spud Date 4/1/2019
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Ziii ropooda dading and dement rogiam									
Туре	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC			
Surf	17.5	13.375	54.5	1900	1320	0			
Int1	12.25	9.625	36	3450	690	0			
Prod	8.75	7	26	11426	900	3250			
Liner1	6.125	4.5	13.5	21340	430	10515			

Casing/Cement Program: Additional Comments

MOC proposed to drill & test the Wolfcamp formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equiptment before Yates formation for safety & insurance purposes. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

	ZZ: 1 Toposca Biotroat 1 Toronach 1 Togram								
Туре	Working Pressure	Test Pressure	Manufacturer						
Annular	5000	2500	Schaffer						
Double Ram	5000	5000	Schaffer						
Annular	5000	2500	Schaffer						

knowledge and be	elief.	s true and complete to the best of my NMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSERVATION	ON DIVISION	
Printed Name:	Electronically filed by Monty Whe	etstone	Approved By:	Karen K Sharp		
Title:	Vice President Operations		Title:	OCD Reviewer		
Email Address: prodmgr@mewbourne.com			Approved Date:	3/6/2019	Expiration Date: 3/6/2021	
Date:	3/4/2019	Phone: 903-561-2900	Conditions of Approval Attached			

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 264389

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-45689	55650	SCHARB;WOLFCAMP, SOUTHEAST
4. Property Code	5. Property Name	6. Well No.
325117	CHAROLAIS 28 21 W10B STATE COM	001H
7. OGRID No.	8. Operator Name	9. Elevation
14744	MEWBOURNE OIL CO	3710

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	28	19S	35E	Р	205	S	1160	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	21	19S	35E	В	100	N	1980	E	Lea
12. Dedicated Acr	es		13. Joint or Infill		14. Consolidation Co.	de		15. Order No.	
160.0)								

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

		I hereby certify to organization eith a right to drill thi agreement or a c
		E-Signed By:
		Title:
		Date:
		I hereby certify to
		Surveyed By:
		Date of Survey:
		Certificate Numb

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

-Signed By: Monty Whetstone

Title: Vice President Operations

Date: 3/4/2019

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Robert Howett

Date of Survey: 11/1/2017

Certificate Number: 19680

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 264389

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-45689	96989	KLEIN RANCH;WOLFCAMP
4. Property Code	5. Property Name	6. Well No.
325117	CHAROLAIS 28 21 W10B STATE COM	001H
7. OGRID No.	8. Operator Name	9. Elevation
14744	MEWBOURNE OIL CO	3710

10. Surface Location

I	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	Р	28	19S	35E	Р	205	S	1160	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	21	19S	35E	В	100	N	1980	E	Lea
12. Dedicated Acres		13. Joint or Infill		14. Consolidation Code			15. Order No.		
160.00									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION **OPERATOR CERTIFICATION** I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Monty Whetstone E-Signed By: Vice President Operations Title: 3/4/2019 Date SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Robert Howett Surveyed By: 11/1/2017 Date of Survey: 19680 Certificate Number:

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 264389

PERMIT COMMENTS

Operator Name and Address:	API Number:		
MEWBOURNE OIL CO [14744]	30-025-45689		
P.O. Box 5270	Well:		
Hobbs, NM 88241	CHAROLAIS 28 21 W1OB STATE COM #001H		

Created	Comment	Comment
Ву		Date
	REJECTED to correct pools - Change well to oil and correct - Delete PURPLE SAGE; WOLFCAMP (GAS) [98220] - Add SCHARB; WOLFCAMP, SOUTHEAST [55650] Oil Pool Sec 21 - Add KLEIN RANCH; WOLFCAMP [96989] Oil Pool Sec 28	3/4/2019
_	REJECTED to correct pools Change well to oil and correct Delete PURPLE SAGE; WOLFCAMP (GAS) [98220] Add SCHARB; WOLFCAMP, SOUTHEAST [55650] Oil	3/4/2019
1	Pool Sec 21 Add KLEIN RANCH;WOLFCAMP [96989] Oil Pool Sec 28	

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 264389

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
MEWBOURNE OIL CO [14744]	30-025-45689		
P.O. Box 5270	Well:		
Hobbs, NM 88241	CHAROLAIS 28 21 W1OB STATE COM #001H		

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing 3) Liner - Cement must tie back into production casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 5753703186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.