<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 267101

	me and Address VANCE ENERGY P	ARTNERS HAT ME	SA, LLC						2. OGR	ID Number 372417		
	90 Westheimer Ro	I., Ste 950							3. API N			
Hot	uston, TX 77077									30-025-45935	5	
1. Property Co		5. P	roperty Name						6. Well			
319	9601		DAGGER S	TATE COM						802H		
					7. Surf	ace Location						
JL - Lot	Section	Township	Range	Lot Idn		Feet From	N/S Line	Fee	et From	E/W Line	County	
G	30	21S	338	Ξ	G	2310		N	1998	E		Lea
				8. Pron	osed F	ottom Hole Loc	ation					
JL - Lot	Section	Township	Range	Lot Idn		Feet From	N/S Line	Feet	From	E/W Line	County	
В	19	21S	33	E	В	100	N	1	2430	E	,	Lea
					0 D	l l. f 4!						
NC-025 G-1	0 S213328O;WOLF	CAMP			9. Poo	I Information				98033		
7VC-023 G-11	0 32 133200, WOLI	CAIVIF								90033		
				Add	ditional	Well Informatio	n					
11. Work Type		12. Well Type		13. Cable/Rota	ary		14. Lease Type		15. Ground Lev	el Elevation		
Nev	w Well	OIL		State			381	2				
6. Multiple		17. Proposed De	•				20. Spud Date					
N		2130	0		Ifcamp					5/2019		
Depth to Grour	nd water			Distance from	nearest f	resh water well			Distance to nea	rest surface water		
We will be	using a closed-loc	p system in lieu of	lined pits									
				21. Propos	ed Cas	ng and Cement	Program					
Туре	Hole Size	Casing Size	asing Size Casing Weight/ft Setting Depth Sacks o					acks of Cement	f Cement Estimated TOC		ГОС	
Surf	14.75	10.75		40.5 1650		585	585 0		-			
Int1	9.875	7.625		29.7		10	10650		700		0	
1116.1	6.75	5.5		20		11	11600		260		0	
Prod	6.75	5		18			300		735		11600	

22. Proposed Blowout Prevention Progra	m
--	---

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	5000	5000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature:				OIL CONSERVATIO	ON DIVISION
Printed Name: Electronically filed by David C Harwell			Approved By:	Paul F Kautz	
Title:	e: VP Engineering			Geologist	
Email Address:	Address: dharwell@advanceenergypartners.com			5/15/2019	Expiration Date: 5/15/2021
Date:	5/8/2019 Phone: 832-672-4604			oval Attached	

DISTRICT I
1625 N. French Dr., Hobbs, NM 86240
Phone (876) 383-6161 Fer. (876) 393-6780
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (876) 748-1825 Fer. (876) 748-9780
DISTRICT III
1000 Rio Brazos Rd., Axtee, NM 87410
Phone (866) 384-6176 Fer. (866) 384-6170

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone (505) 476-3460 Fex: (606) 476-3462

DISTRICT IV

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised August 4, 2011

Submit one copy to appropriate District Office

OIL CONSERVATION DIVISION


1220 South St. Francis Dr. Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

■ AMENDED REPORT

API Number			:	Pool Code		Pool Name				
Property Code			Property Name				Well Number			
				DAGGER STATE COM					2H	
OGRID No).				Operator Nam	e		Elevation		
			ADVA	NCE EN	E ENERGY PARTNERS HAT MESA			381:	3812'	
	Surface Location									
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	SOUTH/South line	Feet from the	East/West line	County	
	30	21 S	33 E		2610	NORTH	1998	EAST	LEA	
Bottom Hole Location If Different From Surface										
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	SOUTH/South line	Feet from the	East/West line	County	
	19	21 S	33 E		100	NORTH	2430	EAST	LEA	
Dedicated Acres	Joint o	r Infill Co	nsolidation	Code Or	der No.					

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS REEN APPROVED BY THE DIVISION



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 267101

PERMIT COMMENTS

Operator Name and Address:	API Number:		
ADVANCE ENERGY PARTNERS HAT MESA, LLC [372417]	30-025-45935		
11490 Westheimer Rd., Ste 950	Well:		
Houston, TX 77077	DAGGER STATE COM #802H		

Created By Comment Comment Date

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 267101

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
ADVANCE ENERGY PARTNERS HAT MESA, LLC [372417]	30-025-45935
11490 Westheimer Rd., Ste 950	Well:
Houston, TX 77077	DAGGER STATE COM #802H

OCD	Condition
Reviewer	
pkautz	Will require a directional survey with the C-104
pkautz	Will require a administrative order for non-standard location prior to placing the well on production.
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 5753703186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.