

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505	Form C-103 August 1, 2011 Permit 265814 WELL API NUMBER 30-015-44835 5. Indicate Type of Lease S 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name OCOTILLO 6 31 STATE COM WCB																																																																																																																																																																
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)																																																																																																																																																																		
1. Type of Well: G		8. Well Number 002H																																																																																																																																																																
2. Name of Operator CHISHOLM ENERGY OPERATING, LLC		9. OGRID Number 372137																																																																																																																																																																
3. Address of Operator 801 Cherry Street, Fort Worth, TX 76102		10. Pool name or Wildcat																																																																																																																																																																
4. Well Location Unit Letter <u>P</u> : <u>245</u> feet from the <u>S</u> line and feet <u>1190</u> from the <u>E</u> line Section <u>6</u> Township <u>23S</u> Range <u>26E</u> NMPM _____ County <u>Eddy</u>																																																																																																																																																																		
11. Elevation (Show whether DR, KB, BT, GR, etc.) 3411 GR																																																																																																																																																																		
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit Type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____																																																																																																																																																																		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data <table style="width:100%;"> <tr> <td colspan="2">NOTICE OF INTENTION TO:</td> <td colspan="2">SUBSEQUENT REPORT OF:</td> </tr> <tr> <td>PERFORM REMEDIAL WORK <input type="checkbox"/></td> <td>PLUG AND ABANDON <input type="checkbox"/></td> <td>REMEDIAL WORK <input type="checkbox"/></td> <td>ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>TEMPORARILY ABANDON <input type="checkbox"/></td> <td>CHANGE OF PLANS <input type="checkbox"/></td> <td>COMMENCE DRILLING OPNS. <input type="checkbox"/></td> <td>PLUG AND ABANDON <input type="checkbox"/></td> </tr> <tr> <td>PULL OR ALTER CASING <input type="checkbox"/></td> <td>MULTIPLE COMPL <input type="checkbox"/></td> <td>CASING/CEMENT JOB <input type="checkbox"/></td> <td></td> </tr> <tr> <td colspan="2">Other: _____</td> <td colspan="2">Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/></td> </tr> </table>			NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:		PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTER CASING <input type="checkbox"/>	TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE OF PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>		Other: _____		Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/>																																																																																																																																													
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:																																																																																																																																																																
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTER CASING <input type="checkbox"/>																																																																																																																																																															
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE OF PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>																																																																																																																																																															
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>																																																																																																																																																																
Other: _____		Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/>																																																																																																																																																																
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 04/19/2019-Run Prod Csg 04/20/2019-Cmnt Prod Csg 04/21/2019-Rig Released See Attached 2/26/2019 Spudded well.																																																																																																																																																																		
Casing and Cement Program <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Date</th> <th>String</th> <th>Fluid Type</th> <th>Hole Size</th> <th>Csg Size</th> <th>Weight lb/ft</th> <th>Grade</th> <th>Est TOC</th> <th>Dpth Set</th> <th>Sacks</th> <th>Yield</th> <th>Class</th> <th>1" Dpth</th> <th>Pres Held</th> <th>Pres Drop</th> <th>Open Hole</th> </tr> </thead> <tbody> <tr> <td>02/28/19</td> <td>Surf</td> <td>FreshWater</td> <td>26</td> <td>20</td> <td>94</td> <td>J55</td> <td>0</td> <td>425</td> <td>1005</td> <td>1.35</td> <td>C</td> <td>0</td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>03/05/19</td> <td>Int1</td> <td>FreshWater</td> <td>17.5</td> <td>13.375</td> <td>68</td> <td>J-55</td> <td>0</td> <td>1625</td> <td>235</td> <td>3.66</td> <td>C</td> <td>0</td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>03/05/19</td> <td>Int1</td> <td>FreshWater</td> <td>17.5</td> <td>13.375</td> <td>68</td> <td>J-55</td> <td>0</td> <td>1625</td> <td>520</td> <td>1.34</td> <td>C</td> <td>0</td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>03/05/19</td> <td>Int1</td> <td>FreshWater</td> <td>17.5</td> <td>13.375</td> <td>68</td> <td>J-55</td> <td>0</td> <td>1625</td> <td>235</td> <td>3.75</td> <td>C</td> <td>0</td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>03/21/19</td> <td>Int2</td> <td>CutBrine</td> <td>12.25</td> <td>9.625</td> <td>9.625</td> <td>HCL-80</td> <td>0</td> <td>8531</td> <td>775</td> <td>3.68</td> <td>C</td> <td>0</td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>03/21/19</td> <td>Int2</td> <td>CutBrine</td> <td>12.25</td> <td>9.625</td> <td>9.625</td> <td>HCL-80</td> <td>0</td> <td>8531</td> <td>1105</td> <td>1.19</td> <td>H</td> <td>0</td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>03/21/19</td> <td>Int2</td> <td>CutBrine</td> <td>12.25</td> <td>9.625</td> <td>9.625</td> <td>HCL-80</td> <td>0</td> <td>8531</td> <td>625</td> <td>1.33</td> <td>C</td> <td>0</td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>04/19/19</td> <td>Prod</td> <td>OilBasedMud</td> <td>8.75</td> <td>5.5</td> <td>20</td> <td>P-110</td> <td>0</td> <td>19146</td> <td>900</td> <td>2.56</td> <td>H</td> <td>0</td> <td>0</td> <td>0</td> <td>N</td> </tr> <tr> <td>04/19/19</td> <td>Prod</td> <td>OilBasedMud</td> <td>8.75</td> <td>5.5</td> <td>20</td> <td>P-110</td> <td>0</td> <td>19146</td> <td>2240</td> <td>1.28</td> <td>H</td> <td>0</td> <td>0</td> <td>0</td> <td>N</td> </tr> </tbody> </table>			Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole	02/28/19	Surf	FreshWater	26	20	94	J55	0	425	1005	1.35	C	0	1500	0	N	03/05/19	Int1	FreshWater	17.5	13.375	68	J-55	0	1625	235	3.66	C	0	1500	0	N	03/05/19	Int1	FreshWater	17.5	13.375	68	J-55	0	1625	520	1.34	C	0	1500	0	N	03/05/19	Int1	FreshWater	17.5	13.375	68	J-55	0	1625	235	3.75	C	0	1500	0	N	03/21/19	Int2	CutBrine	12.25	9.625	9.625	HCL-80	0	8531	775	3.68	C	0	1500	0	N	03/21/19	Int2	CutBrine	12.25	9.625	9.625	HCL-80	0	8531	1105	1.19	H	0	1500	0	N	03/21/19	Int2	CutBrine	12.25	9.625	9.625	HCL-80	0	8531	625	1.33	C	0	1500	0	N	04/19/19	Prod	OilBasedMud	8.75	5.5	20	P-110	0	19146	900	2.56	H	0	0	0	N	04/19/19	Prod	OilBasedMud	8.75	5.5	20	P-110	0	19146	2240	1.28	H	0	0	0	N
Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole																																																																																																																																																			
02/28/19	Surf	FreshWater	26	20	94	J55	0	425	1005	1.35	C	0	1500	0	N																																																																																																																																																			
03/05/19	Int1	FreshWater	17.5	13.375	68	J-55	0	1625	235	3.66	C	0	1500	0	N																																																																																																																																																			
03/05/19	Int1	FreshWater	17.5	13.375	68	J-55	0	1625	520	1.34	C	0	1500	0	N																																																																																																																																																			
03/05/19	Int1	FreshWater	17.5	13.375	68	J-55	0	1625	235	3.75	C	0	1500	0	N																																																																																																																																																			
03/21/19	Int2	CutBrine	12.25	9.625	9.625	HCL-80	0	8531	775	3.68	C	0	1500	0	N																																																																																																																																																			
03/21/19	Int2	CutBrine	12.25	9.625	9.625	HCL-80	0	8531	1105	1.19	H	0	1500	0	N																																																																																																																																																			
03/21/19	Int2	CutBrine	12.25	9.625	9.625	HCL-80	0	8531	625	1.33	C	0	1500	0	N																																																																																																																																																			
04/19/19	Prod	OilBasedMud	8.75	5.5	20	P-110	0	19146	900	2.56	H	0	0	0	N																																																																																																																																																			
04/19/19	Prod	OilBasedMud	8.75	5.5	20	P-110	0	19146	2240	1.28	H	0	0	0	N																																																																																																																																																			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines <input type="checkbox"/> , a general permit <input type="checkbox"/> or an (attached) alternative OCD-approved plan <input type="checkbox"/> .																																																																																																																																																																		
<table style="width:100%;"> <tr> <td>SIGNATURE</td> <td><u>Electronically Signed</u></td> <td>TITLE</td> <td><u>Sr. Regulatory Tech</u></td> <td>DATE</td> <td><u>4/25/2019</u></td> </tr> <tr> <td>Type or print name</td> <td><u>Jennifer Elrod</u></td> <td>E-mail address</td> <td><u>jelrod@chisholmenergy.com</u></td> <td>Telephone No.</td> <td><u>817-953-3728</u></td> </tr> </table>			SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Sr. Regulatory Tech</u>	DATE	<u>4/25/2019</u>	Type or print name	<u>Jennifer Elrod</u>	E-mail address	<u>jelrod@chisholmenergy.com</u>	Telephone No.	<u>817-953-3728</u>																																																																																																																																																				
SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Sr. Regulatory Tech</u>	DATE	<u>4/25/2019</u>																																																																																																																																																													
Type or print name	<u>Jennifer Elrod</u>	E-mail address	<u>jelrod@chisholmenergy.com</u>	Telephone No.	<u>817-953-3728</u>																																																																																																																																																													
For State Use Only: <table style="width:100%;"> <tr> <td>APPROVED BY:</td> <td><u>Raymond Podany</u></td> <td>TITLE</td> <td><u>Geologist</u></td> <td>DATE</td> <td><u>5/22/2019 2:10:42 PM</u></td> </tr> </table>			APPROVED BY:	<u>Raymond Podany</u>	TITLE	<u>Geologist</u>	DATE	<u>5/22/2019 2:10:42 PM</u>																																																																																																																																																										
APPROVED BY:	<u>Raymond Podany</u>	TITLE	<u>Geologist</u>	DATE	<u>5/22/2019 2:10:42 PM</u>																																																																																																																																																													

OCOTILLO 6-31 STATE COM WCB 2H – INTERMEDIATE 1/INTERMEDIATE 2/PRODUCTION
CASING & RIG RELEASE SUNDRY

03/04/2019-DRILL INT. 1 HOLE TO 1650'MD

03/04-03/05/2019- RUN 38 JTS OF 13.375", 54.5#, J-55 BTC CSG SET @ 1625'MD W/ DV TOOL @ 1577'

03/05/2019-NOTIFIED STATE AND CITY OF CMNT JOB; PUMP 1ST STAGE CMNT W/235 SXS CLASS C LEAD CMNT @ 3.66 YIELD FOLLOWED BY 520 SXS CLASS C TAIL CMNT @ 1.34 YIELD; DROPPED BOMB, OPENED DV TOOL W/ 7 SXS CMNT RETURN TO SURFACE. PUMP 2ND STAGE CMNT W/ 235 SXS CLASS C CMNT @ 3.70 YIELD W/61 SXS CMNT CIRCULATED TO SURFACE.

03/06/2019-NOTIFY STATE OF BOPE & CSG PRESSURE TEST; TEST BOPE, ANNULAR-250 LOW/2500 HIGH; PIPE-250 LOW/5000 HIGH; RAMS-250 LOW/5000 HIGH, 10 MIN EA., ALL GOOD TEST; TEST 20"13.375" CSG TO 1500 PSI, 30 MIN, GOOD TEST

03/20/2019-DRILL INT. 2 HOLE TO 8554' MD

03/21/2019- NOTIFIED STATE & CITY OF CSG/CMNT JOB

03/21-03/22/2019-RAN 193 JTS OF 9.625",40#, L-80 HC BTC CSG SET @ 8531'; PUMP 775 SXS CLASS C LEAD CMNT @ 3.68 YIELD FOLLOWED BY 1105 SXS CLASS H TAIL CMNT @ 1.19 YIELD, NO CMNT TO SURFACE; OPEN DV TOOL, PRESSURE UP, CIRCULATING CMNT TO SURFACE; CMNT 2ND STAGE W/625 SXS CLASS C CMNT @ 1.33 YIELD W/30 SXS CMNT CIRCULATED TO SURFACE.

03/23/2019-TEST CSG TO 1500 PSI; GOOD TEST

04/16/2019-DRILL PROD HOLE TO 19156' TD

04/16/2019-NOTIFY OCD & CITY OF CARLSBD OF CSG/CMNT JOB; RUN 434 JTS OF 5.5", 20#, P-110 CSG SET @ 19146'MD

04/20/2019-PUMP 900 SXS OF CLASS H LEAD CMNT @ 2.56 YIELD, FOLLOWED BY 2240 SXS CLASS H TAIL CMNT @ 1.28 YIELD W/175 SXS CMNT CIRCULATED TO SURFACE

04/21/2019-RIG RELEASED

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Comments

Permit 265814

DRILLING COMMENTS

Operator: CHISHOLM ENERGY OPERATING, LLC 801 Cherry Street Fort Worth, TX 76102	OGRID: 372137
	Permit Number: 265814
	Permit Type: Drilling

Comments

Created By	Comment	Comment Date
------------	---------	--------------

There are no Comments for this Permit