

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 271634

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202		2. OGRID Number 372165
4. Property Code 321644		3. API Number 30-025-46346
5. Property Name DUCK HUNT 1 STATE COM		6. Well No. 502H

7. Surface Location

UL - Lot J	Section 1	Township 23S	Range 34E	Lot Idn J	Feet From 2339	N/S Line S	Feet From 1955	E/W Line E	County Lea
---------------	--------------	-----------------	--------------	--------------	-------------------	---------------	-------------------	---------------	---------------

8. Proposed Bottom Hole Location

UL - Lot O	Section 12	Township 23S	Range 34E	Lot Idn O	Feet From 100	N/S Line S	Feet From 1649	E/W Line E	County Lea
---------------	---------------	-----------------	--------------	--------------	------------------	---------------	-------------------	---------------	---------------

9. Pool Information

ANTELOPE RIDGE;BONE SPRING, NORTH	2205
-----------------------------------	------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3366
16. Multiple N	17. Proposed Depth 18266	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 9/28/2019
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1850	1572	0
Int1	12.25	9.625	40	5450	1324	0
Prod	8.5	5.5	20	18266	1936	9973
Prod	8.75	5.5	20	10873	852	0

Casing/Cement Program: Additional Comments

Drill 8.75 hole size for the curve and 8.5 hole size for the lateral for the 5.5 casing string.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Pipe	10000	5000	Cameron

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ if applicable. Signature:	OIL CONSERVATION DIVISION
Printed Name: Electronically filed by Sarah Ferreyros	Approved By: Paul F Kautz
Title: Senior Regulatory Analyst	Title: Geologist
Email Address: Sarah.Ferreyros@cdevinc.com	Approved Date: 9/5/2019 Expiration Date: 9/5/2021
Date: 9/3/2019 Phone: 720-499-1454	Conditions of Approval Attached

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46346		² Pool Code 2205	³ Pool Name Antelope Ridge; Bone Spring, North	
⁴ Property Code 321644	⁵ Property Name DUCK HUNT 1 STATE COM			⁶ Well Number #502H
⁷ OGRID No. 372165	⁸ Operator Name CENTENNIAL RESOURCE PRODUCTION, LLC			⁹ Elevation 3366.6'


¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	1	23S	34E		2339	SOUTH	1955	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. O	Section 12	Township 23S	Range 34E	Lot Idn	Feet from the 100	North/South line SOUTH	Feet from the 1649	East/West line EAST	County LEA
¹² Dedicated Acres 240		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

GAS CAPTURE PLAN

Date: 9/5/2019

☒ Original

Operator & OGRID No.: [372165] CENTENNIAL RESOURCE PRODUCTION, LLC

☐ Amended - Reason for
Amendment: _____

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomple to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

Well(s)/Production Facility – Name of facility

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
DUCK HUNT 1 STATE COM #502H	30-025-46346	J-1-23S-34E	2339S 1955E	3500	None	Lucid's gathering system is both high pressure and low pressure.

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to LUCID ENERGY DELAWARE, LLC and will be connected to LUCID ENERGY DELAWARE, LLC High Pressure gathering system located in Lea County, New Mexico. It will require 20' of pipeline to connect the facility to High Pressure gathering system. CENTENNIAL RESOURCE PRODUCTION, LLC provides (periodically) to LUCID ENERGY DELAWARE, LLC a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, CENTENNIAL RESOURCE PRODUCTION, LLC and LUCID ENERGY DELAWARE, LLC have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at LUCID ENERGY DELAWARE, LLC Processing Plant located in Sec. 13, Twn. 24S, Rng. 33E, Lea County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on LUCID ENERGY DELAWARE, LLC system at that time. Based on current information, it is CENTENNIAL RESOURCE PRODUCTION, LLC's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation – On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas – On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal – On lease
 - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

Permit 271634

PERMIT COMMENTS

Operator Name and Address: CENTENNIAL RESOURCE PRODUCTION, LLC [372165] 1001 17th Street, Suite 1800 Denver, CO 80202		API Number: 30-025-46346
		Well: DUCK HUNT 1 STATE COM #502H

Created By	Comment	Comment Date
kcastillo	Spudder Rig will preset surface casing. C-102, Additional Points Required and Gas Capture Plan will be emailed after permit is submitted.	8/30/2019

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Conditions

Permit 271634

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: CENTENNIAL RESOURCE PRODUCTION, LLC [372165] 1001 17th Street, Suite 1800 Denver, CO 80202	API Number: 30-025-46346
	Well: DUCK HUNT 1 STATE COM #502H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface -- 2) PRODUCTION CASING - Cement must tie back into intermediate casing --
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 5753703186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.

NEW MEXICO

LEA

DUCK HUNT

DUCK HUNT 1 STATE COM 502H

DUCK HUNT 1 STATE COM 502H

Plan: PWP1

Survey Report - Geographic

30 August, 2019

LGC
Survey Report - Geographic

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well DUCK HUNT 1 STATE COM 502H
Project:	LEA	TVD Reference:	RKB=3366+25 @ 3391.0usft
Site:	DUCK HUNT	MD Reference:	RKB=3366+25 @ 3391.0usft
Well:	DUCK HUNT 1 STATE COM 502H	North Reference:	True
Wellbore:	DUCK HUNT 1 STATE COM 502H	Survey Calculation Method:	Minimum Curvature
Design:	PWP1	Database:	Centennial EDM SQL Server

Project	LEA		
Map System:	Universal Transverse Mercator (US Survey Feet)	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Zone 13N (108 W to 102 W)		

Site	DUCK HUNT		
Site Position:		Northing:	0.00 usft
From:	Map	Easting:	0.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	0° 0' 0.000 N
		Longitude:	109° 29' 19.478 W
		Grid Convergence:	0.00 °

Well	DUCK HUNT 1 STATE COM 502H		
Well Position	+N/-S	0.0 usft	Northing: 11,740,202.40 usft
	+E/-W	0.0 usft	Easting: 2,127,818.34 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 19' 58.118 N
		Longitude:	103° 25' 17.571 W
		Ground Level:	3,366.0 usft

Wellbore	DUCK HUNT 1 STATE COM 502H		
Magnetics	Model Name	Sample Date	Declination
			(°)
	IGRF200510	12/31/2009	7.69
			Dip Angle
			(°)
			60.37
			Field Strength
			(nT)
			48,875.67294996

Design	PWP1		
Audit Notes:			
Version:	Phase:	PLAN	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(usft)	(usft)	(usft)
	0.0	0.0	0.0
			Direction
			(°)
			0.00

Survey Tool Program	Date	8/26/2019		
From	To	Survey (Wellbore)	Tool Name	Description
(usft)	(usft)			
0.0	18,265.6	PWP1 (DUCK HUNT 1 STATE COM 502H	MWD+IFR1+MS	OWSG_Rev2_ MWD + IFR1 + Multi-Station Correction

Planned Survey										
Measured	Inclination	Azimuth	Vertical	+N/-S	+E/-W	Map	Map			
Depth	(°)	(°)	Depth	(usft)	(usft)	Northing	Easting	Latitude	Longitude	
(usft)			(usft)			(usft)	(usft)			
0.0	0.00	0.00	0.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
100.0	0.00	0.00	100.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
200.0	0.00	0.00	200.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
300.0	0.00	0.00	300.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
400.0	0.00	0.00	400.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
500.0	0.00	0.00	500.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
600.0	0.00	0.00	600.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
700.0	0.00	0.00	700.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
800.0	0.00	0.00	800.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
900.0	0.00	0.00	900.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
1,000.0	0.00	0.00	1,000.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	
1,100.0	0.00	0.00	1,100.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W	

LGC
Survey Report - Geographic

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well DUCK HUNT 1 STATE COM 502H
Project:	LEA	TVD Reference:	RKB=3366+25 @ 3391.0usft
Site:	DUCK HUNT	MD Reference:	RKB=3366+25 @ 3391.0usft
Well:	DUCK HUNT 1 STATE COM 502H	North Reference:	True
Wellbore:	DUCK HUNT 1 STATE COM 502H	Survey Calculation Method:	Minimum Curvature
Design:	PWP1	Database:	Centennial EDM SQL Server

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,200.0	0.00	0.00	1,200.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
1,300.0	0.00	0.00	1,300.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
1,400.0	0.00	0.00	1,400.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
1,500.0	0.00	0.00	1,500.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
1,600.0	0.00	0.00	1,600.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
1,700.0	0.00	0.00	1,700.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
1,800.0	0.00	0.00	1,800.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
1,900.0	0.00	0.00	1,900.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
2,000.0	0.00	0.00	2,000.0	0.0	0.0	11,740,202.40	2,127,818.34	32° 19' 58.118 N	103° 25' 17.571 W
2,100.0	1.00	34.00	2,100.0	0.7	0.5	11,740,203.13	2,127,818.81	32° 19' 58.125 N	103° 25' 17.565 W
2,200.0	2.00	34.00	2,200.0	2.9	2.0	11,740,205.32	2,127,820.25	32° 19' 58.147 N	103° 25' 17.548 W
2,300.0	3.00	34.00	2,299.9	6.5	4.4	11,740,208.98	2,127,822.63	32° 19' 58.183 N	103° 25' 17.520 W
2,400.0	4.00	34.00	2,399.7	11.6	7.8	11,740,214.09	2,127,825.97	32° 19' 58.233 N	103° 25' 17.480 W
2,500.0	5.00	34.00	2,499.4	18.1	12.2	11,740,220.66	2,127,830.26	32° 19' 58.297 N	103° 25' 17.429 W
2,600.0	6.00	34.00	2,598.9	26.0	17.6	11,740,228.68	2,127,835.50	32° 19' 58.376 N	103° 25' 17.366 W
2,700.0	7.00	34.00	2,698.3	35.4	23.9	11,740,238.16	2,127,841.69	32° 19' 58.469 N	103° 25' 17.292 W
2,735.0	7.35	34.00	2,733.0	39.0	26.3	11,740,241.82	2,127,844.09	32° 19' 58.505 N	103° 25' 17.264 W
2,800.0	7.35	34.00	2,797.5	45.9	31.0	11,740,248.78	2,127,848.63	32° 19' 58.573 N	103° 25' 17.210 W
2,900.0	7.35	34.00	2,896.6	56.5	38.1	11,740,259.49	2,127,855.63	32° 19' 58.678 N	103° 25' 17.126 W
3,000.0	7.35	34.00	2,995.8	67.1	45.3	11,740,270.20	2,127,862.63	32° 19' 58.783 N	103° 25' 17.043 W
3,100.0	7.35	34.00	3,095.0	77.7	52.4	11,740,280.91	2,127,869.62	32° 19' 58.888 N	103° 25' 16.960 W
3,200.0	7.35	34.00	3,194.2	88.3	59.6	11,740,291.62	2,127,876.62	32° 19' 58.993 N	103° 25' 16.876 W
3,300.0	7.35	34.00	3,293.3	99.0	66.7	11,740,302.33	2,127,883.62	32° 19' 59.098 N	103° 25' 16.793 W
3,400.0	7.35	34.00	3,392.5	109.6	73.9	11,740,313.04	2,127,890.61	32° 19' 59.203 N	103° 25' 16.709 W
3,500.0	7.35	34.00	3,491.7	120.2	81.1	11,740,323.75	2,127,897.61	32° 19' 59.307 N	103° 25' 16.626 W
3,600.0	7.35	34.00	3,590.9	130.8	88.2	11,740,334.46	2,127,904.61	32° 19' 59.412 N	103° 25' 16.543 W
3,700.0	7.35	34.00	3,690.1	141.4	95.4	11,740,345.17	2,127,911.60	32° 19' 59.517 N	103° 25' 16.459 W
3,800.0	7.35	34.00	3,789.2	152.0	102.5	11,740,355.88	2,127,918.60	32° 19' 59.622 N	103° 25' 16.376 W
3,900.0	7.35	34.00	3,888.4	162.6	109.7	11,740,366.59	2,127,925.60	32° 19' 59.727 N	103° 25' 16.292 W
4,000.0	7.35	34.00	3,987.6	173.2	116.8	11,740,377.30	2,127,932.59	32° 19' 59.832 N	103° 25' 16.209 W
4,100.0	7.35	34.00	4,086.8	183.8	124.0	11,740,388.01	2,127,939.59	32° 19' 59.937 N	103° 25' 16.126 W
4,200.0	7.35	34.00	4,185.9	194.4	131.1	11,740,398.72	2,127,946.59	32° 20' 0.042 N	103° 25' 16.042 W
4,300.0	7.35	34.00	4,285.1	205.0	138.3	11,740,409.43	2,127,953.58	32° 20' 0.147 N	103° 25' 15.959 W
4,400.0	7.35	34.00	4,384.3	215.6	145.4	11,740,420.14	2,127,960.58	32° 20' 0.252 N	103° 25' 15.875 W
4,500.0	7.35	34.00	4,483.5	226.2	152.6	11,740,430.85	2,127,967.58	32° 20' 0.357 N	103° 25' 15.792 W
4,600.0	7.35	34.00	4,582.7	236.8	159.7	11,740,441.56	2,127,974.57	32° 20' 0.462 N	103° 25' 15.709 W
4,700.0	7.35	34.00	4,681.8	247.4	166.9	11,740,452.27	2,127,981.57	32° 20' 0.567 N	103° 25' 15.625 W
4,800.0	7.35	34.00	4,781.0	258.0	174.1	11,740,462.98	2,127,988.57	32° 20' 0.672 N	103° 25' 15.542 W
4,900.0	7.35	34.00	4,880.2	268.6	181.2	11,740,473.69	2,127,995.56	32° 20' 0.777 N	103° 25' 15.459 W
5,000.0	7.35	34.00	4,979.4	279.3	188.4	11,740,484.40	2,128,002.56	32° 20' 0.882 N	103° 25' 15.375 W
5,100.0	7.35	34.00	5,078.6	289.9	195.5	11,740,495.11	2,128,009.56	32° 20' 0.987 N	103° 25' 15.292 W
5,200.0	7.35	34.00	5,177.7	300.5	202.7	11,740,505.82	2,128,016.55	32° 20' 1.092 N	103° 25' 15.208 W
5,300.0	7.35	34.00	5,276.9	311.1	209.8	11,740,516.53	2,128,023.55	32° 20' 1.197 N	103° 25' 15.125 W
5,400.0	7.35	34.00	5,376.1	321.7	217.0	11,740,527.24	2,128,030.55	32° 20' 1.302 N	103° 25' 15.042 W
5,500.0	7.35	34.00	5,475.3	332.3	224.1	11,740,537.95	2,128,037.54	32° 20' 1.407 N	103° 25' 14.958 W
5,600.0	7.35	34.00	5,574.4	342.9	231.3	11,740,548.66	2,128,044.54	32° 20' 1.512 N	103° 25' 14.875 W
5,700.0	7.35	34.00	5,673.6	353.5	238.4	11,740,559.37	2,128,051.54	32° 20' 1.617 N	103° 25' 14.791 W
5,800.0	7.35	34.00	5,772.8	364.1	245.6	11,740,570.08	2,128,058.53	32° 20' 1.722 N	103° 25' 14.708 W
5,900.0	7.35	34.00	5,872.0	374.7	252.7	11,740,580.79	2,128,065.53	32° 20' 1.826 N	103° 25' 14.625 W
6,000.0	7.35	34.00	5,971.2	385.3	259.9	11,740,591.50	2,128,072.53	32° 20' 1.931 N	103° 25' 14.541 W
6,100.0	7.35	34.00	6,070.3	395.9	267.1	11,740,602.21	2,128,079.52	32° 20' 2.036 N	103° 25' 14.458 W
6,200.0	7.35	34.00	6,169.5	406.5	274.2	11,740,612.92	2,128,086.52	32° 20' 2.141 N	103° 25' 14.375 W
6,235.0	7.35	34.00	6,204.2	410.2	276.7	11,740,616.67	2,128,088.97	32° 20' 2.178 N	103° 25' 14.345 W
6,300.0	6.70	34.00	6,268.7	416.8	281.2	11,740,623.33	2,128,093.32	32° 20' 2.243 N	103° 25' 14.294 W
6,400.0	5.70	34.00	6,368.2	425.8	287.2	11,740,632.37	2,128,099.22	32° 20' 2.332 N	103° 25' 14.223 W

LGC
Survey Report - Geographic

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well DUCK HUNT 1 STATE COM 502H
Project:	LEA	TVD Reference:	RKB=3366+25 @ 3391.0usft
Site:	DUCK HUNT	MD Reference:	RKB=3366+25 @ 3391.0usft
Well:	DUCK HUNT 1 STATE COM 502H	North Reference:	True
Wellbore:	DUCK HUNT 1 STATE COM 502H	Survey Calculation Method:	Minimum Curvature
Design:	PWP1	Database:	Centennial EDM SQL Server

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,500.0	4.70	34.00	6,467.7	433.3	292.3	11,740,639.96	2,128,104.18	32° 20' 2.406 N	103° 25' 14.164 W
6,600.0	3.70	34.00	6,567.5	439.4	296.4	11,740,646.09	2,128,108.19	32° 20' 2.466 N	103° 25' 14.116 W
6,700.0	2.70	34.00	6,667.3	444.0	299.5	11,740,650.76	2,128,111.24	32° 20' 2.512 N	103° 25' 14.080 W
6,800.0	1.70	34.00	6,767.2	447.2	301.6	11,740,653.97	2,128,113.34	32° 20' 2.544 N	103° 25' 14.055 W
6,900.0	0.70	34.00	6,867.2	448.9	302.8	11,740,655.73	2,128,114.48	32° 20' 2.561 N	103° 25' 14.041 W
6,970.0	0.00	0.00	6,937.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,000.0	0.00	0.00	6,967.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,100.0	0.00	0.00	7,067.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,200.0	0.00	0.00	7,167.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,300.0	0.00	0.00	7,267.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,400.0	0.00	0.00	7,367.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,500.0	0.00	0.00	7,467.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,600.0	0.00	0.00	7,567.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,700.0	0.00	0.00	7,667.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,800.0	0.00	0.00	7,767.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
7,900.0	0.00	0.00	7,867.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,000.0	0.00	0.00	7,967.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,100.0	0.00	0.00	8,067.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,200.0	0.00	0.00	8,167.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,300.0	0.00	0.00	8,267.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,400.0	0.00	0.00	8,367.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,500.0	0.00	0.00	8,467.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,600.0	0.00	0.00	8,567.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,700.0	0.00	0.00	8,667.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,800.0	0.00	0.00	8,767.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
8,900.0	0.00	0.00	8,867.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,000.0	0.00	0.00	8,967.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,100.0	0.00	0.00	9,067.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,200.0	0.00	0.00	9,167.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,300.0	0.00	0.00	9,267.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,400.0	0.00	0.00	9,367.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,500.0	0.00	0.00	9,467.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,600.0	0.00	0.00	9,567.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,700.0	0.00	0.00	9,667.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,800.0	0.00	0.00	9,767.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,900.0	0.00	0.00	9,867.2	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
9,972.8	0.00	0.00	9,940.0	449.3	303.0	11,740,656.09	2,128,114.72	32° 20' 2.564 N	103° 25' 14.038 W
10,000.0	2.72	179.96	9,967.2	448.6	303.0	11,740,655.44	2,128,114.73	32° 20' 2.558 N	103° 25' 14.038 W
10,100.0	12.72	179.96	10,066.2	435.2	303.0	11,740,642.03	2,128,114.93	32° 20' 2.425 N	103° 25' 14.038 W
10,200.0	22.72	179.96	10,161.3	404.8	303.1	11,740,611.63	2,128,115.40	32° 20' 2.124 N	103° 25' 14.038 W
10,300.0	32.72	179.96	10,249.7	358.4	303.1	11,740,565.18	2,128,116.12	32° 20' 1.665 N	103° 25' 14.038 W
10,400.0	42.72	179.96	10,328.7	297.2	303.1	11,740,504.09	2,128,117.06	32° 20' 1.060 N	103° 25' 14.037 W
10,500.0	52.72	179.96	10,395.9	223.4	303.2	11,740,430.20	2,128,118.20	32° 20' 0.329 N	103° 25' 14.037 W
10,600.0	62.72	179.96	10,449.2	138.9	303.3	11,740,345.77	2,128,119.51	32° 19' 59.493 N	103° 25' 14.036 W
10,700.0	72.72	179.96	10,487.1	46.5	303.3	11,740,253.37	2,128,120.93	32° 19' 58.578 N	103° 25' 14.035 W
10,800.0	82.72	179.96	10,508.4	-51.1	303.4	11,740,155.79	2,128,122.44	32° 19' 57.613 N	103° 25' 14.034 W
10,872.8	90.00	179.96	10,513.0	-123.7	303.4	11,740,083.20	2,128,123.56	32° 19' 56.894 N	103° 25' 14.034 W
10,900.0	90.00	179.96	10,513.0	-150.9	303.5	11,740,056.00	2,128,123.98	32° 19' 56.625 N	103° 25' 14.034 W
11,000.0	90.00	179.96	10,513.0	-250.9	303.5	11,739,956.01	2,128,125.53	32° 19' 55.635 N	103° 25' 14.033 W
11,100.0	90.00	179.96	10,513.0	-350.9	303.6	11,739,856.02	2,128,127.07	32° 19' 54.646 N	103° 25' 14.032 W
11,200.0	90.00	179.96	10,513.0	-450.9	303.7	11,739,756.04	2,128,128.61	32° 19' 53.656 N	103° 25' 14.031 W
11,300.0	90.00	179.96	10,513.0	-550.9	303.7	11,739,656.05	2,128,130.16	32° 19' 52.667 N	103° 25' 14.030 W
11,400.0	90.00	179.96	10,513.0	-650.9	303.8	11,739,556.06	2,128,131.70	32° 19' 51.677 N	103° 25' 14.030 W
11,500.0	90.00	179.96	10,513.0	-750.9	303.9	11,739,456.07	2,128,133.24	32° 19' 50.687 N	103° 25' 14.029 W
11,600.0	90.00	179.96	10,513.0	-850.9	303.9	11,739,356.08	2,128,134.79	32° 19' 49.698 N	103° 25' 14.028 W

LGC
Survey Report - Geographic

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well DUCK HUNT 1 STATE COM 502H
Project:	LEA	TVD Reference:	RKB=3366+25 @ 3391.0usft
Site:	DUCK HUNT	MD Reference:	RKB=3366+25 @ 3391.0usft
Well:	DUCK HUNT 1 STATE COM 502H	North Reference:	True
Wellbore:	DUCK HUNT 1 STATE COM 502H	Survey Calculation Method:	Minimum Curvature
Design:	PWP1	Database:	Centennial EDM SQL Server

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,700.0	90.00	179.96	10,513.0	-950.9	304.0	11,739,256.10	2,128,136.33	32° 19' 48.708 N	103° 25' 14.027 W
11,800.0	90.00	179.96	10,513.0	-1,050.9	304.1	11,739,156.11	2,128,137.87	32° 19' 47.718 N	103° 25' 14.026 W
11,900.0	90.00	179.96	10,513.0	-1,150.9	304.2	11,739,056.12	2,128,139.42	32° 19' 46.729 N	103° 25' 14.026 W
12,000.0	90.00	179.96	10,513.0	-1,250.9	304.2	11,738,956.13	2,128,140.96	32° 19' 45.739 N	103° 25' 14.025 W
12,100.0	90.00	179.96	10,513.0	-1,350.9	304.3	11,738,856.14	2,128,142.50	32° 19' 44.750 N	103° 25' 14.024 W
12,200.0	90.00	179.96	10,513.0	-1,450.9	304.4	11,738,756.15	2,128,144.05	32° 19' 43.760 N	103° 25' 14.023 W
12,300.0	90.00	179.96	10,513.0	-1,550.9	304.4	11,738,656.17	2,128,145.59	32° 19' 42.770 N	103° 25' 14.022 W
12,400.0	90.00	179.96	10,513.0	-1,650.9	304.5	11,738,556.18	2,128,147.14	32° 19' 41.781 N	103° 25' 14.022 W
12,500.0	90.00	179.96	10,513.0	-1,750.9	304.6	11,738,456.19	2,128,148.68	32° 19' 40.791 N	103° 25' 14.021 W
12,600.0	90.00	179.96	10,513.0	-1,850.9	304.6	11,738,356.20	2,128,150.22	32° 19' 39.801 N	103° 25' 14.020 W
12,700.0	90.00	179.96	10,513.0	-1,950.9	304.7	11,738,256.21	2,128,151.77	32° 19' 38.812 N	103° 25' 14.019 W
12,800.0	90.00	179.96	10,513.0	-2,050.9	304.8	11,738,156.23	2,128,153.31	32° 19' 37.822 N	103° 25' 14.018 W
12,900.0	90.00	179.96	10,513.0	-2,150.9	304.8	11,738,056.24	2,128,154.85	32° 19' 36.833 N	103° 25' 14.018 W
13,000.0	90.00	179.96	10,513.0	-2,250.9	304.9	11,737,956.25	2,128,156.40	32° 19' 35.843 N	103° 25' 14.017 W
13,100.0	90.00	179.96	10,513.0	-2,350.9	305.0	11,737,856.26	2,128,157.94	32° 19' 34.853 N	103° 25' 14.016 W
13,200.0	90.00	179.96	10,513.0	-2,450.9	305.1	11,737,756.27	2,128,159.48	32° 19' 33.864 N	103° 25' 14.015 W
13,300.0	90.00	179.96	10,513.0	-2,550.9	305.1	11,737,656.29	2,128,161.03	32° 19' 32.874 N	103° 25' 14.014 W
13,400.0	90.00	179.96	10,513.0	-2,650.9	305.2	11,737,556.30	2,128,162.57	32° 19' 31.884 N	103° 25' 14.014 W
13,500.0	90.00	179.96	10,513.0	-2,750.9	305.3	11,737,456.31	2,128,164.11	32° 19' 30.895 N	103° 25' 14.013 W
13,600.0	90.00	179.96	10,513.0	-2,850.9	305.3	11,737,356.32	2,128,165.66	32° 19' 29.905 N	103° 25' 14.012 W
13,700.0	90.00	179.96	10,513.0	-2,950.9	305.4	11,737,256.33	2,128,167.20	32° 19' 28.915 N	103° 25' 14.011 W
13,800.0	90.00	179.96	10,513.0	-3,050.9	305.5	11,737,156.35	2,128,168.74	32° 19' 27.926 N	103° 25' 14.010 W
13,900.0	90.00	179.96	10,513.0	-3,150.9	305.5	11,737,056.36	2,128,170.29	32° 19' 26.936 N	103° 25' 14.009 W
14,000.0	90.00	179.96	10,513.0	-3,250.9	305.6	11,736,956.37	2,128,171.83	32° 19' 25.947 N	103° 25' 14.009 W
14,100.0	90.00	179.96	10,513.0	-3,350.9	305.7	11,736,856.38	2,128,173.38	32° 19' 24.957 N	103° 25' 14.008 W
14,200.0	90.00	179.96	10,513.0	-3,450.9	305.8	11,736,756.39	2,128,174.92	32° 19' 23.967 N	103° 25' 14.007 W
14,300.0	90.00	179.96	10,513.0	-3,550.9	305.8	11,736,656.40	2,128,176.46	32° 19' 22.978 N	103° 25' 14.006 W
14,400.0	90.00	179.96	10,513.0	-3,650.9	305.9	11,736,556.42	2,128,178.01	32° 19' 21.988 N	103° 25' 14.005 W
14,500.0	90.00	179.96	10,513.0	-3,750.9	306.0	11,736,456.43	2,128,179.55	32° 19' 20.998 N	103° 25' 14.005 W
14,600.0	90.00	179.96	10,513.0	-3,850.9	306.0	11,736,356.44	2,128,181.09	32° 19' 20.009 N	103° 25' 14.004 W
14,700.0	90.00	179.96	10,513.0	-3,950.9	306.1	11,736,256.45	2,128,182.64	32° 19' 19.019 N	103° 25' 14.003 W
14,800.0	90.00	179.96	10,513.0	-4,050.9	306.2	11,736,156.46	2,128,184.18	32° 19' 18.030 N	103° 25' 14.002 W
14,900.0	90.00	179.96	10,513.0	-4,150.9	306.2	11,736,056.48	2,128,185.72	32° 19' 17.040 N	103° 25' 14.001 W
15,000.0	90.00	179.96	10,513.0	-4,250.9	306.3	11,735,956.49	2,128,187.27	32° 19' 16.050 N	103° 25' 14.001 W
15,100.0	90.00	179.96	10,513.0	-4,350.9	306.4	11,735,856.50	2,128,188.81	32° 19' 15.061 N	103° 25' 14.000 W
15,200.0	90.00	179.96	10,513.0	-4,450.9	306.5	11,735,756.51	2,128,190.35	32° 19' 14.071 N	103° 25' 13.999 W
15,300.0	90.00	179.96	10,513.0	-4,550.9	306.5	11,735,656.52	2,128,191.90	32° 19' 13.081 N	103° 25' 13.998 W
15,400.0	90.00	179.96	10,513.0	-4,650.9	306.6	11,735,556.54	2,128,193.44	32° 19' 12.092 N	103° 25' 13.997 W
15,500.0	90.00	179.96	10,513.0	-4,750.9	306.7	11,735,456.55	2,128,194.99	32° 19' 11.102 N	103° 25' 13.997 W
15,600.0	90.00	179.96	10,513.0	-4,850.9	306.7	11,735,356.56	2,128,196.53	32° 19' 10.113 N	103° 25' 13.996 W
15,700.0	90.00	179.96	10,513.0	-4,950.9	306.8	11,735,256.57	2,128,198.07	32° 19' 9.123 N	103° 25' 13.995 W
15,800.0	90.00	179.96	10,513.0	-5,050.9	306.9	11,735,156.58	2,128,199.62	32° 19' 8.133 N	103° 25' 13.994 W
15,900.0	90.00	179.96	10,513.0	-5,150.9	306.9	11,735,056.60	2,128,201.16	32° 19' 7.144 N	103° 25' 13.993 W
16,000.0	90.00	179.96	10,513.0	-5,250.9	307.0	11,734,956.61	2,128,202.70	32° 19' 6.154 N	103° 25' 13.992 W
16,100.0	90.00	179.96	10,513.0	-5,350.9	307.1	11,734,856.62	2,128,204.25	32° 19' 5.164 N	103° 25' 13.992 W
16,200.0	90.00	179.96	10,513.0	-5,450.9	307.2	11,734,756.63	2,128,205.79	32° 19' 4.175 N	103° 25' 13.991 W
16,300.0	90.00	179.96	10,513.0	-5,550.9	307.2	11,734,656.64	2,128,207.33	32° 19' 3.185 N	103° 25' 13.990 W
16,400.0	90.00	179.96	10,513.0	-5,650.9	307.3	11,734,556.66	2,128,208.88	32° 19' 2.196 N	103° 25' 13.989 W
16,500.0	90.00	179.96	10,513.0	-5,750.9	307.4	11,734,456.67	2,128,210.42	32° 19' 1.206 N	103° 25' 13.988 W
16,600.0	90.00	179.96	10,513.0	-5,850.9	307.4	11,734,356.68	2,128,211.96	32° 19' 0.216 N	103° 25' 13.988 W
16,700.0	90.00	179.96	10,513.0	-5,950.9	307.5	11,734,256.69	2,128,213.51	32° 18' 59.227 N	103° 25' 13.987 W
16,800.0	90.00	179.96	10,513.0	-6,050.9	307.6	11,734,156.70	2,128,215.05	32° 18' 58.237 N	103° 25' 13.986 W
16,900.0	90.00	179.96	10,513.0	-6,150.9	307.6	11,734,056.71	2,128,216.60	32° 18' 57.247 N	103° 25' 13.985 W
17,000.0	90.00	179.96	10,513.0	-6,250.9	307.7	11,733,956.73	2,128,218.14	32° 18' 56.258 N	103° 25' 13.984 W
17,100.0	90.00	179.96	10,513.0	-6,350.9	307.8	11,733,856.74	2,128,219.68	32° 18' 55.268 N	103° 25' 13.984 W

LGC
Survey Report - Geographic

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well DUCK HUNT 1 STATE COM 502H
Project:	LEA	TVD Reference:	RKB=3366+25 @ 3391.0usft
Site:	DUCK HUNT	MD Reference:	RKB=3366+25 @ 3391.0usft
Well:	DUCK HUNT 1 STATE COM 502H	North Reference:	True
Wellbore:	DUCK HUNT 1 STATE COM 502H	Survey Calculation Method:	Minimum Curvature
Design:	PWP1	Database:	Centennial EDM SQL Server

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
17,200.0	90.00	179.96	10,513.0	-6,450.9	307.9	11,733,756.75	2,128,221.23	32° 18' 54.279 N	103° 25' 13.983 W
17,300.0	90.00	179.96	10,513.0	-6,550.9	307.9	11,733,656.76	2,128,222.77	32° 18' 53.289 N	103° 25' 13.982 W
17,400.0	90.00	179.96	10,513.0	-6,650.9	308.0	11,733,556.77	2,128,224.31	32° 18' 52.299 N	103° 25' 13.981 W
17,500.0	90.00	179.96	10,513.0	-6,750.9	308.1	11,733,456.79	2,128,225.86	32° 18' 51.310 N	103° 25' 13.980 W
17,600.0	90.00	179.96	10,513.0	-6,850.9	308.1	11,733,356.80	2,128,227.40	32° 18' 50.320 N	103° 25' 13.979 W
17,700.0	90.00	179.96	10,513.0	-6,950.9	308.2	11,733,256.81	2,128,228.94	32° 18' 49.330 N	103° 25' 13.979 W
17,800.0	90.00	179.96	10,513.0	-7,050.9	308.3	11,733,156.82	2,128,230.49	32° 18' 48.341 N	103° 25' 13.978 W
17,900.0	90.00	179.96	10,513.0	-7,150.9	308.3	11,733,056.83	2,128,232.03	32° 18' 47.351 N	103° 25' 13.977 W
18,000.0	90.00	179.96	10,513.0	-7,250.9	308.4	11,732,956.85	2,128,233.57	32° 18' 46.362 N	103° 25' 13.976 W
18,100.0	90.00	179.96	10,513.0	-7,350.9	308.5	11,732,856.86	2,128,235.12	32° 18' 45.372 N	103° 25' 13.975 W
18,200.0	90.00	179.96	10,513.0	-7,450.9	308.5	11,732,756.87	2,128,236.66	32° 18' 44.382 N	103° 25' 13.975 W
18,265.6	90.00	179.96	10,513.0	-7,516.4	308.6	11,732,691.32	2,128,237.67	32° 18' 43.734 N	103° 25' 13.974 W

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
FTP - DUCK HUNT 502I - hit/miss target - Shape	0.00	0.84	10,500.0	201.2	304.9	11,740,408.05	2,128,120.26	32° 20' 0.109 N	103° 25' 14.017 W
- plan misses target center by 74.5usft at 10574.4usft MD (10437.0 TVD, 161.4 N, 303.2 E)									
- Circle (radius 50.0)									
LTP - DUCK HUNT 502I - hit/miss target - Shape	0.00	0.84	10,500.0	-7,518.3	308.4	11,732,689.47	2,128,237.46	32° 18' 43.715 N	103° 25' 13.977 W
- plan misses target center by 13.1usft at 18265.6usft MD (10513.0 TVD, -7516.4 N, 308.6 E)									
- Point									

Casing Points					
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")	
1,850.0	1,850.0	13 3/8"	13-3/8	17-1/2	
5,424.1	5,400.0	9 5/8"	9-5/8	12-1/4	
18,265.6	10,513.0	5 1/2"	5-1/2	8-1/2	

Checked By: _____ Approved By: _____ Date: _____

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐

Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number