

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505	Form C-103 August 1, 2011 Permit 273152 WELL API NUMBER 30-015-45948 5. Indicate Type of Lease S 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name MYOX 31 STATE COM																																																																
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)																																																																		
1. Type of Well: G		8. Well Number 601H																																																																
2. Name of Operator COG OPERATING LLC		9. OGRID Number 229137																																																																
3. Address of Operator 600 W Illinois Ave, Midland, TX 79701		10. Pool name or Wildcat																																																																
4. Well Location Unit Letter <u>A</u> : <u>230</u> feet from the <u>N</u> line and feet <u>1190</u> from the <u>E</u> line Section <u>31</u> Township <u>25S</u> Range <u>28E</u> NMPM _____ County <u>Eddy</u>																																																																		
11. Elevation (Show whether DR, KB, BT, GR, etc.) 3013 GR																																																																		
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit Type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____																																																																		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data <table style="width:100%;"> <tr> <td colspan="2" style="text-align: center;">NOTICE OF INTENTION TO:</td> <td colspan="2" style="text-align: center;">SUBSEQUENT REPORT OF:</td> </tr> <tr> <td>PERFORM REMEDIAL WORK <input type="checkbox"/></td> <td>PLUG AND ABANDON <input type="checkbox"/></td> <td>REMEDIAL WORK <input type="checkbox"/></td> <td>ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>TEMPORARILY ABANDON <input type="checkbox"/></td> <td>CHANGE OF PLANS <input type="checkbox"/></td> <td>COMMENCE DRILLING OPNS. <input type="checkbox"/></td> <td>PLUG AND ABANDON <input type="checkbox"/></td> </tr> <tr> <td>PULL OR ALTER CASING <input type="checkbox"/></td> <td>MULTIPLE COMPL <input type="checkbox"/></td> <td>CASING/CEMENT JOB <input type="checkbox"/></td> <td></td> </tr> <tr> <td colspan="2">Other: _____</td> <td colspan="2">Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/></td> </tr> </table>			NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:		PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTER CASING <input type="checkbox"/>	TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE OF PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>		Other: _____		Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/>																																													
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:																																																																
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTER CASING <input type="checkbox"/>																																																															
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE OF PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>																																																															
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>																																																																
Other: _____		Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/>																																																																
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 7/26/19 Spud well. TD 17 1/2" surface hole @ 498'. Set 13 3/8" 54.5# J-55 BTC csg @ 498'. Cmt w/350 sx lead. Tailed inw/200 sx tail. Circ 168 sx to surface. WOC 4 hrs. Test BOP. Test csg to 1500# for 30 mins. Suspend operations. 9/15/19 Resume Operations. Test BOP. Test csg to 1500# for 30". 9/21/19 TD 12 1/4" intermediate hole @ 8456'. Set 9 5/8" 40# L-80 HC BTC csg @ 8456'. DV Tool At 2312. Cmt 1st stg w/970 sx lead. Tailed in w/440 sx. Did not Circ cmt. Cmt 2nd stg w/410 sx lead. Tail in w/255 sx. Circ 103 sx to surface. WOC 12 hrs. Test BOP. Test csg to 1500# for 30 mins. 10/3/19 TD 8 3 See Attached 7/26/2019 Spudded well.																																																																		
Casing and Cement Program <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Date</th> <th>String</th> <th>Fluid Type</th> <th>Hole Size</th> <th>Csg Size</th> <th>Weight lb/ft</th> <th>Grade</th> <th>Est TOC</th> <th>Dpth Set</th> <th>Sacks</th> <th>Yield</th> <th>Class</th> <th>1" Dpth</th> <th>Pres Held</th> <th>Pres Drop</th> <th>Open Hole</th> </tr> </thead> <tbody> <tr> <td>07/26/19</td> <td>Surf</td> <td>FreshWater</td> <td>17.5</td> <td>13.375</td> <td>54.5</td> <td>J55</td> <td>27</td> <td>498</td> <td>550</td> <td>1.67</td> <td>c</td> <td></td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>09/21/19</td> <td>Int1</td> <td>FreshWater</td> <td>12.25</td> <td>9.625</td> <td>40</td> <td>L80</td> <td>2311</td> <td>8448</td> <td>2075</td> <td>2.76</td> <td>C/H</td> <td></td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>10/04/19</td> <td>Prod</td> <td>FreshWater</td> <td>8.75</td> <td>5.5</td> <td>20</td> <td>P110</td> <td>27</td> <td>19185</td> <td>4115</td> <td>1.22</td> <td>H</td> <td></td> <td></td> <td></td> <td>N</td> </tr> </tbody> </table>			Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole	07/26/19	Surf	FreshWater	17.5	13.375	54.5	J55	27	498	550	1.67	c		1500	0	N	09/21/19	Int1	FreshWater	12.25	9.625	40	L80	2311	8448	2075	2.76	C/H		1500	0	N	10/04/19	Prod	FreshWater	8.75	5.5	20	P110	27	19185	4115	1.22	H				N
Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole																																																			
07/26/19	Surf	FreshWater	17.5	13.375	54.5	J55	27	498	550	1.67	c		1500	0	N																																																			
09/21/19	Int1	FreshWater	12.25	9.625	40	L80	2311	8448	2075	2.76	C/H		1500	0	N																																																			
10/04/19	Prod	FreshWater	8.75	5.5	20	P110	27	19185	4115	1.22	H				N																																																			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines <input type="checkbox"/> , a general permit <input type="checkbox"/> or an (attached) alternative OCD-approved plan <input type="checkbox"/> .																																																																		
<table style="width:100%;"> <tr> <td>SIGNATURE</td> <td><u>Electronically Signed</u></td> <td>TITLE</td> <td><u>Production Accounting Director</u></td> <td>DATE</td> <td><u>1/6/2020</u></td> </tr> <tr> <td>Type or print name</td> <td><u>Diane Kuykendall</u></td> <td>E-mail address</td> <td><u>dkuykendall@concho.com</u></td> <td>Telephone No.</td> <td><u>432-685-4372</u></td> </tr> </table>			SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Production Accounting Director</u>	DATE	<u>1/6/2020</u>	Type or print name	<u>Diane Kuykendall</u>	E-mail address	<u>dkuykendall@concho.com</u>	Telephone No.	<u>432-685-4372</u>																																																				
SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Production Accounting Director</u>	DATE	<u>1/6/2020</u>																																																													
Type or print name	<u>Diane Kuykendall</u>	E-mail address	<u>dkuykendall@concho.com</u>	Telephone No.	<u>432-685-4372</u>																																																													
For State Use Only: <table style="width:100%;"> <tr> <td>APPROVED BY:</td> <td><u>Raymond Podany</u></td> <td>TITLE</td> <td><u>Geologist</u></td> <td>DATE</td> <td><u>1/24/2020 9:47:13 AM</u></td> </tr> </table>			APPROVED BY:	<u>Raymond Podany</u>	TITLE	<u>Geologist</u>	DATE	<u>1/24/2020 9:47:13 AM</u>																																																										
APPROVED BY:	<u>Raymond Podany</u>	TITLE	<u>Geologist</u>	DATE	<u>1/24/2020 9:47:13 AM</u>																																																													

7/26/19 Spud well. TD 17 1/2" surface hole @ 498'. Set 13 3/8" 54.5# J-55 BTC csg @ 498'. Cmt w/350 sx lead. Tailed inw/200 sx tail. Circ 168 sx to surface. WOC 4 hrs. Test BOP. Test csg to 1500# for 30 mins. Suspend operations 9/15/19 Resume Operations. Test BOP. Test csg to 1500# for 30".

9/21/19 TD 12 1/4" intermediate hole @ 8456'. Set 9 5/8" 40# L-80 HC BTC csg @ 8456'. DV Tool At 2312. Cmt 1st stg w/970 sx lead. Tailed in w/440 sx. Did not Circ cmt. Cmt 2nd stg w/410 sx lead. Tail in w/255 sx. Circ 103 sx to surface. WOC 12 hrs. Test BOP. Test csg to 1500# for 30 mins.

10/3/19 TD 8 3/4" production lateral @ 19209'. Set 5 1/2" 20# P-110RYCC-CDC-HTQ csg @ 19185'. Cmt w/1145 sx lead. Tail in w/ 2970 sx. Circ 271 sx to surface.

10/5/19 Release rig.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Comments

Permit 273152

DRILLING COMMENTS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Permit Number: 273152
	Permit Type: Drilling

Comments

Created By	Comment	Comment Date
rpodany	submit via hard copy	12/2/2019