<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 277573

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZO
--

Operator Name and Address	2. OGRID Number	
MEWBOURNE OIL CO	14744	
P.O. Box 5270		3. API Number
Hobbs, NM 88241		30-025-46804
4. Property Code	5. Property Name	6. Well No.
327012	SANTA VACA 19 B3NC FEE	001H

7 Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	19	19S	35E	N	205	S	1380	W	Lea

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
С	19	19S	35E	С	100	N	1950	W	Lea

# 9. Pool Information

***************************************	The state of the s
SCHARB;BONE SPRING	55610

### Additional Well Information

11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well	OIL		Private	3793
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
N	15957	3rd Bone Spring Sand		2/23/2020
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

# ☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Туре	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1875	1305	0
Int1	12.25	9.625	40	3500	795	0
Prod	8.75	7	26	11258	885	3300
Liner1	6.125	4.5	13.5	15957	225	10501

# Casing/Cement Program: Additional Comments

MOC proposed to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equiptment before Yates formation for safety & insurance purposes. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

Туре	Type Working Pressure Test Pressure		Manufacturer
Annular	2000	1500	Schaffer
Double Ram	3000	3000	Schaffer
Annular	3000	1500	Schaffer

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.				OIL CONSERVATIO	N DIVISION
Signature:	E			D 151/ 1	
Printed Name:	Electronically filed by Monty Whe	tstone	Approved By:	Paul F Kautz	
Title:	Vice President Operations		Title:	Geologist	
Email Address:	mail Address: prodmgr@mewbourne.com		Approved Date:	1/29/2020	Expiration Date: 1/29/2022
Date:	1/23/2020 Phone: 903-561-2900		Conditions of Approval Attached		

Received by OCD: 1/29/2020 9:14:06 AM

| District | 1625 N. French Dr., Hobbs, NM 88240 |
Phone: (575) 393-6161 Fax (575) 393-0720 |
District II | 8118 First St., Artesia, NM 88210 |
Phone: (575) 748-1283 Fax (575) 748-9720 |
District III | 1000 Rio Brazos Road, Aztec, NM 87410 |
Phone: (505) 334-6178 Fax: (505) 334-6170 |
District IV | 1220 S. St. Francis Dr., Santa Fe, NM 87505 |
Phone: (505) 476-3460 Fax (505) 476-3462

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office


AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

30-025-	2 Pool Code 49680 5460 9CHARD; 3Pool Name PEARL; BONE S	PRING
Property Code 327012	SANTA VACA 19 B3NC FEE	4 Well Number
70GRID NO. 14744	*Operator Name  MEWBOURNE OIL COMPANY	9 Elevation 3793'

"Surface Location UL or lot no. Lot Idn Feet from the North/South line Feet From the East/West line County Section Township Range WEST 205 SOUTH 1380 LEA N 19 19S 35E " Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Feet from the North/South line Feet from the East/West line County 1950 **NORTH** WEST 35E 100 LEA 19 **19S** 14 Consolidation Code 13 Joint or Infill 15 Order No. 12 Dedicated Acres 160

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division



<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410

District III Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

		GAS CAPTU	IRE PLAN			
Date: 1/29/2020						
☑ Original	Operator & OGRID No.:	[14744] MEWBOURNE OII	LCO			
☐ Amended - Reason for						
Amendment:  This Gas Capture Plan outlines act	tions to be taken by the Operator	to reduce well/production fa	cility flaring/venting for	new completion	(new drill, reco	omplete to new zone, re-frac) ac
Amendment:	ted and approved prior to exceed	·	, ,	•	•	omplete to new zone, re-frac) ac
Amendment:  This Gas Capture Plan outlines act  Idote: Form C-129 must be submit	e of facility	ling 60 days allowed by Rule	, ,	•	•	omplete to new zone, re-frac) ac
Amendment:  This Gas Capture Plan outlines act  Note: Form C-129 must be submit  Vell(s)/Production Facility – Name	e of facility	ling 60 days allowed by Rule	, ,	•	•	omplete to new zone, re-frac) ac

# G

TARGA MIDSTREAM SERVICES LLC and will be connected to TARGA MIDSTREAM SERVICES LLC Low Pressure gathering system located in Lea New Mexico. It will require 3400' of pipeline to connect the facility to Low Pressure gathering system. MEWBOURNE OIL CO provides (periodically) to TARGA MIDSTREAM SERVICES LLC a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, MEWBOURNE OIL CO and TARGA MIDSTREAM SERVICES LLC have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at TARGA MIDSTREAM SERVICES LLC Processing Plant located in Sec. 28, Twn. 21S, Rng. 37E, Lea County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on TARGA MIDSTREAM SERVICES LLC system at that time. Based on current information, it is MEWBOURNE OIL CO's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

# Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

Form APD Comments

Permit 277573

# PERMIT COMMENTS

Operator Name and Address:	API Number:
MEWBOURNE OIL CO [14744]	30-025-46804
P.O. Box 5270	Well:
Hobbs, NM 88241	SANTA VACA 19 B3NC FEE #001H

Created By Comment Comment Date

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

Form APD Conditions

Permit 277573

# PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:				
MEWBOURNE OIL CO [14744]	30-025-46804				
P.O. Box 5270	Well:				
Hobbs, NM 88241	SANTA VACA 19 B3NC FEE #001H				

OCD	Condition
Reviewer	
pkautz	Will require a directional survey with the C-104
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing 3) Liner - Cement must tie back into production casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD. If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 5753703186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.

Inten	t	As Dril	led										
API#	ŧ												
Operator Name:						Property Name:							Well Number
Kick (	Off Point	(KOb)											
UL	ck Off Point (KOP)  L Section Township Range Lot		Feet	From N/S F		Feet	et From E		E/W County				
Latitu	Latitude					Longitude						NAD	
First <sup>-</sup>	Take Poir	nt (FTP)	Range	Lot	Feet	From N	1/S	Feet		From E/	w	County	
	Latitude			Longitu		лп м/з		FIGILIE/W			NAD		
						-51,6,144							
Last 1	Take Poin	t (LTP)											
UL													
Latitu	<u>l</u> ude			1	Longitu	Longitude NAD							
Is this	s well the	defining v	vell for th	ne Hori	zontal Sı	pacing Unit?	Γ		]				
		9			,	0 - 1	L		_				
Is this	s well an	infill well?											
	ll is yes p ng Unit.	lease provi	ide API if	availal	ole, Ope	rator Name	and v	vell nu	umber	for Def	inin	g well fo	r Horizontal
API #	!												
Operator Name:					Property Name:							Well Number	
													K7 0C /20 /201

KZ 06/29/2018