

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
August 1, 2011

Permit 278905

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

|                                                                                      |                                               |                               |
|--------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------|
| 1. Operator Name and Address<br>MEWBOURNE OIL CO<br>P.O. Box 5270<br>Hobbs, NM 88241 |                                               | 2. OGRID Number<br>14744      |
|                                                                                      |                                               | 3. API Number<br>30-025-47072 |
| 4. Property Code<br>328105                                                           | 5. Property Name<br>ANTELOPE 9 B2OB STATE COM | 6. Well No.<br>002H           |

**7. Surface Location**

|               |              |                 |              |              |                  |               |                   |               |               |
|---------------|--------------|-----------------|--------------|--------------|------------------|---------------|-------------------|---------------|---------------|
| UL - Lot<br>O | Section<br>9 | Township<br>23S | Range<br>34E | Lot Idn<br>O | Feet From<br>185 | N/S Line<br>S | Feet From<br>2200 | E/W Line<br>E | County<br>Lea |
|---------------|--------------|-----------------|--------------|--------------|------------------|---------------|-------------------|---------------|---------------|

**8. Proposed Bottom Hole Location**

|               |              |                 |              |              |                  |               |                   |               |               |
|---------------|--------------|-----------------|--------------|--------------|------------------|---------------|-------------------|---------------|---------------|
| UL - Lot<br>B | Section<br>9 | Township<br>23S | Range<br>34E | Lot Idn<br>B | Feet From<br>100 | N/S Line<br>N | Feet From<br>1980 | E/W Line<br>E | County<br>Lea |
|---------------|--------------|-----------------|--------------|--------------|------------------|---------------|-------------------|---------------|---------------|

**9. Pool Information**

|      |      |
|------|------|
| 2207 | 2207 |
|------|------|

**Additional Well Information**

|                           |                             |                                        |                         |                                    |
|---------------------------|-----------------------------|----------------------------------------|-------------------------|------------------------------------|
| 11. Work Type<br>New Well | 12. Well Type<br>OIL        | 13. Cable/Rotary                       | 14. Lease Type<br>State | 15. Ground Level Elevation<br>3416 |
| 16. Multiple<br>N         | 17. Proposed Depth<br>15360 | 18. Formation<br>2nd Bone Spring Sand  | 19. Contractor          | 20. Spud Date<br>5/9/2020          |
| Depth to Ground water     |                             | Distance from nearest fresh water well |                         | Distance to nearest surface water  |

☒ We will be using a closed-loop system in lieu of lined pits

**21. Proposed Casing and Cement Program**

| Type   | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|--------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf   | 17.5      | 13.375      | 54.5             | 1385          | 990             | 0             |
| Int1   | 12.25     | 9.625       | 40               | 4950          | 970             | 0             |
| Prod   | 8.75      | 7           | 26               | 10400         | 680             | 4750          |
| Liner1 | 6.125     | 4.5         | 13.5             | 15360         | 220             | 9917          |

**Casing/Cement Program: Additional Comments**

|                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MOC proposed to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equipment before Yates formation for safety & insurance purposes. Will stimulate as needed for production. |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**22. Proposed Blowout Prevention Program**

| Type       | Working Pressure | Test Pressure | Manufacturer |
|------------|------------------|---------------|--------------|
| Annular    | 2000             | 1500          | Schaffer     |
| Double Ram | 3000             | 3000          | Schaffer     |
| Annular    | 3000             | 1500          | Schaffer     |

|                                                                                                                                                                                                                                                                                                      |                                  |                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------|
| 23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.<br>I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> , if applicable. | <b>OIL CONSERVATION DIVISION</b> |                                 |
| Signature:                                                                                                                                                                                                                                                                                           |                                  |                                 |
| Printed Name: Electronically filed by Monty Whetstone                                                                                                                                                                                                                                                | Approved By: Paul F Kautz        |                                 |
| Title: Vice President Operations                                                                                                                                                                                                                                                                     | Title: Geologist                 |                                 |
| Email Address: prodmgr@mewbourne.com                                                                                                                                                                                                                                                                 | Approved Date: 4/13/2020         | Expiration Date: 4/13/2022      |
| Date: 4/9/2020                                                                                                                                                                                                                                                                                       | Phone: 903-561-2900              | Conditions of Approval Attached |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                            |                            |                                |
|----------------------------|----------------------------|--------------------------------|
| <sup>1</sup> API Number    | <sup>2</sup> Pool Code     | <sup>3</sup> Pool Name         |
|                            | 2207                       | ANTELOPE RIDGE; BONE SPRING NW |
| <sup>4</sup> Property Code | <sup>5</sup> Property Name | <sup>6</sup> Well Number       |
|                            | ANTELOPE 9 B20B STATE COM  | 2H                             |
| <sup>7</sup> OGRID NO.     | <sup>8</sup> Operator Name | <sup>9</sup> Elevation         |
| 14744                      | MEWBOURNE OIL COMPANY      | 3416'                          |

<sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet From the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| 0             | 9       | 23S      | 34E   |         | 185           | SOUTH            | 2200          | EAST           | LEA    |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| B             | 9       | 23S      | 34E   |         | 100           | NORTH            | 1980          | EAST           | LEA    |

|                               |                               |                                  |                         |
|-------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
| 160                           |                               |                                  |                         |

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>① S 89°29'06" W 2635.57'</p> <p>② S 89°30'36" W 2644.45'</p> <p>③ N 00°28'56" W 2642.54'</p> <p>④ N 00°31'00" W 2639.36'</p> <p>⑤ S 89°29'03" W 2642.07'</p> <p>⑥ S 89°28'14" W 2637.68'</p> <p>⑦ N 00°30'03" W 2640.19'</p> <p>⑧ N 00°29'31" W 2639.86'</p> <p>⑨</p> <p>⑩</p> <p>⑪</p> <p>⑫</p> <p>⑬</p> <p>⑭</p> <p>⑮</p> <p>⑯</p> <p>⑰</p> <p>⑱</p> <p>⑲</p> <p>⑳</p> <p>㉑</p> <p>㉒</p> <p>㉓</p> <p>㉔</p> <p>㉕</p> <p>㉖</p> <p>㉗</p> <p>㉘</p> <p>㉙</p> <p>㉚</p> <p>㉛</p> <p>㉜</p> <p>㉝</p> <p>㉞</p> <p>㉟</p> <p>㊱</p> <p>㊲</p> <p>㊳</p> <p>㊴</p> <p>㊵</p> <p>㊶</p> <p>㊷</p> <p>㊸</p> <p>㊹</p> <p>㊺</p> <p>㊻</p> <p>㊼</p> <p>㊽</p> <p>㊾</p> <p>㊿</p> <p>100'</p> <p>1980'</p> <p>185'</p> <p>2200'</p> <p>B.H.</p> <p>S.L.</p> <p>PROJECT AREA</p> <p>PRODUCING AREA</p> <p>GEODETIC DATA<br/>NAD 83 GRID - NM EAST</p> <p>SURFACE LOCATION<br/>N 478445.4 - E 806936.3<br/>LAT: 32.3123910° N<br/>LONG: 103.4736164° W</p> <p>BOTTOM HOLE<br/>N 483442.8 - E 807112.9<br/>LAT: 32.3261228° N<br/>LONG: 103.4729148° W</p> <p>CORNER DATA<br/>NAD 83 GRID - NM EAST</p> <p>A: FOUND BRASS CAP "1913"<br/>N: 478232.6 - E: 803858.7</p> <p>B: FOUND BRASS CAP "1913"<br/>N: 480871.4 - E: 803835.0</p> <p>C: FOUND 1/2" REBAR<br/>N: 483513.4 - E: 803812.7</p> <p>D: FOUND 1/2" REBAR<br/>N: 483537.1 - E: 806447.7</p> <p>E: FOUND PK NAIL<br/>N: 483559.7 - E: 809091.7</p> <p>F: FOUND BRASS CAP "1913"<br/>N: 480920.4 - E: 809114.3</p> <p>G: FOUND BRASS CAP "1913"<br/>N: 478280.8 - E: 809137.4</p> <p>H: FOUND BRASS CAP "1913"<br/>N: 478256.4 - E: 806500.3</p> | <p><sup>17</sup> OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Signature <u>Bradley C Bishop</u> Date <u>4-2-20</u></p> <p>Printed Name <b>BRADLEY BISHOP</b></p> <p>E-mail Address <b>BBISHOP@MEWBOURNE.COM</b></p> <p><sup>18</sup> SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p><b>1-8-2015</b></p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor</p> <p><b>19680</b></p> <p>Certificate Number</p> <p>REV: 3-31-20 BHL3</p> <p><b>ROBERT M. HOWETT</b><br/>NEW MEXICO<br/>19680<br/>PROFESSIONAL SURVEYOR</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Job No.: LS1501017D

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

## GAS CAPTURE PLAN

Date: 4/13/2020

☒ Original

Operator & OGRID No.: [14744] MEWBOURNE OIL CO

☐ Amended - Reason for  
Amendment: \_\_\_\_\_

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomple to new zone, re-frac) activity.

*Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).*

### Well(s)/Production Facility – Name of facility

The well(s) that will be located at the production facility are shown in the table below.

| Well Name                       | API          | Well Location (ULSTR) | Footages    | Expected MCF/D | Flared or Vented | Comments          |
|---------------------------------|--------------|-----------------------|-------------|----------------|------------------|-------------------|
| ANTELOPE 9 B2OB STATE COM #002H | 30-025-47072 | O-9-23S-34E           | 0185S 2200E | 10             | None             | ONLINE AFTER FRAC |

### Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to TARGA MIDSTREAM SERVICES LLC and will be connected to TARGA MIDSTREAM SERVICES LLC Low Pressure gathering system located in Lea County, New Mexico. It will require 3400' of pipeline to connect the facility to Low Pressure gathering system. MEWBOURNE OIL CO provides (periodically) to TARGA MIDSTREAM SERVICES LLC a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, MEWBOURNE OIL CO and TARGA MIDSTREAM SERVICES LLC have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at TARGA MIDSTREAM SERVICES LLC Processing Plant located in Sec. 28, Twn. 21S, Rng. 37E, Lea County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

### Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on TARGA MIDSTREAM SERVICES LLC system at that time. Based on current information, it is MEWBOURNE OIL CO's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

### Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation – On lease
  - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas – On lease
  - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal – On lease
  - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form APD Comments

Permit 278905

PERMIT COMMENTS

|                                                                                            |  |                                          |
|--------------------------------------------------------------------------------------------|--|------------------------------------------|
| Operator Name and Address:<br>MEWBOURNE OIL CO [14744]<br>P.O. Box 5270<br>Hobbs, NM 88241 |  | API Number:<br>30-025-47072              |
|                                                                                            |  | Well:<br>ANTELOPE 9 B2OB STATE COM #002H |

|            |         |              |
|------------|---------|--------------|
| Created By | Comment | Comment Date |
|------------|---------|--------------|

**District I**

1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form APD Conditions

Permit 278905

**PERMIT CONDITIONS OF APPROVAL**

|                                                                                            |                                          |
|--------------------------------------------------------------------------------------------|------------------------------------------|
| Operator Name and Address:<br>MEWBOURNE OIL CO [14744]<br>P.O. Box 5270<br>Hobbs, NM 88241 | API Number:<br>30-025-47072              |
|                                                                                            | Well:<br>ANTELOPE 9 B2OB STATE COM #002H |

| OCD<br>Reviewer | Condition                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pkautz          | Will require a directional survey with the C-104                                                                                                                                                                                                                                                                                                                                                       |
| pkautz          | 1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface -- 2) PRODUCTION CASING - Cement must tie back into intermediate casing -- 3) Liner - Cement must tie back into production casing                                                                                                                                                                                                  |
| pkautz          | If cement does not circulate to surface, must run temperature survey or other log to determine top of cement                                                                                                                                                                                                                                                                                           |
| pkautz          | Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water                                                                                                                                                                                                                                                                                                   |
| pkautz          | 1)- The Operator is to notify NMOCB by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104                                                    |
| pkautz          | It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD. If an APD expires and if site construction has occurred, site remediation is required. |
| pkautz          | Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 5753703186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.                                      |

# **Mewbourne Oil Company**

**Lea County, New Mexico NAD 83**

**Antelope 9 B2OB St Com #2H**

**Sec 9, T23S, R34E**

**SHL: 185' FSL & 2200' FEL**

**BHL: 100' FNL & 1980' FEL**

**Plan: Design #1**

## **Standard Planning Report**

**08 April, 2020**

## Planning Report

|                  |                               |                                     |                                        |
|------------------|-------------------------------|-------------------------------------|----------------------------------------|
| <b>Database:</b> | Hobbs                         | <b>Local Co-ordinate Reference:</b> | Site Antelope 9 B2OB St Com #2H        |
| <b>Company:</b>  | Mewbourne Oil Company         | <b>TVD Reference:</b>               | WELL @ 3444.0usft (Original Well Elev) |
| <b>Project:</b>  | Lea County, New Mexico NAD 83 | <b>MD Reference:</b>                | WELL @ 3444.0usft (Original Well Elev) |
| <b>Site:</b>     | Antelope 9 B2OB St Com #2H    | <b>North Reference:</b>             | Grid                                   |
| <b>Well:</b>     | Sec 9, T23S, R34E             | <b>Survey Calculation Method:</b>   | Minimum Curvature                      |
| <b>Wellbore:</b> | BHL: 100' FNL & 1980' FEL     |                                     |                                        |
| <b>Design:</b>   | Design #1                     |                                     |                                        |

|                    |                               |                      |                |
|--------------------|-------------------------------|----------------------|----------------|
| <b>Project</b>     | Lea County, New Mexico NAD 83 |                      |                |
| <b>Map System:</b> | US State Plane 1983           | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983     |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone       |                      |                |

|                       |                            |           |                 |            |                   |      |
|-----------------------|----------------------------|-----------|-----------------|------------|-------------------|------|
| Site                  | Antelope 9 B2OB St Com #2H |           |                 |            |                   |      |
| Site Position:        |                            | Northing: | 478,445.00 usft | Latitude:  | 32.3123899        |      |
| From:                 | Map                        | Easting:  | 806,936.00 usft | Longitude: | -103.4736172      |      |
| Position Uncertainty: |                            | 0.0 usft  | Slot Radius:    | 13-3/16 "  | Grid Convergence: | 0.46 |

| Well                 | Sec 9, T23S, R34E |          |                     |                 |               |              |
|----------------------|-------------------|----------|---------------------|-----------------|---------------|--------------|
| Well Position        | +N/-S             | 0.0 usft | Northing:           | 478,445.00 usft | Latitude:     | 32.3123899   |
|                      | +E/-W             | 0.0 usft | Easting:            | 806,936.00 usft | Longitude:    | -103.4736172 |
| Position Uncertainty |                   | 0.0 usft | Wellhead Elevation: | 3,444.0 usft    | Ground Level: | 3,416.0 usft |

|                  |                           |                    |                        |                      |                            |
|------------------|---------------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | BHL: 100' FNL & 1980' FEL |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b>         | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | IGRF2010                  | 12/31/2014         | 7.11                   | 60.20                | 48,325                     |

|                          |                                |                     |                      |                      |
|--------------------------|--------------------------------|---------------------|----------------------|----------------------|
| <b>Design</b>            | Design #1                      |                     |                      |                      |
| <b>Audit Notes:</b>      |                                |                     |                      |                      |
| <b>Version:</b>          | <b>Phase:</b>                  | PROTOTYPE           | <b>Tie On Depth:</b> | 0.0                  |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b>  | <b>Direction (°)</b> |
|                          | 0.0                            | 0.0                 | 0.0                  | 2.03                 |

| <b>Plan Sections</b>  |                 |             |                       |              |              |                         |                        |                       |         |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|------------------------|-----------------------|---------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) | TFO (°) | Target                |
| 0.0                   | 0.00            | 0.00        | 0.0                   | 0.0          | 0.0          | 0.00                    | 0.00                   | 0.00                  | 0.00    |                       |
| 1,385.0               | 0.00            | 0.00        | 1,385.0               | 0.0          | 0.0          | 0.00                    | 0.00                   | 0.00                  | 0.00    |                       |
| 1,512.3               | 1.91            | 127.89      | 1,512.3               | -1.3         | 1.7          | 1.50                    | 1.50                   | 0.00                  | 127.89  |                       |
| 9,789.3               | 1.91            | 127.89      | 9,784.7               | -170.7       | 219.3        | 0.00                    | 0.00                   | 0.00                  | 0.00    |                       |
| 9,916.6               | 0.00            | 0.00        | 9,912.0               | -172.0       | 221.0        | 1.50                    | -1.50                  | 0.00                  | 180.00  | KOP: 10' FSL & 1980'  |
| 10,672.0              | 90.72           | 359.51      | 10,389.0              | 311.0        | 216.9        | 12.01                   | 12.01                  | 0.00                  | -0.49   |                       |
| 15,359.5              | 90.72           | 359.51      | 10,330.0              | 4,998.0      | 177.0        | 0.00                    | 0.00                   | 0.00                  | 0.00    | BHL: 100' FNL & 1980' |

## Planning Report

|                  |                               |                                     |                                        |
|------------------|-------------------------------|-------------------------------------|----------------------------------------|
| <b>Database:</b> | Hobbs                         | <b>Local Co-ordinate Reference:</b> | Site Antelope 9 B2OB St Com #2H        |
| <b>Company:</b>  | Mewbourne Oil Company         | <b>TVD Reference:</b>               | WELL @ 3444.0usft (Original Well Elev) |
| <b>Project:</b>  | Lea County, New Mexico NAD 83 | <b>MD Reference:</b>                | WELL @ 3444.0usft (Original Well Elev) |
| <b>Site:</b>     | Antelope 9 B2OB St Com #2H    | <b>North Reference:</b>             | Grid                                   |
| <b>Well:</b>     | Sec 9, T23S, R34E             | <b>Survey Calculation Method:</b>   | Minimum Curvature                      |
| <b>Wellbore:</b> | BHL: 100' FNL & 1980' FEL     |                                     |                                        |
| <b>Design:</b>   | Design #1                     |                                     |                                        |

| Planned Survey            |                 |             |                       |              |              |                         |                         |                        |                       |
|---------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)     | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 0.0                       | 0.00            | 0.00        | 0.0                   | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| SHL: 185' FSL & 2200' FEL |                 |             |                       |              |              |                         |                         |                        |                       |
| 100.0                     | 0.00            | 0.00        | 100.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 200.0                     | 0.00            | 0.00        | 200.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 300.0                     | 0.00            | 0.00        | 300.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 400.0                     | 0.00            | 0.00        | 400.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 500.0                     | 0.00            | 0.00        | 500.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 600.0                     | 0.00            | 0.00        | 600.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 700.0                     | 0.00            | 0.00        | 700.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 800.0                     | 0.00            | 0.00        | 800.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 900.0                     | 0.00            | 0.00        | 900.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,000.0                   | 0.00            | 0.00        | 1,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,100.0                   | 0.00            | 0.00        | 1,100.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,200.0                   | 0.00            | 0.00        | 1,200.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,300.0                   | 0.00            | 0.00        | 1,300.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,385.0                   | 0.00            | 0.00        | 1,385.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,400.0                   | 0.23            | 127.89      | 1,400.0               | 0.0          | 0.0          | 0.0                     | 1.50                    | 1.50                   | 0.00                  |
| 1,500.0                   | 1.73            | 127.89      | 1,500.0               | -1.1         | 1.4          | -1.0                    | 1.50                    | 1.50                   | 0.00                  |
| 1,512.3                   | 1.91            | 127.89      | 1,512.3               | -1.3         | 1.7          | -1.2                    | 1.50                    | 1.50                   | 0.00                  |
| 1,600.0                   | 1.91            | 127.89      | 1,599.9               | -3.1         | 4.0          | -3.0                    | 0.00                    | 0.00                   | 0.00                  |
| 1,700.0                   | 1.91            | 127.89      | 1,699.9               | -5.1         | 6.6          | -4.9                    | 0.00                    | 0.00                   | 0.00                  |
| 1,800.0                   | 1.91            | 127.89      | 1,799.8               | -7.2         | 9.2          | -6.9                    | 0.00                    | 0.00                   | 0.00                  |
| 1,900.0                   | 1.91            | 127.89      | 1,899.8               | -9.2         | 11.9         | -8.8                    | 0.00                    | 0.00                   | 0.00                  |
| 2,000.0                   | 1.91            | 127.89      | 1,999.7               | -11.3        | 14.5         | -10.8                   | 0.00                    | 0.00                   | 0.00                  |
| 2,100.0                   | 1.91            | 127.89      | 2,099.7               | -13.3        | 17.1         | -12.7                   | 0.00                    | 0.00                   | 0.00                  |
| 2,200.0                   | 1.91            | 127.89      | 2,199.6               | -15.4        | 19.8         | -14.7                   | 0.00                    | 0.00                   | 0.00                  |
| 2,300.0                   | 1.91            | 127.89      | 2,299.5               | -17.4        | 22.4         | -16.6                   | 0.00                    | 0.00                   | 0.00                  |
| 2,400.0                   | 1.91            | 127.89      | 2,399.5               | -19.5        | 25.0         | -18.6                   | 0.00                    | 0.00                   | 0.00                  |
| 2,500.0                   | 1.91            | 127.89      | 2,499.4               | -21.5        | 27.6         | -20.5                   | 0.00                    | 0.00                   | 0.00                  |
| 2,600.0                   | 1.91            | 127.89      | 2,599.4               | -23.6        | 30.3         | -22.5                   | 0.00                    | 0.00                   | 0.00                  |
| 2,700.0                   | 1.91            | 127.89      | 2,699.3               | -25.6        | 32.9         | -24.4                   | 0.00                    | 0.00                   | 0.00                  |
| 2,800.0                   | 1.91            | 127.89      | 2,799.3               | -27.7        | 35.5         | -26.4                   | 0.00                    | 0.00                   | 0.00                  |
| 2,900.0                   | 1.91            | 127.89      | 2,899.2               | -29.7        | 38.2         | -28.3                   | 0.00                    | 0.00                   | 0.00                  |
| 3,000.0                   | 1.91            | 127.89      | 2,999.2               | -31.7        | 40.8         | -30.3                   | 0.00                    | 0.00                   | 0.00                  |
| 3,100.0                   | 1.91            | 127.89      | 3,099.1               | -33.8        | 43.4         | -32.2                   | 0.00                    | 0.00                   | 0.00                  |
| 3,200.0                   | 1.91            | 127.89      | 3,199.0               | -35.8        | 46.1         | -34.2                   | 0.00                    | 0.00                   | 0.00                  |
| 3,300.0                   | 1.91            | 127.89      | 3,299.0               | -37.9        | 48.7         | -36.1                   | 0.00                    | 0.00                   | 0.00                  |
| 3,400.0                   | 1.91            | 127.89      | 3,398.9               | -39.9        | 51.3         | -38.1                   | 0.00                    | 0.00                   | 0.00                  |
| 3,500.0                   | 1.91            | 127.89      | 3,498.9               | -42.0        | 53.9         | -40.0                   | 0.00                    | 0.00                   | 0.00                  |
| 3,600.0                   | 1.91            | 127.89      | 3,598.8               | -44.0        | 56.6         | -42.0                   | 0.00                    | 0.00                   | 0.00                  |
| 3,700.0                   | 1.91            | 127.89      | 3,698.8               | -46.1        | 59.2         | -44.0                   | 0.00                    | 0.00                   | 0.00                  |
| 3,800.0                   | 1.91            | 127.89      | 3,798.7               | -48.1        | 61.8         | -45.9                   | 0.00                    | 0.00                   | 0.00                  |
| 3,900.0                   | 1.91            | 127.89      | 3,898.7               | -50.2        | 64.5         | -47.9                   | 0.00                    | 0.00                   | 0.00                  |
| 4,000.0                   | 1.91            | 127.89      | 3,998.6               | -52.2        | 67.1         | -49.8                   | 0.00                    | 0.00                   | 0.00                  |
| 4,100.0                   | 1.91            | 127.89      | 4,098.5               | -54.3        | 69.7         | -51.8                   | 0.00                    | 0.00                   | 0.00                  |
| 4,200.0                   | 1.91            | 127.89      | 4,198.5               | -56.3        | 72.3         | -53.7                   | 0.00                    | 0.00                   | 0.00                  |
| 4,300.0                   | 1.91            | 127.89      | 4,298.4               | -58.4        | 75.0         | -55.7                   | 0.00                    | 0.00                   | 0.00                  |
| 4,400.0                   | 1.91            | 127.89      | 4,398.4               | -60.4        | 77.6         | -57.6                   | 0.00                    | 0.00                   | 0.00                  |
| 4,500.0                   | 1.91            | 127.89      | 4,498.3               | -62.4        | 80.2         | -59.6                   | 0.00                    | 0.00                   | 0.00                  |
| 4,600.0                   | 1.91            | 127.89      | 4,598.3               | -64.5        | 82.9         | -61.5                   | 0.00                    | 0.00                   | 0.00                  |
| 4,700.0                   | 1.91            | 127.89      | 4,698.2               | -66.5        | 85.5         | -63.5                   | 0.00                    | 0.00                   | 0.00                  |
| 4,800.0                   | 1.91            | 127.89      | 4,798.2               | -68.6        | 88.1         | -65.4                   | 0.00                    | 0.00                   | 0.00                  |
| 4,900.0                   | 1.91            | 127.89      | 4,898.1               | -70.6        | 90.8         | -67.4                   | 0.00                    | 0.00                   | 0.00                  |
| 5,000.0                   | 1.91            | 127.89      | 4,998.0               | -72.7        | 93.4         | -69.3                   | 0.00                    | 0.00                   | 0.00                  |



## Planning Report

|                  |                               |                                     |                                        |
|------------------|-------------------------------|-------------------------------------|----------------------------------------|
| <b>Database:</b> | Hobbs                         | <b>Local Co-ordinate Reference:</b> | Site Antelope 9 B2OB St Com #2H        |
| <b>Company:</b>  | Mewbourne Oil Company         | <b>TVD Reference:</b>               | WELL @ 3444.0usft (Original Well Elev) |
| <b>Project:</b>  | Lea County, New Mexico NAD 83 | <b>MD Reference:</b>                | WELL @ 3444.0usft (Original Well Elev) |
| <b>Site:</b>     | Antelope 9 B2OB St Com #2H    | <b>North Reference:</b>             | Grid                                   |
| <b>Well:</b>     | Sec 9, T23S, R34E             | <b>Survey Calculation Method:</b>   | Minimum Curvature                      |
| <b>Wellbore:</b> | BHL: 100' FNL & 1980' FEL     |                                     |                                        |
| <b>Design:</b>   | Design #1                     |                                     |                                        |

| Planned Survey                      |                 |             |                       |              |              |                         |                         |                        |                       |
|-------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)               | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 5,100.0                             | 1.91            | 127.89      | 5,098.0               | -74.7        | 96.0         | -71.3                   | 0.00                    | 0.00                   | 0.00                  |
| 5,200.0                             | 1.91            | 127.89      | 5,197.9               | -76.8        | 98.6         | -73.2                   | 0.00                    | 0.00                   | 0.00                  |
| 5,300.0                             | 1.91            | 127.89      | 5,297.9               | -78.8        | 101.3        | -75.2                   | 0.00                    | 0.00                   | 0.00                  |
| 5,400.0                             | 1.91            | 127.89      | 5,397.8               | -80.9        | 103.9        | -77.1                   | 0.00                    | 0.00                   | 0.00                  |
| 5,500.0                             | 1.91            | 127.89      | 5,497.8               | -82.9        | 106.5        | -79.1                   | 0.00                    | 0.00                   | 0.00                  |
| 5,600.0                             | 1.91            | 127.89      | 5,597.7               | -85.0        | 109.2        | -81.0                   | 0.00                    | 0.00                   | 0.00                  |
| 5,700.0                             | 1.91            | 127.89      | 5,697.7               | -87.0        | 111.8        | -83.0                   | 0.00                    | 0.00                   | 0.00                  |
| 5,800.0                             | 1.91            | 127.89      | 5,797.6               | -89.1        | 114.4        | -84.9                   | 0.00                    | 0.00                   | 0.00                  |
| 5,900.0                             | 1.91            | 127.89      | 5,897.5               | -91.1        | 117.1        | -86.9                   | 0.00                    | 0.00                   | 0.00                  |
| 6,000.0                             | 1.91            | 127.89      | 5,997.5               | -93.1        | 119.7        | -88.9                   | 0.00                    | 0.00                   | 0.00                  |
| 6,100.0                             | 1.91            | 127.89      | 6,097.4               | -95.2        | 122.3        | -90.8                   | 0.00                    | 0.00                   | 0.00                  |
| 6,200.0                             | 1.91            | 127.89      | 6,197.4               | -97.2        | 124.9        | -92.8                   | 0.00                    | 0.00                   | 0.00                  |
| 6,300.0                             | 1.91            | 127.89      | 6,297.3               | -99.3        | 127.6        | -94.7                   | 0.00                    | 0.00                   | 0.00                  |
| 6,400.0                             | 1.91            | 127.89      | 6,397.3               | -101.3       | 130.2        | -96.7                   | 0.00                    | 0.00                   | 0.00                  |
| 6,500.0                             | 1.91            | 127.89      | 6,497.2               | -103.4       | 132.8        | -98.6                   | 0.00                    | 0.00                   | 0.00                  |
| 6,600.0                             | 1.91            | 127.89      | 6,597.2               | -105.4       | 135.5        | -100.6                  | 0.00                    | 0.00                   | 0.00                  |
| 6,700.0                             | 1.91            | 127.89      | 6,697.1               | -107.5       | 138.1        | -102.5                  | 0.00                    | 0.00                   | 0.00                  |
| 6,800.0                             | 1.91            | 127.89      | 6,797.0               | -109.5       | 140.7        | -104.5                  | 0.00                    | 0.00                   | 0.00                  |
| 6,900.0                             | 1.91            | 127.89      | 6,897.0               | -111.6       | 143.3        | -106.4                  | 0.00                    | 0.00                   | 0.00                  |
| 7,000.0                             | 1.91            | 127.89      | 6,996.9               | -113.6       | 146.0        | -108.4                  | 0.00                    | 0.00                   | 0.00                  |
| 7,100.0                             | 1.91            | 127.89      | 7,096.9               | -115.7       | 148.6        | -110.3                  | 0.00                    | 0.00                   | 0.00                  |
| 7,200.0                             | 1.91            | 127.89      | 7,196.8               | -117.7       | 151.2        | -112.3                  | 0.00                    | 0.00                   | 0.00                  |
| 7,300.0                             | 1.91            | 127.89      | 7,296.8               | -119.8       | 153.9        | -114.2                  | 0.00                    | 0.00                   | 0.00                  |
| 7,400.0                             | 1.91            | 127.89      | 7,396.7               | -121.8       | 156.5        | -116.2                  | 0.00                    | 0.00                   | 0.00                  |
| 7,500.0                             | 1.91            | 127.89      | 7,496.7               | -123.8       | 159.1        | -118.1                  | 0.00                    | 0.00                   | 0.00                  |
| 7,600.0                             | 1.91            | 127.89      | 7,596.6               | -125.9       | 161.8        | -120.1                  | 0.00                    | 0.00                   | 0.00                  |
| 7,700.0                             | 1.91            | 127.89      | 7,696.5               | -127.9       | 164.4        | -122.0                  | 0.00                    | 0.00                   | 0.00                  |
| 7,800.0                             | 1.91            | 127.89      | 7,796.5               | -130.0       | 167.0        | -124.0                  | 0.00                    | 0.00                   | 0.00                  |
| 7,900.0                             | 1.91            | 127.89      | 7,896.4               | -132.0       | 169.6        | -125.9                  | 0.00                    | 0.00                   | 0.00                  |
| 8,000.0                             | 1.91            | 127.89      | 7,996.4               | -134.1       | 172.3        | -127.9                  | 0.00                    | 0.00                   | 0.00                  |
| 8,100.0                             | 1.91            | 127.89      | 8,096.3               | -136.1       | 174.9        | -129.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,200.0                             | 1.91            | 127.89      | 8,196.3               | -138.2       | 177.5        | -131.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,300.0                             | 1.91            | 127.89      | 8,296.2               | -140.2       | 180.2        | -133.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,400.0                             | 1.91            | 127.89      | 8,396.2               | -142.3       | 182.8        | -135.7                  | 0.00                    | 0.00                   | 0.00                  |
| 8,500.0                             | 1.91            | 127.89      | 8,496.1               | -144.3       | 185.4        | -137.7                  | 0.00                    | 0.00                   | 0.00                  |
| 8,600.0                             | 1.91            | 127.89      | 8,596.0               | -146.4       | 188.1        | -139.6                  | 0.00                    | 0.00                   | 0.00                  |
| 8,700.0                             | 1.91            | 127.89      | 8,696.0               | -148.4       | 190.7        | -141.6                  | 0.00                    | 0.00                   | 0.00                  |
| 8,800.0                             | 1.91            | 127.89      | 8,795.9               | -150.4       | 193.3        | -143.5                  | 0.00                    | 0.00                   | 0.00                  |
| 8,900.0                             | 1.91            | 127.89      | 8,895.9               | -152.5       | 195.9        | -145.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,000.0                             | 1.91            | 127.89      | 8,995.8               | -154.5       | 198.6        | -147.4                  | 0.00                    | 0.00                   | 0.00                  |
| 9,100.0                             | 1.91            | 127.89      | 9,095.8               | -156.6       | 201.2        | -149.4                  | 0.00                    | 0.00                   | 0.00                  |
| 9,200.0                             | 1.91            | 127.89      | 9,195.7               | -158.6       | 203.8        | -151.3                  | 0.00                    | 0.00                   | 0.00                  |
| 9,300.0                             | 1.91            | 127.89      | 9,295.7               | -160.7       | 206.5        | -153.3                  | 0.00                    | 0.00                   | 0.00                  |
| 9,400.0                             | 1.91            | 127.89      | 9,395.6               | -162.7       | 209.1        | -155.2                  | 0.00                    | 0.00                   | 0.00                  |
| 9,500.0                             | 1.91            | 127.89      | 9,495.5               | -164.8       | 211.7        | -157.2                  | 0.00                    | 0.00                   | 0.00                  |
| 9,600.0                             | 1.91            | 127.89      | 9,595.5               | -166.8       | 214.3        | -159.1                  | 0.00                    | 0.00                   | 0.00                  |
| 9,700.0                             | 1.91            | 127.89      | 9,695.4               | -168.9       | 217.0        | -161.1                  | 0.00                    | 0.00                   | 0.00                  |
| 9,789.3                             | 1.91            | 127.89      | 9,784.7               | -170.7       | 219.3        | -162.8                  | 0.00                    | 0.00                   | 0.00                  |
| 9,800.0                             | 1.75            | 127.89      | 9,795.4               | -170.9       | 219.6        | -163.0                  | 1.50                    | -1.50                  | 0.00                  |
| 9,900.0                             | 0.25            | 127.89      | 9,895.4               | -172.0       | 221.0        | -164.0                  | 1.50                    | -1.50                  | 0.00                  |
| 9,916.6                             | 0.00            | 0.00        | 9,912.0               | -172.0       | 221.0        | -164.1                  | 1.50                    | -1.50                  | 0.00                  |
| <b>KOP: 10' FSL &amp; 1980' FEL</b> |                 |             |                       |              |              |                         |                         |                        |                       |
| 10,000.0                            | 10.01           | 359.51      | 9,994.9               | -164.7       | 220.9        | -156.8                  | 12.01                   | 12.01                  | 0.00                  |

## Planning Report

|                  |                               |                                     |                                        |
|------------------|-------------------------------|-------------------------------------|----------------------------------------|
| <b>Database:</b> | Hobbs                         | <b>Local Co-ordinate Reference:</b> | Site Antelope 9 B2OB St Com #2H        |
| <b>Company:</b>  | Mewbourne Oil Company         | <b>TVD Reference:</b>               | WELL @ 3444.0usft (Original Well Elev) |
| <b>Project:</b>  | Lea County, New Mexico NAD 83 | <b>MD Reference:</b>                | WELL @ 3444.0usft (Original Well Elev) |
| <b>Site:</b>     | Antelope 9 B2OB St Com #2H    | <b>North Reference:</b>             | Grid                                   |
| <b>Well:</b>     | Sec 9, T23S, R34E             | <b>Survey Calculation Method:</b>   | Minimum Curvature                      |
| <b>Wellbore:</b> | BHL: 100' FNL & 1980' FEL     |                                     |                                        |
| <b>Design:</b>   | Design #1                     |                                     |                                        |

| Planned Survey                       |                 |             |                       |              |              |                         |                         |                        |                       |  |
|--------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft)                | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 10,100.0                             | 22.02           | 359.51      | 10,090.9              | -137.2       | 220.7        | -129.3                  | 12.01                   | 12.01                  | 0.00                  |  |
| 10,200.0                             | 34.03           | 359.51      | 10,179.0              | -90.3        | 220.3        | -82.4                   | 12.01                   | 12.01                  | 0.00                  |  |
| 10,214.5                             | 35.77           | 359.51      | 10,190.8              | -82.0        | 220.2        | -74.2                   | 12.01                   | 12.01                  | 0.00                  |  |
| <b>FTP: 100' FSL &amp; 1980' FEL</b> |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 10,300.0                             | 46.04           | 359.51      | 10,255.4              | -26.1        | 219.8        | -18.3                   | 12.01                   | 12.01                  | 0.00                  |  |
| 10,400.0                             | 58.05           | 359.51      | 10,316.8              | 52.6         | 219.1        | 60.3                    | 12.01                   | 12.01                  | 0.00                  |  |
| 10,500.0                             | 70.07           | 359.51      | 10,360.5              | 142.4        | 218.3        | 150.0                   | 12.01                   | 12.01                  | 0.00                  |  |
| 10,600.0                             | 82.08           | 359.51      | 10,384.5              | 239.3        | 217.5        | 246.8                   | 12.01                   | 12.01                  | 0.00                  |  |
| 10,672.0                             | 90.72           | 359.51      | 10,389.0              | 311.0        | 216.9        | 318.5                   | 12.01                   | 12.01                  | 0.00                  |  |
| <b>LP: 496' FSL &amp; 1980' FEL</b>  |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 10,700.0                             | 90.72           | 359.51      | 10,388.6              | 339.0        | 216.7        | 346.5                   | 0.01                    | 0.01                   | 0.00                  |  |
| 10,800.0                             | 90.72           | 359.51      | 10,387.4              | 439.0        | 215.8        | 446.4                   | 0.00                    | 0.00                   | 0.00                  |  |
| 10,900.0                             | 90.72           | 359.51      | 10,386.1              | 539.0        | 214.9        | 546.3                   | 0.00                    | 0.00                   | 0.00                  |  |
| 11,000.0                             | 90.72           | 359.51      | 10,384.9              | 639.0        | 214.1        | 646.2                   | 0.00                    | 0.00                   | 0.00                  |  |
| 11,100.0                             | 90.72           | 359.51      | 10,383.6              | 739.0        | 213.2        | 746.1                   | 0.00                    | 0.00                   | 0.00                  |  |
| 11,200.0                             | 90.72           | 359.51      | 10,382.4              | 839.0        | 212.4        | 846.0                   | 0.00                    | 0.00                   | 0.00                  |  |
| 11,300.0                             | 90.72           | 359.51      | 10,381.1              | 939.0        | 211.5        | 945.9                   | 0.00                    | 0.00                   | 0.00                  |  |
| 11,400.0                             | 90.72           | 359.51      | 10,379.8              | 1,039.0      | 210.7        | 1,045.8                 | 0.00                    | 0.00                   | 0.00                  |  |
| 11,500.0                             | 90.72           | 359.51      | 10,378.6              | 1,139.0      | 209.8        | 1,145.7                 | 0.00                    | 0.00                   | 0.00                  |  |
| 11,600.0                             | 90.72           | 359.51      | 10,377.3              | 1,238.9      | 209.0        | 1,245.6                 | 0.00                    | 0.00                   | 0.00                  |  |
| 11,700.0                             | 90.72           | 359.51      | 10,376.1              | 1,338.9      | 208.1        | 1,345.5                 | 0.00                    | 0.00                   | 0.00                  |  |
| 11,800.0                             | 90.72           | 359.51      | 10,374.8              | 1,438.9      | 207.3        | 1,445.4                 | 0.00                    | 0.00                   | 0.00                  |  |
| 11,900.0                             | 90.72           | 359.51      | 10,373.5              | 1,538.9      | 206.4        | 1,545.2                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,000.0                             | 90.72           | 359.51      | 10,372.3              | 1,638.9      | 205.6        | 1,645.1                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,100.0                             | 90.72           | 359.51      | 10,371.0              | 1,738.9      | 204.7        | 1,745.0                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,200.0                             | 90.72           | 359.51      | 10,369.8              | 1,838.9      | 203.9        | 1,844.9                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,300.0                             | 90.72           | 359.51      | 10,368.5              | 1,938.9      | 203.0        | 1,944.8                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,400.0                             | 90.72           | 359.51      | 10,367.2              | 2,038.8      | 202.2        | 2,044.7                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,500.0                             | 90.72           | 359.51      | 10,366.0              | 2,138.8      | 201.3        | 2,144.6                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,600.0                             | 90.72           | 359.51      | 10,364.7              | 2,238.8      | 200.5        | 2,244.5                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,700.0                             | 90.72           | 359.51      | 10,363.5              | 2,338.8      | 199.6        | 2,344.4                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,800.0                             | 90.72           | 359.51      | 10,362.2              | 2,438.8      | 198.8        | 2,444.3                 | 0.00                    | 0.00                   | 0.00                  |  |
| 12,900.0                             | 90.72           | 359.51      | 10,361.0              | 2,538.8      | 197.9        | 2,544.2                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,000.0                             | 90.72           | 359.51      | 10,359.7              | 2,638.8      | 197.1        | 2,644.1                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,100.0                             | 90.72           | 359.51      | 10,358.4              | 2,738.8      | 196.2        | 2,744.0                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,200.0                             | 90.72           | 359.51      | 10,357.2              | 2,838.8      | 195.4        | 2,843.9                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,300.0                             | 90.72           | 359.51      | 10,355.9              | 2,938.7      | 194.5        | 2,943.8                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,400.0                             | 90.72           | 359.51      | 10,354.7              | 3,038.7      | 193.7        | 3,043.7                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,500.0                             | 90.72           | 359.51      | 10,353.4              | 3,138.7      | 192.8        | 3,143.6                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,600.0                             | 90.72           | 359.51      | 10,352.1              | 3,238.7      | 192.0        | 3,243.5                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,700.0                             | 90.72           | 359.51      | 10,350.9              | 3,338.7      | 191.1        | 3,343.4                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,800.0                             | 90.72           | 359.51      | 10,349.6              | 3,438.7      | 190.3        | 3,443.3                 | 0.00                    | 0.00                   | 0.00                  |  |
| 13,900.0                             | 90.72           | 359.51      | 10,348.4              | 3,538.7      | 189.4        | 3,543.2                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,000.0                             | 90.72           | 359.51      | 10,347.1              | 3,638.7      | 188.6        | 3,643.1                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,100.0                             | 90.72           | 359.51      | 10,345.9              | 3,738.7      | 187.7        | 3,743.0                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,200.0                             | 90.72           | 359.51      | 10,344.6              | 3,838.6      | 186.9        | 3,842.8                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,300.0                             | 90.72           | 359.51      | 10,343.3              | 3,938.6      | 186.0        | 3,942.7                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,400.0                             | 90.72           | 359.51      | 10,342.1              | 4,038.6      | 185.2        | 4,042.6                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,500.0                             | 90.72           | 359.51      | 10,340.8              | 4,138.6      | 184.3        | 4,142.5                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,600.0                             | 90.72           | 359.51      | 10,339.6              | 4,238.6      | 183.5        | 4,242.4                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,700.0                             | 90.72           | 359.51      | 10,338.3              | 4,338.6      | 182.6        | 4,342.3                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,800.0                             | 90.72           | 359.51      | 10,337.0              | 4,438.6      | 181.8        | 4,442.2                 | 0.00                    | 0.00                   | 0.00                  |  |
| 14,900.0                             | 90.72           | 359.51      | 10,335.8              | 4,538.6      | 180.9        | 4,542.1                 | 0.00                    | 0.00                   | 0.00                  |  |
| 15,000.0                             | 90.72           | 359.51      | 10,334.5              | 4,638.5      | 180.1        | 4,642.0                 | 0.00                    | 0.00                   | 0.00                  |  |

## Planning Report

|                  |                               |                                     |                                        |
|------------------|-------------------------------|-------------------------------------|----------------------------------------|
| <b>Database:</b> | Hobbs                         | <b>Local Co-ordinate Reference:</b> | Site Antelope 9 B2OB St Com #2H        |
| <b>Company:</b>  | Mewbourne Oil Company         | <b>TVD Reference:</b>               | WELL @ 3444.0usft (Original Well Elev) |
| <b>Project:</b>  | Lea County, New Mexico NAD 83 | <b>MD Reference:</b>                | WELL @ 3444.0usft (Original Well Elev) |
| <b>Site:</b>     | Antelope 9 B2OB St Com #2H    | <b>North Reference:</b>             | Grid                                   |
| <b>Well:</b>     | Sec 9, T23S, R34E             | <b>Survey Calculation Method:</b>   | Minimum Curvature                      |
| <b>Wellbore:</b> | BHL: 100' FNL & 1980' FEL     |                                     |                                        |
| <b>Design:</b>   | Design #1                     |                                     |                                        |

| Planned Survey            |                 |             |                       |              |              |                         |                         |                        |                       |  |
|---------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft)     | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 15,100.0                  | 90.72           | 359.51      | 10,333.3              | 4,738.5      | 179.2        | 4,741.9                 | 0.00                    | 0.00                   | 0.00                  |  |
| 15,200.0                  | 90.72           | 359.51      | 10,332.0              | 4,838.5      | 178.4        | 4,841.8                 | 0.00                    | 0.00                   | 0.00                  |  |
| 15,300.0                  | 90.72           | 359.51      | 10,330.7              | 4,938.5      | 177.5        | 4,941.7                 | 0.00                    | 0.00                   | 0.00                  |  |
| 15,359.5                  | 90.72           | 359.51      | 10,330.0              | 4,998.0      | 177.0        | 5,001.1                 | 0.00                    | 0.00                   | 0.00                  |  |
| BHL: 100' FNL & 1980' FEL |                 |             |                       |              |              |                         |                         |                        |                       |  |

| Design Targets                                                  |               |              |            |              |              |                 |                |            |              |  |
|-----------------------------------------------------------------|---------------|--------------|------------|--------------|--------------|-----------------|----------------|------------|--------------|--|
| Target Name<br>- hit/miss target<br>- Shape                     | Dip Angle (°) | Dip Dir. (°) | TVD (usft) | +N/-S (usft) | +E/-W (usft) | Northing (usft) | Easting (usft) | Latitude   | Longitude    |  |
| SHL: 185' FSL & 2200' F<br>- plan hits target center<br>- Point | 0.00          | 0.00         | 0.0        | 0.0          | 0.0          | 478,445.00      | 806,936.00     | 32.3123899 | -103.4736172 |  |
| KOP: 10' FSL & 1980' FI<br>- plan hits target center<br>- Point | 0.00          | 0.00         | 9,912.0    | -172.0       | 221.0        | 478,273.00      | 807,157.00     | 32.3119123 | -103.4729064 |  |
| FTP: 100' FSL & 1980'<br>- plan hits target center<br>- Point   | 0.00          | 0.00         | 10,190.9   | -82.0        | 220.2        | 478,363.00      | 807,156.23     | 32.3121597 | -103.4729066 |  |
| BHL: 100' FNL & 1980' F<br>- plan hits target center<br>- Point | 0.00          | 0.00         | 10,330.0   | 4,998.0      | 177.0        | 483,443.00      | 807,113.00     | 32.3261233 | -103.4729145 |  |
| LP: 496' FSL & 1980' FE<br>- plan hits target center<br>- Point | 0.00          | 0.00         | 10,389.0   | 311.0        | 216.9        | 478,756.00      | 807,152.90     | 32.3132400 | -103.4729071 |  |

Intent ☐ As Drilled ☐

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

## Kick Off Point (KOP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## First Take Point (FTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## Last Take Point (LTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018