

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011

Permit 280184

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241		2. OGRID Number 14744
		3. API Number 30-015-47047
4. Property Code 328114	5. Property Name HONEY BADGER 19 24 B3AD STATE COM	6. Well No. 001H

7. Surface Location

UL - Lot H	Section 19	Township 20S	Range 28E	Lot Idn H	Feet From 1340	N/S Line N	Feet From 205	E/W Line E	County Eddy
---------------	---------------	-----------------	--------------	--------------	-------------------	---------------	------------------	---------------	----------------

8. Proposed Bottom Hole Location

UL - Lot D	Section 24	Township 20S	Range 27E	Lot Idn D	Feet From 500	N/S Line N	Feet From 100	E/W Line W	County Eddy
---------------	---------------	-----------------	--------------	--------------	------------------	---------------	------------------	---------------	----------------

9. Pool Information

PENLON;BONE SPRING, EAST	96213
--------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3303
16. Multiple N	17. Proposed Depth 18895	18. Formation 3rd Bone Spring Sand	19. Contractor	20. Spud Date 5/17/2020
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	450	375	0
Int1	12.25	9.625	36	2660	585	0
Prod	8.75	7	26	8858	750	2460
Liner1	6.125	4.5	13.5	18895	435	8100

Casing/Cement Program: Additional Comments

MOC proposed to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched the area & no high concentrations were found. Will have on location & working all H2S safety equipment before Yates formation for safety & insurance purposes. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	2000	1500	Schaffer
Double Ram	3000	3000	Schaffer
Annular	3000	1500	Schaffer

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ , if applicable.	OIL CONSERVATION DIVISION	
Signature:		
Printed Name: Electronically filed by Monty Whetstone	Approved By: Raymond Podany	
Title: Vice President Operations	Title: Geologist	
Email Address: prodmgr@mewbourne.com	Approved Date: 4/20/2020	Expiration Date: 4/20/2022
Date: 4/17/2020	Phone: 903-561-2900	Conditions of Approval Attached

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number		² Pool Code 96213		³ Pool Name PENLON - BONE SPRING EAST	
⁴ Property Code		⁵ Property Name HONEY BADGER 19/24 B3AD STATE COM			⁶ Well Number 1H
⁷ OGRID NO. 14744		⁸ Operator Name MEWBOURNE OIL COMPANY			⁹ Elevation 3303'

¹⁰ Surface Location

UL or lot no. H	Section 19	Township 20S	Range 28E	Lot Idn	Feet from the 1340	North/South line NORTH	Feet From the 205	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. D	Section 24	Township 20S	Range 27E	Lot Idn	Feet from the 500	North/South line NORTH	Feet from the 100	East/West line WEST	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	----------------

¹² Dedicated Acres 322.35	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

¹⁶ CORNER DATA NAD 83 GRID - NM EAST GEODETIC DATA NAD 83 GRID - NM EAST SURFACE LOCATION N: 568413.4 - E: 579526.8 LAT: 32.5625633° N LONG: 104.2093745° W BOTTOM HOLE N: 569215.9 - E: 569200.4 LAT: 32.5647976° N LONG: 104.2428906° W		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Bradley C Bishop</i> Date: 4-4-20 Printed Name: BRADLEY BISHOP E-mail Address: BBISHOP@MEWBOURNE.COM	
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: 02-24-2020 Signature and Seal of Professional Surveyor: <i>Robert M. Howett</i> 19680 Certificate Number		19680 Certificate Number	

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

GAS CAPTURE PLAN

Date: 4/20/2020

☒ Original

Operator & OGRID No.: [14744] MEWBOURNE OIL CO

☐ Amended - Reason for
Amendment: _____

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomple to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

Well(s)/Production Facility – Name of facility

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
HONEY BADGER 19 24 B3AD STATE COM #001H	30-015-47047	H-19-20S-28E	1340N 0205E	10	None	ONLINE AFTER FRAC

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to Enterprise Field Services, LLC and will be connected to Enterprise Field Services, LLC High Pressure gathering system located in Eddy County, New Mexico. It will require 3400' of pipeline to connect the facility to High Pressure gathering system. MEWBOURNE OIL CO provides (periodically) to Enterprise Field Services, LLC a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, MEWBOURNE OIL CO and Enterprise Field Services, LLC have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at Enterprise Field Services, LLC Processing Plant located in Sec. 17, Twn. 19S, Rng. 31E, Eddy County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on Enterprise Field Services, LLC system at that time. Based on current information, it is MEWBOURNE OIL CO's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation – On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas – On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal – On lease
 - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

Permit 280184

PERMIT COMMENTS

Operator Name and Address: MEWBOURNE OIL CO [14744] P.O. Box 5270 Hobbs, NM 88241		API Number: 30-015-47047
		Well: HONEY BADGER 19 24 B3AD STATE COM #001H

Created By	Comment	Comment Date
------------	---------	--------------

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Conditions
Permit 280184

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:		API Number:
MEWBOURNE OIL CO [14744]		30-015-47047
P.O. Box 5270		Well:
Hobbs, NM 88241		HONEY BADGER 19 24 B3AD STATE COM #001H
OCD Reviewer	Condition	
ksimmons	Will require a directional survey with the C-104	
ksimmons	Cement is required to circulate on both surface and production strings of casing	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Mewbourne Oil Company

Eddy County, New Mexico NAD 83

Honey Badger 19/24 B3AD St Com #1H

Sec 19, T20S, R28E

SHL: 1340' FNL & 205' FEL, Sec 19

BHL: 500' FNL & 100' FWL, Sec 24

Plan: Design #1

Standard Planning Report

07 April, 2020

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Honey Badger 19/24 B3AD St Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3331.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3331.0usft (Original Well Elev)
Site:	Honey Badger 19/24 B3AD St Com #1H	North Reference:	Grid
Well:	Sec 19, T20S, R28E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 500' FNL & 100' FWL, Sec 24		
Design:	Design #1		

Project	Eddy County, New Mexico NAD 83		
Map System:	US State Plane 1983	System Datum:	Ground Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Honey Badger 19/24 B3AD St Com #1H					
Site Position:		Northing:	568,413.00 usft	Latitude:	32.5625621	
From:	Map	Easting:	579,527.00 usft	Longitude:	-104.2093738	
Position Uncertainty:		0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.07

Well	Sec 19, T20S, R28E					
Well Position	+N/-S	0.0 usft	Northing:	568,413.00 usft	Latitude:	32.5625621
	+E/-W	0.0 usft	Easting:	579,527.00 usft	Longitude:	-104.2093738
Position Uncertainty		0.0 usft	Wellhead Elevation:	3,331.0 usft	Ground Level:	3,303.0 usft

Wellbore	BHL: 500' FNL & 100' FWL, Sec 24				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	12/31/2014	7.47	60.30	48,371

Design	Design #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	274.45

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
500.0	0.00	0.00	500.0	0.0	0.0	0.00	0.00	0.00	0.00	
841.3	6.83	12.92	840.5	19.8	4.5	2.00	2.00	0.00	12.92	
7,758.9	6.83	12.92	7,709.0	821.2	188.5	0.00	0.00	0.00	0.00	
8,100.2	0.00	0.00	8,049.5	841.0	193.0	2.00	-2.00	0.00	180.00	KOP: 500' FNL & 10' I
8,857.8	90.91	269.79	8,527.0	839.2	-292.1	12.00	12.00	0.00	-90.21	
18,894.1	90.91	269.79	8,368.0	803.0	-10,327.0	0.00	0.00	0.00	0.00	BHL: 500' FNL & 100'

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Honey Badger 19/24 B3AD St Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3331.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3331.0usft (Original Well Elev)
Site:	Honey Badger 19/24 B3AD St Com #1H	North Reference:	Grid
Well:	Sec 19, T20S, R28E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 500' FNL & 100' FWL, Sec 24		
Design:	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
SHL: 1340' FNL & 205' FEL (19)									
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	2.00	12.92	600.0	1.7	0.4	-0.3	2.00	2.00	0.00
700.0	4.00	12.92	699.8	6.8	1.6	-1.0	2.00	2.00	0.00
800.0	6.00	12.92	799.5	15.3	3.5	-2.3	2.00	2.00	0.00
841.3	6.83	12.92	840.5	19.8	4.5	-3.0	2.00	2.00	0.00
900.0	6.83	12.92	898.8	26.6	6.1	-4.0	0.00	0.00	0.00
1,000.0	6.83	12.92	998.1	38.2	8.8	-5.8	0.00	0.00	0.00
1,100.0	6.83	12.92	1,097.4	49.8	11.4	-7.5	0.00	0.00	0.00
1,200.0	6.83	12.92	1,196.7	61.3	14.1	-9.3	0.00	0.00	0.00
1,300.0	6.83	12.92	1,295.9	72.9	16.7	-11.0	0.00	0.00	0.00
1,400.0	6.83	12.92	1,395.2	84.5	19.4	-12.8	0.00	0.00	0.00
1,500.0	6.83	12.92	1,494.5	96.1	22.1	-14.5	0.00	0.00	0.00
1,600.0	6.83	12.92	1,593.8	107.7	24.7	-16.3	0.00	0.00	0.00
1,700.0	6.83	12.92	1,693.1	119.3	27.4	-18.0	0.00	0.00	0.00
1,800.0	6.83	12.92	1,792.4	130.9	30.0	-19.8	0.00	0.00	0.00
1,900.0	6.83	12.92	1,891.7	142.4	32.7	-21.5	0.00	0.00	0.00
2,000.0	6.83	12.92	1,991.0	154.0	35.3	-23.3	0.00	0.00	0.00
2,100.0	6.83	12.92	2,090.3	165.6	38.0	-25.1	0.00	0.00	0.00
2,200.0	6.83	12.92	2,189.6	177.2	40.7	-26.8	0.00	0.00	0.00
2,300.0	6.83	12.92	2,288.9	188.8	43.3	-28.6	0.00	0.00	0.00
2,400.0	6.83	12.92	2,388.1	200.4	46.0	-30.3	0.00	0.00	0.00
2,500.0	6.83	12.92	2,487.4	212.0	48.6	-32.1	0.00	0.00	0.00
2,600.0	6.83	12.92	2,586.7	223.5	51.3	-33.8	0.00	0.00	0.00
2,700.0	6.83	12.92	2,686.0	235.1	54.0	-35.6	0.00	0.00	0.00
2,800.0	6.83	12.92	2,785.3	246.7	56.6	-37.3	0.00	0.00	0.00
2,900.0	6.83	12.92	2,884.6	258.3	59.3	-39.1	0.00	0.00	0.00
3,000.0	6.83	12.92	2,983.9	269.9	61.9	-40.8	0.00	0.00	0.00
3,100.0	6.83	12.92	3,083.2	281.5	64.6	-42.6	0.00	0.00	0.00
3,200.0	6.83	12.92	3,182.5	293.1	67.3	-44.3	0.00	0.00	0.00
3,300.0	6.83	12.92	3,281.8	304.6	69.9	-46.1	0.00	0.00	0.00
3,400.0	6.83	12.92	3,381.1	316.2	72.6	-47.8	0.00	0.00	0.00
3,500.0	6.83	12.92	3,480.3	327.8	75.2	-49.6	0.00	0.00	0.00
3,600.0	6.83	12.92	3,579.6	339.4	77.9	-51.3	0.00	0.00	0.00
3,700.0	6.83	12.92	3,678.9	351.0	80.5	-53.1	0.00	0.00	0.00
3,800.0	6.83	12.92	3,778.2	362.6	83.2	-54.8	0.00	0.00	0.00
3,900.0	6.83	12.92	3,877.5	374.1	85.9	-56.6	0.00	0.00	0.00
4,000.0	6.83	12.92	3,976.8	385.7	88.5	-58.4	0.00	0.00	0.00
4,100.0	6.83	12.92	4,076.1	397.3	91.2	-60.1	0.00	0.00	0.00
4,200.0	6.83	12.92	4,175.4	408.9	93.8	-61.9	0.00	0.00	0.00
4,300.0	6.83	12.92	4,274.7	420.5	96.5	-63.6	0.00	0.00	0.00
4,400.0	6.83	12.92	4,374.0	432.1	99.2	-65.4	0.00	0.00	0.00
4,500.0	6.83	12.92	4,473.3	443.7	101.8	-67.1	0.00	0.00	0.00
4,600.0	6.83	12.92	4,572.5	455.2	104.5	-68.9	0.00	0.00	0.00
4,700.0	6.83	12.92	4,671.8	466.8	107.1	-70.6	0.00	0.00	0.00
4,800.0	6.83	12.92	4,771.1	478.4	109.8	-72.4	0.00	0.00	0.00
4,900.0	6.83	12.92	4,870.4	490.0	112.4	-74.1	0.00	0.00	0.00
5,000.0	6.83	12.92	4,969.7	501.6	115.1	-75.9	0.00	0.00	0.00
5,100.0	6.83	12.92	5,069.0	513.2	117.8	-77.6	0.00	0.00	0.00

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Honey Badger 19/24 B3AD St Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3331.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3331.0usft (Original Well Elev)
Site:	Honey Badger 19/24 B3AD St Com #1H	North Reference:	Grid
Well:	Sec 19, T20S, R28E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 500' FNL & 100' FWL, Sec 24		
Design:	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,200.0	6.83	12.92	5,168.3	524.8	120.4	-79.4	0.00	0.00	0.00
5,300.0	6.83	12.92	5,267.6	536.3	123.1	-81.1	0.00	0.00	0.00
5,400.0	6.83	12.92	5,366.9	547.9	125.7	-82.9	0.00	0.00	0.00
5,500.0	6.83	12.92	5,466.2	559.5	128.4	-84.6	0.00	0.00	0.00
5,600.0	6.83	12.92	5,565.5	571.1	131.1	-86.4	0.00	0.00	0.00
5,700.0	6.83	12.92	5,664.7	582.7	133.7	-88.1	0.00	0.00	0.00
5,800.0	6.83	12.92	5,764.0	594.3	136.4	-89.9	0.00	0.00	0.00
5,900.0	6.83	12.92	5,863.3	605.9	139.0	-91.7	0.00	0.00	0.00
6,000.0	6.83	12.92	5,962.6	617.4	141.7	-93.4	0.00	0.00	0.00
6,100.0	6.83	12.92	6,061.9	629.0	144.4	-95.2	0.00	0.00	0.00
6,200.0	6.83	12.92	6,161.2	640.6	147.0	-96.9	0.00	0.00	0.00
6,300.0	6.83	12.92	6,260.5	652.2	149.7	-98.7	0.00	0.00	0.00
6,400.0	6.83	12.92	6,359.8	663.8	152.3	-100.4	0.00	0.00	0.00
6,500.0	6.83	12.92	6,459.1	675.4	155.0	-102.2	0.00	0.00	0.00
6,600.0	6.83	12.92	6,558.4	686.9	157.6	-103.9	0.00	0.00	0.00
6,700.0	6.83	12.92	6,657.7	698.5	160.3	-105.7	0.00	0.00	0.00
6,800.0	6.83	12.92	6,756.9	710.1	163.0	-107.4	0.00	0.00	0.00
6,900.0	6.83	12.92	6,856.2	721.7	165.6	-109.2	0.00	0.00	0.00
7,000.0	6.83	12.92	6,955.5	733.3	168.3	-110.9	0.00	0.00	0.00
7,100.0	6.83	12.92	7,054.8	744.9	170.9	-112.7	0.00	0.00	0.00
7,200.0	6.83	12.92	7,154.1	756.5	173.6	-114.4	0.00	0.00	0.00
7,300.0	6.83	12.92	7,253.4	768.0	176.3	-116.2	0.00	0.00	0.00
7,400.0	6.83	12.92	7,352.7	779.6	178.9	-117.9	0.00	0.00	0.00
7,500.0	6.83	12.92	7,452.0	791.2	181.6	-119.7	0.00	0.00	0.00
7,600.0	6.83	12.92	7,551.3	802.8	184.2	-121.4	0.00	0.00	0.00
7,700.0	6.83	12.92	7,650.6	814.4	186.9	-123.2	0.00	0.00	0.00
7,758.9	6.83	12.92	7,709.0	821.2	188.5	-124.2	0.00	0.00	0.00
7,800.0	6.00	12.92	7,749.9	825.7	189.5	-124.9	2.00	-2.00	0.00
7,900.0	4.00	12.92	7,849.5	834.2	191.4	-126.2	2.00	-2.00	0.00
8,000.0	2.00	12.92	7,949.4	839.3	192.6	-127.0	2.00	-2.00	0.00
8,100.0	0.00	12.92	8,049.3	841.0	193.0	-127.2	2.00	-2.00	0.00
8,100.2	0.00	0.00	8,049.5	841.0	193.0	-127.2	2.00	-2.00	0.00
KOP: 500' FNL & 10' FEL (19)									
8,200.0	11.98	269.79	8,148.6	841.0	182.6	-116.9	12.00	12.00	0.00
8,300.0	23.97	269.79	8,243.6	840.9	151.8	-86.2	12.00	12.00	0.00
8,398.2	35.76	269.79	8,328.6	840.7	103.0	-37.5	12.00	12.00	0.00
FTP: 500' FNL & 100' FEL (19)									
8,400.0	35.97	269.79	8,330.0	840.7	101.9	-36.5	12.00	12.00	0.00
8,500.0	47.97	269.79	8,404.2	840.4	35.2	30.1	12.00	12.00	0.00
8,600.0	59.97	269.79	8,463.0	840.1	-45.5	110.5	12.00	12.00	0.00
8,700.0	71.97	269.79	8,503.6	839.8	-136.7	201.4	12.00	12.00	0.00
8,800.0	83.97	269.79	8,524.4	839.5	-234.3	298.7	12.00	12.00	0.00
8,857.9	90.91	269.79	8,527.0	839.2	-292.1	356.3	11.99	11.99	0.00
LP: 500' FNL & 495' FEL (19)									
8,900.0	90.91	269.79	8,526.3	839.1	-334.2	398.3	0.00	0.00	0.00
9,000.0	90.91	269.79	8,524.7	838.7	-434.2	497.9	0.00	0.00	0.00
9,100.0	90.91	269.79	8,523.2	838.4	-534.2	597.6	0.00	0.00	0.00
9,200.0	90.91	269.79	8,521.6	838.0	-634.2	697.2	0.00	0.00	0.00
9,300.0	90.91	269.79	8,520.0	837.7	-734.2	796.9	0.00	0.00	0.00
9,400.0	90.91	269.79	8,518.4	837.3	-834.2	896.6	0.00	0.00	0.00
9,500.0	90.91	269.79	8,516.8	836.9	-934.2	996.2	0.00	0.00	0.00
9,600.0	90.91	269.79	8,515.2	836.6	-1,034.1	1,095.9	0.00	0.00	0.00
9,700.0	90.91	269.79	8,513.7	836.2	-1,134.1	1,195.5	0.00	0.00	0.00

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Honey Badger 19/24 B3AD St Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3331.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3331.0usft (Original Well Elev)
Site:	Honey Badger 19/24 B3AD St Com #1H	North Reference:	Grid
Well:	Sec 19, T20S, R28E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 500' FNL & 100' FWL, Sec 24		
Design:	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
9,800.0	90.91	269.79	8,512.1	835.8	-1,234.1	1,295.2	0.00	0.00	0.00	
9,900.0	90.91	269.79	8,510.5	835.5	-1,334.1	1,394.9	0.00	0.00	0.00	
10,000.0	90.91	269.79	8,508.9	835.1	-1,434.1	1,494.5	0.00	0.00	0.00	
10,100.0	90.91	269.79	8,507.3	834.8	-1,534.1	1,594.2	0.00	0.00	0.00	
10,200.0	90.91	269.79	8,505.7	834.4	-1,634.1	1,693.8	0.00	0.00	0.00	
10,300.0	90.91	269.79	8,504.2	834.0	-1,734.0	1,793.5	0.00	0.00	0.00	
10,400.0	90.91	269.79	8,502.6	833.7	-1,834.0	1,893.1	0.00	0.00	0.00	
10,500.0	90.91	269.79	8,501.0	833.3	-1,934.0	1,992.8	0.00	0.00	0.00	
10,600.0	90.91	269.79	8,499.4	833.0	-2,034.0	2,092.5	0.00	0.00	0.00	
10,700.0	90.91	269.79	8,497.8	832.6	-2,134.0	2,192.1	0.00	0.00	0.00	
10,800.0	90.91	269.79	8,496.2	832.2	-2,234.0	2,291.8	0.00	0.00	0.00	
10,900.0	90.91	269.79	8,494.6	831.9	-2,334.0	2,391.4	0.00	0.00	0.00	
11,000.0	90.91	269.79	8,493.1	831.5	-2,434.0	2,491.1	0.00	0.00	0.00	
11,100.0	90.91	269.79	8,491.5	831.1	-2,533.9	2,590.7	0.00	0.00	0.00	
11,200.0	90.91	269.79	8,489.9	830.8	-2,633.9	2,690.4	0.00	0.00	0.00	
11,300.0	90.91	269.79	8,488.3	830.4	-2,733.9	2,790.1	0.00	0.00	0.00	
11,400.0	90.91	269.79	8,486.7	830.1	-2,833.9	2,889.7	0.00	0.00	0.00	
11,500.0	90.91	269.79	8,485.1	829.7	-2,933.9	2,989.4	0.00	0.00	0.00	
11,600.0	90.91	269.79	8,483.6	829.3	-3,033.9	3,089.0	0.00	0.00	0.00	
11,700.0	90.91	269.79	8,482.0	829.0	-3,133.9	3,188.7	0.00	0.00	0.00	
11,800.0	90.91	269.79	8,480.4	828.6	-3,233.8	3,288.4	0.00	0.00	0.00	
11,900.0	90.91	269.79	8,478.8	828.3	-3,333.8	3,388.0	0.00	0.00	0.00	
12,000.0	90.91	269.79	8,477.2	827.9	-3,433.8	3,487.7	0.00	0.00	0.00	
12,100.0	90.91	269.79	8,475.6	827.5	-3,533.8	3,587.3	0.00	0.00	0.00	
12,200.0	90.91	269.79	8,474.1	827.2	-3,633.8	3,687.0	0.00	0.00	0.00	
12,300.0	90.91	269.79	8,472.5	826.8	-3,733.8	3,786.6	0.00	0.00	0.00	
12,400.0	90.91	269.79	8,470.9	826.5	-3,833.8	3,886.3	0.00	0.00	0.00	
12,500.0	90.91	269.79	8,469.3	826.1	-3,933.8	3,986.0	0.00	0.00	0.00	
12,600.0	90.91	269.79	8,467.7	825.7	-4,033.7	4,085.6	0.00	0.00	0.00	
12,700.0	90.91	269.79	8,466.1	825.4	-4,133.7	4,185.3	0.00	0.00	0.00	
12,800.0	90.91	269.79	8,464.5	825.0	-4,233.7	4,284.9	0.00	0.00	0.00	
12,900.0	90.91	269.79	8,463.0	824.6	-4,333.7	4,384.6	0.00	0.00	0.00	
13,000.0	90.91	269.79	8,461.4	824.3	-4,433.7	4,484.2	0.00	0.00	0.00	
13,100.0	90.91	269.79	8,459.8	823.9	-4,533.7	4,583.9	0.00	0.00	0.00	
13,200.0	90.91	269.79	8,458.2	823.6	-4,633.7	4,683.6	0.00	0.00	0.00	
13,300.0	90.91	269.79	8,456.6	823.2	-4,733.6	4,783.2	0.00	0.00	0.00	
13,400.0	90.91	269.79	8,455.0	822.8	-4,833.6	4,882.9	0.00	0.00	0.00	
13,500.0	90.91	269.79	8,453.5	822.5	-4,933.6	4,982.5	0.00	0.00	0.00	
13,600.0	90.91	269.79	8,451.9	822.1	-5,033.6	5,082.2	0.00	0.00	0.00	
13,700.0	90.91	269.79	8,450.3	821.8	-5,133.6	5,181.9	0.00	0.00	0.00	
13,800.0	90.91	269.79	8,448.7	821.4	-5,233.6	5,281.5	0.00	0.00	0.00	
13,900.0	90.91	269.79	8,447.1	821.0	-5,333.6	5,381.2	0.00	0.00	0.00	
14,000.0	90.91	269.79	8,445.5	820.7	-5,433.6	5,480.8	0.00	0.00	0.00	
14,100.0	90.91	269.79	8,444.0	820.3	-5,533.5	5,580.5	0.00	0.00	0.00	
14,200.0	90.91	269.79	8,442.4	820.0	-5,633.5	5,680.1	0.00	0.00	0.00	
14,300.0	90.91	269.79	8,440.8	819.6	-5,733.5	5,779.8	0.00	0.00	0.00	
14,400.0	90.91	269.79	8,439.2	819.2	-5,833.5	5,879.5	0.00	0.00	0.00	
14,500.0	90.91	269.79	8,437.6	818.9	-5,933.5	5,979.1	0.00	0.00	0.00	
14,600.0	90.91	269.79	8,436.0	818.5	-6,033.5	6,078.8	0.00	0.00	0.00	
14,700.0	90.91	269.79	8,434.4	818.1	-6,133.5	6,178.4	0.00	0.00	0.00	
14,800.0	90.91	269.79	8,432.9	817.8	-6,233.5	6,278.1	0.00	0.00	0.00	
14,900.0	90.91	269.79	8,431.3	817.4	-6,333.4	6,377.7	0.00	0.00	0.00	
15,000.0	90.91	269.79	8,429.7	817.1	-6,433.4	6,477.4	0.00	0.00	0.00	
15,100.0	90.91	269.79	8,428.1	816.7	-6,533.4	6,577.1	0.00	0.00	0.00	

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Honey Badger 19/24 B3AD St Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3331.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3331.0usft (Original Well Elev)
Site:	Honey Badger 19/24 B3AD St Com #1H	North Reference:	Grid
Well:	Sec 19, T20S, R28E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 500' FNL & 100' FWL, Sec 24		
Design:	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
15,200.0	90.91	269.79	8,426.5	816.3	-6,633.4	6,676.7	0.00	0.00	0.00	
15,300.0	90.91	269.79	8,424.9	816.0	-6,733.4	6,776.4	0.00	0.00	0.00	
15,400.0	90.91	269.79	8,423.4	815.6	-6,833.4	6,876.0	0.00	0.00	0.00	
15,500.0	90.91	269.79	8,421.8	815.3	-6,933.4	6,975.7	0.00	0.00	0.00	
15,600.0	90.91	269.79	8,420.2	814.9	-7,033.3	7,075.4	0.00	0.00	0.00	
15,700.0	90.91	269.79	8,418.6	814.5	-7,133.3	7,175.0	0.00	0.00	0.00	
15,800.0	90.91	269.79	8,417.0	814.2	-7,233.3	7,274.7	0.00	0.00	0.00	
15,900.0	90.91	269.79	8,415.4	813.8	-7,333.3	7,374.3	0.00	0.00	0.00	
16,000.0	90.91	269.79	8,413.8	813.5	-7,433.3	7,474.0	0.00	0.00	0.00	
16,100.0	90.91	269.79	8,412.3	813.1	-7,533.3	7,573.6	0.00	0.00	0.00	
16,200.0	90.91	269.79	8,410.7	812.7	-7,633.3	7,673.3	0.00	0.00	0.00	
16,300.0	90.91	269.79	8,409.1	812.4	-7,733.3	7,773.0	0.00	0.00	0.00	
16,400.0	90.91	269.79	8,407.5	812.0	-7,833.2	7,872.6	0.00	0.00	0.00	
16,500.0	90.91	269.79	8,405.9	811.6	-7,933.2	7,972.3	0.00	0.00	0.00	
16,600.0	90.91	269.79	8,404.3	811.3	-8,033.2	8,071.9	0.00	0.00	0.00	
16,700.0	90.91	269.79	8,402.8	810.9	-8,133.2	8,171.6	0.00	0.00	0.00	
16,800.0	90.91	269.79	8,401.2	810.6	-8,233.2	8,271.2	0.00	0.00	0.00	
16,900.0	90.91	269.79	8,399.6	810.2	-8,333.2	8,370.9	0.00	0.00	0.00	
17,000.0	90.91	269.79	8,398.0	809.8	-8,433.2	8,470.6	0.00	0.00	0.00	
17,100.0	90.91	269.79	8,396.4	809.5	-8,533.1	8,570.2	0.00	0.00	0.00	
17,200.0	90.91	269.79	8,394.8	809.1	-8,633.1	8,669.9	0.00	0.00	0.00	
17,300.0	90.91	269.79	8,393.3	808.8	-8,733.1	8,769.5	0.00	0.00	0.00	
17,400.0	90.91	269.79	8,391.7	808.4	-8,833.1	8,869.2	0.00	0.00	0.00	
17,500.0	90.91	269.79	8,390.1	808.0	-8,933.1	8,968.9	0.00	0.00	0.00	
17,600.0	90.91	269.79	8,388.5	807.7	-9,033.1	9,068.5	0.00	0.00	0.00	
17,700.0	90.91	269.79	8,386.9	807.3	-9,133.1	9,168.2	0.00	0.00	0.00	
17,800.0	90.91	269.79	8,385.3	807.0	-9,233.1	9,267.8	0.00	0.00	0.00	
17,900.0	90.91	269.79	8,383.7	806.6	-9,333.0	9,367.5	0.00	0.00	0.00	
18,000.0	90.91	269.79	8,382.2	806.2	-9,433.0	9,467.1	0.00	0.00	0.00	
18,100.0	90.91	269.79	8,380.6	805.9	-9,533.0	9,566.8	0.00	0.00	0.00	
18,200.0	90.91	269.79	8,379.0	805.5	-9,633.0	9,666.5	0.00	0.00	0.00	
18,300.0	90.91	269.79	8,377.4	805.1	-9,733.0	9,766.1	0.00	0.00	0.00	
18,400.0	90.91	269.79	8,375.8	804.8	-9,833.0	9,865.8	0.00	0.00	0.00	
18,500.0	90.91	269.79	8,374.2	804.4	-9,933.0	9,965.4	0.00	0.00	0.00	
18,600.0	90.91	269.79	8,372.7	804.1	-10,032.9	10,065.1	0.00	0.00	0.00	
18,700.0	90.91	269.79	8,371.1	803.7	-10,132.9	10,164.7	0.00	0.00	0.00	
18,800.0	90.91	269.79	8,369.5	803.3	-10,232.9	10,264.4	0.00	0.00	0.00	
18,894.1	90.91	269.79	8,368.0	803.0	-10,327.0	10,358.2	0.00	0.00	0.00	
BHL: 500' FNL & 100' FWL (24)										

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Honey Badger 19/24 B3AD St Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3331.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3331.0usft (Original Well Elev)
Site:	Honey Badger 19/24 B3AD St Com #1H	North Reference:	Grid
Well:	Sec 19, T20S, R28E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 500' FNL & 100' FWL, Sec 24		
Design:	Design #1		

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
SHL: 1340' FNL & 205' F - plan hits target center - Point	0.00	0.00	0.0	0.0	0.0	568,413.00	579,527.00	32.5625621	-104.2093738
KOP: 500' FNL & 10' FE - plan hits target center - Point	0.00	0.00	8,049.5	841.0	193.0	569,254.00	579,720.00	32.5648732	-104.2087442
FTP: 500' FNL & 100' FE - plan hits target center - Point	0.00	0.00	8,328.6	840.7	103.0	569,253.68	579,630.00	32.5648726	-104.2090363
BHL: 500' FNL & 100' FV - plan hits target center - Point	0.00	0.00	8,368.0	803.0	-10,327.0	569,216.00	569,200.00	32.5647979	-104.2428920
LP: 500' FNL & 495' FEL - plan hits target center - Point	0.00	0.00	8,527.0	839.2	-292.1	569,252.20	579,234.90	32.5648698	-104.2103188