

Page 1 of 36  
Received by OGD: 7/23/2020 10:49:51 AM  
Released to Imaging: 12/24/2020 9:16:36 AM

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
311 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.  
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

BGT 1

Pit, Below-Grade Tank, or  
Proposed Alternative Method Permit or Closure Plan Application

Type of action: ☐ Below grade tank registration  
☐ Permit of a pit or proposed alternative method  
☒ Closure of a pit, below-grade tank, or proposed alternative method  
☐ Modification to an existing permit/or registration  
☐ Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

**Instructions:** Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: EPIC ENERGY, LLC OGRID #: 372834  
Address: 7415 E. Main Street Farmington, NM 87402  
Facility or well name: Horton #007  
API Number: 30-045-21362 OCD Permit Number: \_\_\_\_\_  
U/L or Qtr/Qtr O Section 22 Township 32N Range 11W County: San Juan  
Center of Proposed Design: Latitude 36.9653435 Longitude -107.9727478 NAD83  
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.  
☐ **Pit:** Subsection F, G or J of 19.15.17.11 NMAC  
Temporary: ☐ Drilling ☐ Workover  
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management Low Chloride Drilling Fluid ☐ yes ☐ no  
☐ Lined ☐ Unlined Liner type: Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
☐ String-Reinforced  
Liner Seams: ☐ Welded ☐ Factory ☐ Other \_\_\_\_\_ Volume: \_\_\_\_\_ bbl Dimensions: L \_\_\_\_\_ x W \_\_\_\_\_ x D \_\_\_\_\_

3.  
☒ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC  
Volume: 25 bbl Type of fluid: Produced Water  
Tank Construction material: fiberglass  
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  
☐ Visible sidewalls and liner ☒ Visible sidewalls only ☐ Other \_\_\_\_\_  
Liner type: Thickness \_\_\_\_\_ mil ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_

☐ **Alternative Method:**  
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

☐ **Fencing:** Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  
☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet  
☒ Alternate. Please specify 48" high rebar and hog wire

**Netting:** Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- ☐ Screen ☐ Netting ☒ Other \_\_\_\_\_ expanded metal \_\_\_\_\_
- ☐ Monthly inspections (If netting or screening is not physically feasible)

7.

**Signs:** Subsection C of 19.15.17.11 NMAC

- ☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.16.8 NMAC

8.

**Variances and Exceptions:**

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

*Please check a box if one or more of the following is requested, if not leave blank:*

- ☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

**Siting Criteria (regarding permitting):** 19.15.17.10 NMAC

*Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.*

**General siting**

**Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.**

- ☐ NM Office of the State Engineer - iWATERS database search; ☐ USGS; ☐ Data obtained from nearby wells

☐ Yes ☒ No  
☐ NA

**Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No  
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (**Does not apply to below grade tanks**)

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☐ No

Within the area overlying a subsurface mine. (**Does not apply to below grade tanks**)

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area. (**Does not apply to below grade tanks**)

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☐ No

Within a 100-year floodplain. (**Does not apply to below grade tanks**)

- FEMA map

☐ Yes ☐ No

**Below Grade Tanks**

Within 100 feet of a continuously flowing watercourse, significant watercourse, lakebed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption.

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

**Temporary Pit using Low Chloride Drilling Fluid** (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300 feet of any other fresh water well or spring, in existence at the time of the initial application.

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No



Within 100 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

**Temporary Pit Non-low chloride drilling fluid**

Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

**Permanent Pit or Multi-Well Fluid Management Pit**

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

10.

**Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC

*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

11.

**Multi-Well Fluid Management Pit Checklist:** Subsection B of 19.15.17.9 NMAC

*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ A List of wells with approved application for permit to drill associated with the pit.
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- ☐ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☐ Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_



Page 4 of 36  
Received by OCD: 7/23/2020 10:49:51 AM  
Released to Imaging: 12/24/2020 9:16:36 AM

2.  
**Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

<input type="checkbox"/>	Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
<input type="checkbox"/>	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
<input type="checkbox"/>	Climatological Factors Assessment
<input type="checkbox"/>	Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
<input type="checkbox"/>	Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
<input type="checkbox"/>	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
<input type="checkbox"/>	Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
<input type="checkbox"/>	Quality Control/Quality Assurance Construction and Installation Plan
<input type="checkbox"/>	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
<input type="checkbox"/>	Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
<input type="checkbox"/>	Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan
<input type="checkbox"/>	Emergency Response Plan
<input type="checkbox"/>	Oil Field Waste Stream Characterization
<input type="checkbox"/>	Monitoring and Inspection Plan
<input type="checkbox"/>	Erosion Control Plan
<input type="checkbox"/>	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13.  
**Proposed Closure:** 19.15.17.13 NMAC  
*Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.*

Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☒ Below-grade Tank ☐ Multi-well Fluid Management Pit  
☐ Alternative

Proposed Closure Method: ☐ Waste Excavation and Removal  
☒ Waste Removal (Closed-loop systems only)  
☐ On-site Closure Method (Only for temporary pits and closed-loop systems)  
☐ In-place Burial ☐ On-site Trench Burial  
☐ Alternative Closure Method

14.  
**Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

<input type="checkbox"/>	Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
<input type="checkbox"/>	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
<input type="checkbox"/>	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
<input type="checkbox"/>	Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
<input type="checkbox"/>	Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
<input type="checkbox"/>	Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15.  
**Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC  
*Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.*

Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	<input type="checkbox"/> Yes <input type="checkbox"/> No



Page 5 of 36  
Received by OCD: 7/23/2020 10:49:51 AM  
Released to Imaging: 12/24/2020 9:16:36 AM

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine.	
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area.	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain.	
- FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

16.  
**On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

<input type="checkbox"/> Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
<input type="checkbox"/> Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
<input type="checkbox"/> Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
<input type="checkbox"/> Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
<input type="checkbox"/> Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
<input type="checkbox"/> Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
<input type="checkbox"/> Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
<input type="checkbox"/> Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
<input type="checkbox"/> Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
<input type="checkbox"/> Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
<input type="checkbox"/> Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17.  
**Operator Application Certification:**


I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): \_\_\_\_\_ Title: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

e-mail address: \_\_\_\_\_ Telephone: \_\_\_\_\_

18.  
**OCD Approval:** ☐ Permit Application (including closure plan) ☒ Closure ~~Plan (only)~~ ☐ OCD Conditions (see attachment)

OCD Representative Signature:  Approval Date: 12/24/2020

Title: Environmental Specialist OCD Permit Number: BGT 1

19.  
**Closure Report (required within 60 days of closure completion):** 19.15.17.13 NMAC

*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*

☒ Closure Completion Date: 12/5/2018

20.  
**Closure Method:**

☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)

☐ If different from approved plan, please explain.

i.  
**Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

<input checked="" type="checkbox"/> Proof of Closure Notice (surface owner and division)
<input type="checkbox"/> Proof of Deed Notice (required for on-site closure for private land only)
<input type="checkbox"/> Plot Plan (for on-site closures and temporary pits)
<input checked="" type="checkbox"/> Confirmation Sampling Analytical Results (if applicable)
<input type="checkbox"/> Waste Material Sampling Analytical Results (required for on-site closure)
<input checked="" type="checkbox"/> Disposal Facility Name and Permit Number
<input checked="" type="checkbox"/> Soil Backfilling and Cover Installation
<input checked="" type="checkbox"/> Re-vegetation Application Rates and Seeding Technique
<input type="checkbox"/> Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.9653435 Longitude -107.9727475 NAD: ☐ 1927 ☒ 1983

12.

**Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Vanessa Fields Title: Regulatory Compliance Manager

Signature:  Date: 7/23/2020

e-mail address: vanessa@walsheng.net Telephone: 505-787-9100

**Vanessa Fields**

---

**From:** Michael Dean <michael.dean@walsheng.net>  
**Sent:** Friday, May 24, 2019 7:56 AM  
**To:** 'Vanessa'  
**Subject:** FW: [EXT] RE: Hallador BGT's

---

**From:** vern@walsheng.net [mailto:vern@walsheng.net]  
**Sent:** Thursday, December 20, 2018 11:40 AM  
**To:** 'Smith, Cory, EMNRD'; 'Michael Dean'; 'Fields, Vanessa, EMNRD'; 'John Hampton Jr.'  
**Cc:** 'Powell, Brandon, EMNRD'  
**Subject:** RE: [EXT] RE: Hallador BGT's

This is on fee surface and the landowner has been notified.

Thank you,  
Vern Andrews  
505-320-1763  
vern@walsheng.net

---

**From:** Smith, Cory, EMNRD <Cory.Smith@state.nm.us>  
**Sent:** Thursday, December 20, 2018 10:02 AM  
**To:** Michael Dean <michael.dean@walsheng.net>; Fields, Vanessa, EMNRD <Vanessa.Fields@state.nm.us>; 'Vern Andrews' <vern@walsheng.net>; 'John Hampton Jr.' <jdhampton@walsheng.net>  
**Cc:** Powell, Brandon, EMNRD <Brandon.Powell@state.nm.us>  
**Subject:** RE: [EXT] RE: Hallador BGT's

Michael,

Tomorrow at 8:30 AM works for me if this is on federal land please make sure you notify the land owner of the sampling event.

Thanks,

Cory Smith  
Environmental Specialist  
Oil Conservation Division  
Energy, Minerals, & Natural Resources  
1000 Rio Brazos, Aztec, NM 87410  
(505)334-6178 ext 115  
[cory.smith@state.nm.us](mailto:cory.smith@state.nm.us)

**From:** Michael Dean <[michael.dean@walsheng.net](mailto:michael.dean@walsheng.net)>  
**Sent:** Thursday, December 20, 2018 10:01 AM  
**To:** Smith, Cory, EMNRD <[Cory.Smith@state.nm.us](mailto:Cory.Smith@state.nm.us)>; Fields, Vanessa, EMNRD <[Vanessa.Fields@state.nm.us](mailto:Vanessa.Fields@state.nm.us)>; 'Vern



Andrews' <[vern@walsheng.net](mailto:vern@walsheng.net)>; 'John Hampton Jr.' <[jdhampton@walsheng.net](mailto:jdhampton@walsheng.net)>  
**Cc:** Powell, Brandon, EMNRD <[Brandon.Powell@state.nm.us](mailto:Brandon.Powell@state.nm.us)>  
**Subject:** RE: [EXT] RE: Hallador BGT's

That works for me 8:30 am work for you.

---

**From:** Smith, Cory, EMNRD [<mailto:Cory.Smith@state.nm.us>]  
**Sent:** Thursday, December 20, 2018 9:36 AM  
**To:** Michael Dean; Fields, Vanessa, EMNRD; Vern Andrews; 'John Hampton Jr.'  
**Cc:** Powell, Brandon, EMNRD  
**Subject:** RE: [EXT] RE: Hallador BGT's

Michael,

OCD Requires 2 business day notification for release confirmation sampling. As I mentioned on the phone earlier it was a possibility that I could make it for sampling today however due to the sampling times and distance between the sites I will not be able to accommodate your request for sampling day. The earliest I can sampling is first thing tomorrow morning would that work for you?

Thanks,

Cory Smith  
 Environmental Specialist  
 Oil Conservation Division  
 Energy, Minerals, & Natural Resources  
 1000 Rio Brazos, Aztec, NM 87410  
 (505)334-6178 ext 115  
[cory.smith@state.nm.us](mailto:cory.smith@state.nm.us)

---

**From:** Michael Dean <[michael.dean@walsheng.net](mailto:michael.dean@walsheng.net)>  
**Sent:** Thursday, December 20, 2018 8:22 AM  
**To:** Smith, Cory, EMNRD <[Cory.Smith@state.nm.us](mailto:Cory.Smith@state.nm.us)>; Fields, Vanessa, EMNRD <[Vanessa.Fields@state.nm.us](mailto:Vanessa.Fields@state.nm.us)>; Vern Andrews <[vern@walsheng.net](mailto:vern@walsheng.net)>; 'John Hampton Jr.' <[jdhampton@walsheng.net](mailto:jdhampton@walsheng.net)>  
**Subject:** [EXT] RE: Hallador BGT's

Cory  
 We have got the Horton #9 listed below ready for the second sampling after the initial samples did not meet the closer numbers could we set a time for this afternoon please.  
 Thanks!

---

**From:** Michael Dean [<mailto:michael.dean@walsheng.net>]  
**Sent:** Tuesday, November 27, 2018 8:13 AM  
**To:** 'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD'; Vern Andrews; 'John Hampton Jr.'  
**Subject:** Hallador BGT's

Horton 2A API (30-045-23392)  
 Horton 2C API (30-045-31435)  
 Horton 7 API (30-045-21362)  
 Horton 9 API (30-045-22671)  
 Horton 2B API (30-045-30160)

I would like to get these pits pulled and sampled Friday November 30, 2018 at 9:00 am on location at the Horton 2B.




Michael L. Dean  
Walsh Engineering  
505-860-0481

Horton #007  
API# 30-045-21362


















*New Mexico Office of the State Engineer*

**Water Column/Average Depth to Water**

C=the file is closed)

POD Number	Sub-basin	County	Q			Sec	Tws	Rng	X	Y	Depth	Well	Depth	Water	Column
			64	16	4										
<a href="#">SI 00339</a>	SJLP	SJ	1	1	4	22	32N	13W	216027	4096502* 	50		12	38	
<a href="#">SI 00340</a>	SJLP	SJ	3	1	4	22	32N	13W	216027	4096302* 	50		12	38	
<a href="#">SI 00736</a>	SJLP	SJ	1	4	22	32N	13W	216128	4096403* 	40		15	25		
<a href="#">SI 00906 X</a>	SJLP	SJ	4	3	22	32N	13W	215702	4096009* 	86		26	60		
<a href="#">SI 00922</a>	SJLP	SJ	4	1	3	22	32N	13W	215415	4096322* 	27		12	15	
<a href="#">SI 02704</a>	SJLP	SJ	2	4	1	22	32N	13W	215840	4096916* 	25		12	13	
<a href="#">SI 02705</a>	SJLP	SJ	2	4	1	22	32N	13W	215840	4096916* 	25		12	13	
<a href="#">SI 02847</a>	SJLP	SJ	1	4	4	22	32N	13W	216408	4096089* 	1255		0	1255	
<a href="#">SI 02848</a>	SJLP	SJ	3	4	2	22	32N	13W	216444	4096695* 	608		50	558	
<a href="#">SI 02918</a>	SJLP	SJ	2	4	3	22	32N	13W	215801	4096108* 	51		30	21	
<a href="#">SI 03111</a>	SJLP	SJ	4	1	2	22	32N	13W	216270	4097108* 	19		6	13	

Average Depth to Water:	17 feet
Minimum Depth:	0 feet
Maximum Depth:	50 feet

Record Count: 11

PLSS Search:

**Section(s):** 22 **Township:** 32N **Range:** 13W

\*UTM location was derived from PLSS - see Help

The data is furnished by the NM/OSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/22/2020

nmwrrs.state.nm.us/nmwrrs/ReportProxy?queryData=%7B"report"%3A"waterColumn"%2C%0A"BasinDiv"%3A"true"%2C%0A"Basin"%3A"true"%2C%0A"County"%3A"Otero"%2C%0A"Sub\_Ba...

7/22/20 11:17 AM

WATER COLUMN/ AVERAGE DEPTH TO  
WATER





# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest) (NAD83 UTM in meters)

No records found.

### PLSS Search:

Section(s): 22 Township: 32N Range: 11W

The data is furnished by the NMOS/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/22/20 11:13 AM

WATER COLUMN/ AVERAGE  
DEPTH TO WATER

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District office

Incident ID	NCS1912332788
District RP	
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party EPIC Energy L.L.C	OGRID 372834
Contact Name Vanessa Fields	Contact Telephone 505-787-9100
Contact email vanessa@walsheng.net	Incident # (assigned by OCD) N/A
Contact mailing address 7415 East Main Street Farmington, NM 87402	

### Location of Release Source

Latitude 36.9653435 Longitude -107.9727478  
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Horton #007	Site Type Gas
Date Release Discovered N/A	API# (if applicable) 30-045-21362

Unit Letter	Section	Township	Range	County
O	22	32N	11W	San Juan

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: One 5- point composite sample was collected during the removal of the BGT. Analytical results were non-detect. No release occurred.




State of New Mexico  
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?  <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc.)?	

### Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Vanessa Fields</u> Title: <u>Regulatory Compliance Manager</u> Signature:  Date: <u>7/23/2020</u> email: <u>vanessa@walsheng.net</u> Telephone: <u>505-787-9100</u>
<b>OCD Only</b> Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	


## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- ☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Vanessa Fields Title: Regulatory Compliance Manager  
Signature:  Date: 7/23/2020  
email: vanessa@walsheng.net Telephone: 505-787-9100

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_





## Analytical Report

### Report Summary

Client: Hallador

Chain Of Custody Number:

Samples Received: 11/30/2018 12:30:00PM

Job Number: 18010-0004

Work Order: P811087 Project Name/

Location: Below Grade Pits

Horton 9,2B,2C,7,2A

Report Reviewed By:

Date: 12/5/18

Walter Hinchman, Laboratory Director

Date: 12/5/18

Tim Cain, Project Manager



Envirotech Inc. certifies the test results meet all requirements of TNi unless footnoted otherwise.

Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc, currently holds the appropriate and available Utah TNi certification NM009792018-1 for the data reported.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



Hallador	Project Name:	Below Grade Pits	
1660 Lincoln St Suite 2700	Project Number:	18010-0004	Reported:
Denver CO, 80264	Project Manager:	Micheal I. Dean	12/05/18 16:53

### Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Horton #9	P811087-01A	Soil	11/30/18	11/30/18	Glass Jar, 4 oz.
Horton 2B	P811087-02A	Soil	11/30/18	11/30/18	Glass Jar, 4 oz.
Horton 2C	P811087-03A	Soil	11/30/18	11/30/18	Glass Jar, 4 oz.
Horton 7	P811087-04A	Soil	11/30/18	11/30/18	Glass Jar, 4 oz.
Horton 2A	P811087-05A	Soil	11/30/18	11/30/18	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com





Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

Horton #9 API# 30-045-22671  
P811087-01 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Volatiles Organics by EPA 8021</b>									
Benzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Toluene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Ethylbenzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
p,m-Xylene	ND	200	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
o-Xylene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total Xylenes	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total BTEX	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		101 %		50-150	1848028	11/30/18	12/01/18	EPA 8021B	
<b>Nonhalogenated Organics by 8015</b>									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1848028	11/30/18	12/01/18	EPA 8015D	
Diesel Range Organics (C10-C28)	808	50.0	mg/kg	2	1848029	11/30/18	12/03/18	EPA 8015D	
Oil Range Organics (C28-C40+)	998	100	mg/kg	2	1848029	11/30/18	12/03/18	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		103 %		50-150	1848028	11/30/18	12/01/18	EPA 8015D	
Surrogate: n-Nonane		102 %		50-200	1848029	11/30/18	12/03/18	EPA 8015D	
<b>Anions by 300.0/9056A</b>									
Chloride	ND	20.0	mg/kg	1	1849004	12/04/18	12/04/18	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

**Horton 2B** API# 30-045-30160  
**P811087-02 (Solid)**

Reporting

Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Volatile Organics by EPA 8021</b>									
Benzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Toluene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Ethylbenzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
p,m-Xylene	ND	200	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
o-Xylene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total Xylenes	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total BTEX	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		101 %		50-150	1848028	11/30/18	12/01/18	EPA 8021B	
<b>Nonhalogenated Organics by 8015</b>									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1848028	11/30/18	12/01/18	EPA 8015D	
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	1848029	11/30/18	12/04/18	EPA 8015D	
Oil Range Organics (C28-C40+)	ND	50.0	mg/kg	1	1848029	11/30/18	12/04/18	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		102 %		50-150	1848028	11/30/18	12/01/18	EPA 8015D	
Surrogate: n-Nonane		94.8 %		50-200	1848029	11/30/18	12/04/18	EPA 8015D	
<b>Anions by 300.0/9056A</b>									
Chloride	20.3	20.0	mg/kg	1	1849004	12/04/18	12/04/18	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com





Hallador 1660 Lincoln St Suite 2700 Denver CO, 80264	Project Name: Below Grade Pits Project Number: 18010-0004 Project Manager: Micheal I. Dean	Reported: 12/05/18 16:53
--	--	-----------------------------

**Horton 2C    API# 30-045-31435**  
**P811087-03 (Solid)**

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Volatile Organics by EPA 8021</b>									
Benzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Toluene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Ethylbenzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
p,m-Xylene	ND	200	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
o-Xylene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total Xylenes	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total BTEX	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		101 %		50-150	1848028	11/30/18	12/01/18	EPA 8021B	
<b>Nonhalogenated Organics by 8015</b>									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1848028	11/30/18	12/01/18	EPA 8015D	
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	1848029	11/30/18	12/03/18	EPA 8015D	
Oil Range Organics (C28-C40+)	ND	50.0	mg/kg	1	1848029	11/30/18	12/03/18	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		102 %		50-150	1848028	11/30/18	12/01/18	EPA 8015D	
Surrogate: n-Nonane		93.0 %		50-200	1848029	11/30/18	12/03/18	EPA 8015D	
<b>Anions by 300.0/9056A</b>									
Chloride	ND	20.0	mg/kg	1	1849004	12/04/18	12/04/18	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

**Horton 7** API# 30-045-21362  
**P811087-04 (Solid)**

Reporting

Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Volatile Organics by EPA 8021</b>									
Benzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Toluene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Ethylbenzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
p,m-Xylene	ND	200	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
o-Xylene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total Xylenes	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total BTEX	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		101 %		50-150	1848028	11/30/18	12/01/18	EPA 8021B	
<b>Nonhalogenated Organics by 8015</b>									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1848028	11/30/18	12/01/18	EPA 8015D	
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	1848029	11/30/18	12/03/18	EPA 8015D	
Oil Range Organics (C28-C40+)	ND	50.0	mg/kg	1	1848029	11/30/18	12/03/18	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		103 %		50-150	1848028	11/30/18	12/01/18	EPA 8015D	
Surrogate: n-Nonane		91.5 %		50-200	1848029	11/30/18	12/03/18	EPA 8015D	
<b>Anions by 300.0/9056A</b>									
Chloride	ND	20.0	mg/kg	1	1849004	12/04/18	12/04/18	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com





Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

**Horton 2A API# 30-045-23392**  
**P811087-05 (Solid)**

Reporting

Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Volatile Organics by EPA 8021</b>									
Benzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Toluene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Ethylbenzene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
p,m-Xylene	ND	200	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
o-Xylene	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total Xylenes	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Total BTEX	ND	100	ug/kg	1	1848028	11/30/18	12/01/18	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		101 %		50-150	1848028	11/30/18	12/01/18	EPA 8021B	
<b>Nonhalogenated Organics by 8015</b>									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1848028	11/30/18	12/01/18	EPA 8015D	
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	1848029	11/30/18	12/03/18	EPA 8015D	
Oil Range Organics (C28-C40+)	ND	50.0	mg/kg	1	1848029	11/30/18	12/03/18	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		104 %		50-150	1848028	11/30/18	12/01/18	EPA 8015D	
Surrogate: n-Nonane		97.5 %		50-200	1848029	11/30/18	12/03/18	EPA 8015D	
<b>Anions by 300.0/9056A</b>									
Chloride	ND	20.0	mg/kg	1	1849004	12/04/18	12/04/18	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

### Volatile Organics by EPA 8021 - Quality Control

#### Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

#### Batch 1848028 - Purge and Trap EPA 5030A

##### Blank (1848028-BLK1)

Prepared: 11/30/18 1 Analyzed: 12/01/18 0

Benzene	ND	100	ug/kg
Toluene	ND	100	"
Ethylbenzene	ND	100	"
p,m-Xylene	ND	200	"
o-Xylene	ND	100	"
Total Xylenes	ND	100	"
Total BTEX	ND	100	"

Surrogate: 4-Bromochlorobenzene-PID 8200 " 8000 103 50-150

##### LCS (1848028-BS1)

Prepared: 11/30/18 1 Analyzed: 12/01/18 0

Benzene	5360	100	ug/kg	5000	107	70-130
Toluene	5390	100	"	5000	108	70-130
Ethylbenzene	5430	100	"	5000	109	70-130
p,m-Xylene	11100	200	"	10000	111	70-130
o-Xylene	5370	100	"	5000	107	70-130
Total Xylenes	16500	100	"	15000	110	70-130

Surrogate: 4-Bromochlorobenzene-PID 8170 " 8000 102 50-150

##### Matrix Spike (1848028-MS1)

Source: P811087-01

Prepared: 11/30/18 1 Analyzed: 12/01/18 1

Benzene	5350	100	ug/kg	5000	ND	107	54.3-133
Toluene	5360	100	"	5000	ND	107	61.4-130
Ethylbenzene	5390	100	"	5000	ND	108	61.4-133
p,m-Xylene	11000	200	"	10000	ND	110	63.3-131
o-Xylene	5300	100	"	5000	ND	106	63.3-131
Total Xylenes	16300	100	"	15000	ND	109	63.3-131

Surrogate: 4-Bromochlorobenzene-PID 8010 " 8000 100 50-150

##### Matrix Spike Dup (1848028-MSD1)

Source: P811087-01

Prepared: 11/30/18 1 Analyzed: 12/01/18 1

Benzene	5390	100	ug/kg	5000	ND	108	54.3-133	0.675	20
Toluene	5400	100	"	5000	ND	108	61.4-130	0.825	20
Ethylbenzene	5430	100	"	5000	ND	109	61.4-133	0.780	20
p,m-Xylene	11100	200	"	10000	ND	111	63.3-131	0.645	20
o-Xylene	5350	100	"	5000	ND	107	63.3-131	0.865	20
Total Xylenes	16400	100	"	15000	ND	109	63.3-131	0.717	20

Surrogate: 4-Bromochlorobenzene-PID 8010 " 8000 100 50-150

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

### Nonhalogenated Organics by 8015 - Quality Control

#### Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 1848028 - Purge and Trap EPA 5030A</b>										
<b>Blank (1848028-BLK1)</b>				Prepared: 11/30/18 1 Analyzed: 12/01/18 0						
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.21		"	8.00		103	50-150			
<b>LCS (1848028-BS2)</b>				Prepared: 11/30/18 1 Analyzed: 12/01/18 0						
Gasoline Range Organics (C6-C10)	50.6	20.0	mg/kg	50.0		101	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.44		"	8.00		105	50-150			
<b>Matrix Spike (1848028-MS2)</b>				Source: P811087-01		Prepared: 11/30/18 1 Analyzed: 12/01/18 1				
Gasoline Range Organics (C6-C10)	49.3	20.0	mg/kg	50.0	ND	98.5	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.39		"	8.00		105	50-150			
<b>Matrix Spike Dup (1848028-MSD2)</b>				Source: P811087-01		Prepared: 11/30/18 1 Analyzed: 12/01/18 1				
Gasoline Range Organics (C6-C10)	50.3	20.0	mg/kg	50.0	ND	101	70-130	2.14	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.31		"	8.00		104	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com





Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

### Nonhalogenated Organics by 8015 - Quality Control

#### Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 1848029 - DRO Extraction EPA 3570</b>										
<b>Blank (1848029-BLK1)</b>				Prepared: 11/30/18 1 Analyzed: 12/03/18 1						
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40+)	ND	50.0	"							
Surrogate: n-Nonane	44.9		"	50.0		89.7	50-200			
<b>LCS (1848029-BS1)</b>				Prepared: 11/30/18 1 Analyzed: 12/03/18 1						
Diesel Range Organics (C10-C28)	480	25.0	mg/kg	500		96.1	38-132			
Surrogate: n-Nonane	45.5		"	50.0		91.0	50-200			
<b>Matrix Spike (1848029-MS1)</b>				Source: P811087-01		Prepared: 11/30/18 1 Analyzed: 12/03/18 1				
Diesel Range Organics (C10-C28)	1310	50.0	mg/kg	500	808	100	38-132			
Surrogate: n-Nonane	53.8		"	50.0		108	50-200			
<b>Matrix Spike Dup (1848029-MSD1)</b>				Source: P811087-01		Prepared: 11/30/18 1 Analyzed: 12/03/18 1				
Diesel Range Organics (C10-C28)	1260	50.0	mg/kg	500	808	90.7	38-132	3.68	20	
Surrogate: n-Nonane	54.8		"	50.0		110	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



Hallador  
1660 Lincoln St Suite 2700  
Denver CO, 80264

Project Name: Below Grade Pits  
Project Number: 18010-0004  
Project Manager: Micheal I. Dean

Reported:  
12/05/18 16:53

### Anions by 300.0/9056A - Quality Control

#### Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 1849004 - Anion Extraction EPA 300.0/9056A</b>										
<b>Blank (1849004-BLK1)</b>				Prepared: 12/04/18 0 Analyzed: 12/04/18 1						
Chloride	ND	20.0	mg/kg							
<b>LCS (1849004-BS1)</b>				Prepared: 12/04/18 0 Analyzed: 12/04/18 1						
Chloride	256	20.0	mg/kg	250		102	90-110			
<b>Matrix Spike (1849004-MS1)</b>				Source: P811080-01 Prepared: 12/04/18 0 Analyzed: 12/04/18 1						
Chloride	1300	20.0	mg/kg	250	1460	NR	80-120			SPK2
<b>Matrix Spike Dup (1849004-MSD1)</b>				Source: P811080-01 Prepared: 12/04/18 0 Analyzed: 12/04/18 1						
Chloride	1560	20.0	mg/kg	250	1460	40.6	80-120	18.3	20	SPK2

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



Hallador	Project Name:	Below Grade Pits	
1660 Lincoln St Suite 2700	Project Number:	18010-0004	Reported:
Denver CO, 80264	Project Manager:	Micheal I. Dean	12/05/18 16:53

Notes and Definitions

- SPK2 The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to native analyte concentration at 4 times or greater than the spike concentration.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- \*\* Methods marked with \*\* are non-accredited methods.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com

laboratory@envirotech-inc.com



## Chain of Custody

Client: HALLADOR				Report Attention				Lab Use Only				TAT				EPA Program												
Project: BELOW GRADE PITS				Report due by: 12-5-18				Lab WO# P81087				Job Number 18010-0004				1D 3D RCRA CWA SDWA												
Project Manager: MICHAEL L DEAN				Attention: VERN ANDREWS																								
Address: 7415 EAST MAIN				Address: 7415 E MAIN																								
City, State, Zip FARMINGTON N.M. 87402				City, State, Zip FARMINGTON N.M. 87402																								
Phone: 505-860-0481				Phone: 505-320-1763																								
Email: MICHAEL.DEAN@HALLADOR.NET				Email: VERN@HALLADOR.NET																								
Time Sampled	Date Sampled	Matrix	No Containers	Sample ID	Lab Number	Analysis and Method												State										
9:00am	11-30-18	S	6	#9	1	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	TPH 418.1													NM CO UT AZ			
9:30	11-30-18	S	6	2B	2																				Remarks			
10:00	11-30-18	S	6	2C	3																							
10:30	11-30-18	S	6	7	4																							
10:45	11-30-18	S	6	2A	5																							

**Additional Instructions:**

Vis ice in cooler.

**Relinquished by: (Signature)** *Michael Dean* **Date** 11-30-18 **Time** 12:30pm

**Relinquished by: (Signature)** *Michael Dean* **Date** 11-30-18 **Time** 12:30pm

**Received by: (Signature)** *Michael Dean* **Date** 11-30-18 **Time** 12:30pm

**Received by: (Signature)** *Michael Dean* **Date** 11-30-18 **Time** 12:30pm

**Lab Use Only**

**Received on ice:** Y / N

**AVG Temp °C:** 11.0

**T1** **T2** **T3**

**Container Type:** g - glass, p - poly/plastic, ag - amber glass, v - VOA

**Sample Matrix:** S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

**Note:** Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

**envirotech**  
Analytical Laboratory

5796 US Highway 64, Farmington, NM 87401  
Three Springs - 65 Merado Street, Suite 115, Durango, CO 81301

PH: (505) 632-0615 FX: (505) 632-1865  
PH: (970) 299-0615 FX: (970) 362-1879

# EPIC Energy L.L.C

## Below Grade Tank Closure Plan

Horton #007

U/L: O, Section 22, TWN: 32N. RNG: 11W

San Juan County, New Mexico

30-045-21362

As stipulated in Rule 19 .15 .17 .13 NMAC, the following information adheres to the requirements established in closing below-grade tanks (BGTs) on EPIC Energy L.L.C well sites. This plan will address the standard protocols and procedures for closure of BGTs.

EPIC Energy L.L.C proposes to close its existing BGTs that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or are not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC in accordance with this closure plan and the transitional provisions of Subsection E of 19.15.17.17 NMAC, or within five (5) years after the effective date (June 16, 2008) of 19.15.17 NMAC.

The following outline addresses all requirements for closure of EPIC Energy L.L.C BGTs:

1. Prior notification of EPIC Energy L.L.C intent to close the BGT will follow 19.15.17.13J (I) and (2).

a. EPIC Energy L.L.C will notify the surface owner by certified mail, return receipt requested, of closure plans. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is enough to demonstrate compliance with this requirement.

b. notification will also be given to the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice will include the operator's name and the well's name, number, and API number, in addition to the well's legal description, including the unit letter, section, township, and range.

**Notification was provided to the NMOCD District III office & BLM. Attached is a copy of the notification.**

2.EPIC Energy L.L.C will remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. A list of EPIC Energy L.L.C approved disposal facilities is below:

Fluid disposal:

**Agua Moss**

Sunco well #1

U/L=E, SWNW, Section 2, T29N-R12W San Juan, New Mexico

Permit #NM-01-0009

**Basin Disposal Inc.**

Basin Disposal well # 1

U/L=F, SWNW, Section 3, T29N-R1 1 W San Juan, New Mexico

Permit #NM-01-0005

Solid disposal:

**Envirotech Land Farm**

Disposal Facility

Section 6, T26N-R10W, County Road #7175 San Juan, New Mexico

Permit #NM-01-0011

3.EPIC Energy L.L.C will remove the BGT from the pit and place it at ground level adjacent to the original BGT site.

**The Below Grade tank was transported for recycling**

4.EPIC Energy L.L.C will hook up necessary equipment and piping for temporary tank use. At this time, any on-site equipment not necessary to the operation of the tank will be removed from the site.

**All Equipment associated with the below Grade Tank removal was removed. An above ground tank was instated in the same area where the below grade tank was removed.**



5. EPIC Energy L.L.C will test the soils beneath the original BGT location to determine whether a release has occurred. At a minimum, a five (5) point composite sample will be collected in addition to individual grab samples from areas that are wet, discolored, or showing other evidence of a release. The samples will be analyzed for BTEX, TPH, and chlorides to demonstrate that they do not exceed certain concentrations. The testing methods and closure standards for those constituents are as follows:

All analytical results that were collected during the removal of the Below Grade Tank came back Non-Detect demonstrating a release did not occur.

Constituents	Testing Method	Closure Standards (mg/Kg)
Benzene	US EPA SW-846 methods 8021B or 8260B	0.2
total BTEX	US EPA SW-846 methods 8021B or 8260B	50
TPH	US EPA method 418.1	100
Chlorides	US EPA method 300.1	250 or background

Notes: mg/Kg= milligram per kilogram; BTEX = benzene, toluene, ethylbenzene, and total xylenes; TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. The Chlorides closure standards will be determined by whichever concentration level is greatest.

6. EPIC Energy L.L.C will notify the division District III office of the soil test results on Form C-14 I. It is understood that the NMOCD may require additional delineation upon review of the results.

All analytical results that were collected during the removal of the Below Grade Tank came back Non-Detect demonstrating a release did not occur.

7. If it is determined that a release has occurred, then EPIC Energy L.L.C will comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A C-141 is attached for Closure demonstrating an analytical result of non-detect.

8. If the confirmation sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then EPIC Energy L.L.C will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; re-contour the site; and move the fiberglass tank onto the newly backfilled and compacted site. The division-prescribed soil cover, re-contouring, and re-vegetation requirements shall comply with Subsections G, H, and I of 19.15.17.13

NMAC.

**The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.**

9.Reclamation will follow 19.15.17.130 (1) and (2).

a. The BGT location and all areas associated with the BGT, including associated access roads, if applicable, will be reclaimed to a safe and stable condition that blends with the surrounding undisturbed area. It is understood that EPIC Energy L.L.C shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19 .15 .1 7 .13 NMA C and re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography.

b. Re-vegetation will not be completed at the time the BGT pit is reclaimed but will instead be applied for as part of the P&A process when the well is plugged and abandoned.

10.Soil cover will follow 19.15.17.13H (1) and (3).

a. The soil cover for closures where the BGT has been removed or contaminated soil has been remediated to the NMOCD's satisfaction will consist of the background thickness of topsoil or one (1) foot of suitable material to establish vegetation at the site, whichever is greater.

b. The soil cover will be constructed to the site's existing grade, and all possible efforts will be conducted to prevent ponding of water and erosion of the cover material.


**The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.**

11.Within 60 days of closure completion, EPIC Energy L.L.C will submit a closure report on NMOCD's Form C-144, with necessary attachments to document all closure activities, including sampling results; information required by 19.15.17 NMAC; and details on backfilling, capping, and covering, where applicable. EPIC Energy L.L.C will certify that all information in the report and attachments is correct and that EPIC Energy L.L.C has complied with all applicable closure requirements and conditions specified in the approved closure plan.









**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 9354

CONDITIONS OF APPROVAL

Operator:	EPIC ENERGY, L.L.C.	7415 E Main St	Farmington, NM87402	OGRID:	372834	Action Number:	9354	Action Type:	C-144
OCD Reviewer	Condition								
csmith	None								