

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMLC061497

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
FULLER 13 12 W1GB FED COM 2Y9. API Well No.
30-015-47516-00-X110. Field and Pool or Exploratory Area
PURPLE SAGE-WOLFCAMP (GAS)11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
MEWBOURNE OIL COMPANYContact: JACKIE LATHAN
E-Mail: jlathan@mewbourne.com3a. Address
P O BOX 5270
HOBBS, NM 882413b. Phone No. (include area code)
Ph: 575-393-5905

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 13 T26S R29E NWSE 2610FSL 2485FEL
32.042000 N Lat, 103.937236 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

10/02/2020

Spud 17 1/2" hole @ 895'. Ran 865' of 13 3/8" 54.5# J55 ST&C csg. Cmt lead w/585 sks Class C w/additives. Mixed @ 13.5#/g w/1.74 yd. Tail w/200 sks Class C w/1% CaCl2. Mixed @ 14.8#/g w/1.34 yd. Displaced w/130 bbls of FW. Plug down @ 10:30 A.M. 09/08/20. Bump plug to 715#. Did not circ cmt. Slow rate lift pressure @ 140# @ 4 BPM. Run temp survey indicating TOC @ 775'. TIH with 1" pipe. Tag @ 295'. Ran 1" pipe in 5 stages with 535 sks Class C w/2% CaCl2. Mixed @ 14.8#/g w/1.34 yd. Circ 10 sks of cmt to the cellar. Test BOPE to 5000# Annular to 3500#. Tested standpipe & mudlines back to pumps 5000#. At 11:00 A.M. 10/06/2020, tested csg to 1500# for 30mins, held OK. FIT test to 10.5 PPG EMW. Drilled out with 12 1/2" bit.

Charts & Schematic attached.

Entered - KMS NMOCD

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #534377 verified by the BLM Well Information System
For MEWBOURNE OIL COMPANY, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 10/20/2020 (21PP0271SE)

Name (Printed/Typed) RUBY CABALLERO

Title REGULATORY

Signature (Electronic Submission)

Date 10/19/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 12/15/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #534377 that would not fit on the form

32. Additional remarks, continued

10/09/2020

TD'ed 12 1/4" hole @ 5050'. Ran 4320' of 9 5/8" 40# HCL80 LT&C Csg. cmt 1st stage w/165 sks Lite Premium Plus C (65:35:6) w/additives. Mixed @ 12.5#/g w/2.01 yd. Tail w/ 200 sks Premium Plus C w/additives. Mixed @ 14.8#/g w/1.33 yd. Displaced w/100 bbls of FW & 224 bbls of mud. Plug down @ 4:00 A.M. 10/09/20. Set ECP w/2360 psi. Drop bomb & open DV Tool w/893#. Circ 140 sks cmt to pit. Cmt 2nd stage w/870 sks Lite Premium Plus C (65:35:6) w/additives. Mixed @ 12.4#/g w/2.02 yd. Tail w/100 sks Premium Plus C w/additives. Mixed 14.8#/g 1.33 yd. Displaced w/241 bbls of FW. Plug down @ 7:15 A.M. 10/09/20. Circ 312 sks of cmt to the pit. Set Cameron mandrel hanger through BOP w/165k#. At 9:15 P.M. 10/09/20, tested csg to 1500# for 30 min, held OK. FIT test to 10.2# EMW. Drilled out with 8 7/8" bit.

Bond on file: NM1693 nationwide & NMB000919

Revisions to Operator-Submitted EC Data for Sundry Notice #534377

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD SR	SPUD SR
Lease:	NMLC061497	NMLC061497
Agreement:		
Operator:	MEWBOURNE OIL COMPANY PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905	MEWBOURNE OIL COMPANY P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905
Admin Contact:	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com Ph: 575-393-5905	JACKIE LATHAN REGULATORY E-Mail: jlathan@mewbourne.com Ph: 575-393-5905
Tech Contact:	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com Ph: 575-393-5905 Ext: 5032	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com Ph: 575-393-5905 Ext: 5032
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	FULLER 13/2 W1GB FED COM 2Y Sec 13 T26S R29E Mer NMP SESE 2610FSL 2485FEL	FULLER 13 12 W1GB FED COM 2Y Sec 13 T26S R29E NWSE 2610FSL 2485FEL 32.042000 N Lat, 103.937236 W Lon

Action 12488

OCD Reviewer	Condition
ksimmons	None